

RENOL-APRICOT-ZN

Page 1

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

SECTION 1. IDENTIFICATION

Identification of the company:

Clariant Plastics & Coatings Canada Inc.
2 Lone Oak Court
Toronto, Ontario, M9C 5R9
Telephone No.: +1 514-832-2559

Information of the substance/preparation:

BU Masterbatches
Product Stewardship, +1-704-331-7710
e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 CANUTEC (613) 996-6666**Trade name:****RENOL-APRICOT-ZN****Material number:**

PV83800004

Chemical family:

Colourant preparation
Carrier: EVA

Primary product use:

Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation
Carrier: EVA

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment White 6	13463-67-7	10 - 20

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

RENOL-APRICOT-ZN

Page 2

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

SECTION 4. FIRST AID MEASURES

- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
In case of burns apply cold water until pain subsides then seek medical advice.
Burns must be treated by a physician.
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Acetic acid
Carbon monoxide
Carbon dioxide (CO₂)
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

RENOL-APRICOT-ZN

Page 3

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Metal oxides
Carbon oxides

- Further information : Combustible material
In the event of fire and/or explosion do not breathe fumes.
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Take up uncontaminated material and pass on for further processing.
After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.
When handling hot melts use suitable protective clothing.
Avoid dust formation. Keep away from sources of ignition.
Lead off electrostatic charges.
- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
Protect from moisture.
Keep away from direct sunlight.

RENOL-APRICOT-ZN

Page 4

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Technical measures/Precautions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
Keep in an area equipped with sprinklers.
Minimize dust generation and accumulation.

Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL

Engineering measures : Use only in area provided with appropriate exhaust ventilation.
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

Hand protection
Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
When handling hot melts use suitable protective clothing.

RENOL-APRICOT-ZN

Page 5

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules

Colour : brown

Odour : characteristic

Odour Threshold : Not applicable

pH : Not applicable

Melting point : > 50 °C

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Self-ignition : Not applicable

Upper explosion limit / upper flammability limit : not tested.

Lower explosion limit / Lower flammability limit : not tested.

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : not available

Density : not tested.

Solubility(ies)
Water solubility : insoluble

Partition coefficient: n-octanol/water : This property is not applicable for mixtures.

Decomposition temperature : 220 °C

Viscosity

RENOL-APRICOT-ZN

Page 6

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: no data available no data available
Oxidizing properties	: not available
Surface tension	: Not relevant
Particle size	: Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials	: none Strong oxidizing agents Halogenated hydrocarbons
Hazardous decomposition products	: No hazardous decomposition products if stored and handled as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

None known.

Acute toxicity**Product:**

Acute inhalation toxicity	: Acute toxicity estimate: 47.73 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
---------------------------	---

RENOL-APRICOT-ZN

Page 7

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Components:**C.I. Pigment White 6:**

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: no
- Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403
GLP: no
- Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Not applicable

Skin corrosion/irritation**Product:**

Result: No skin irritation

Components:**C.I. Pigment White 6:**

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Components:**C.I. Pigment White 6:**

Species: rabbit eye
Result: non-irritant
Method: OECD Test Guideline 405
GLP: No information available.

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

RENOL-APRICOT-ZN

Page 8

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Components:**C.I. Pigment White 6:**

Test Type: Mouse local lymphnode assay

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: non-sensitizing

GLP: No information available.

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

GLP: yes

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Does not cause respiratory sensitisation.

GLP: No information available.

Germ cell mutagenicity**Components:****C.I. Pigment White 6:**

- Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Test Type: Ames test
Test system: Escherichia coli
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Erythrocytes
Application Route: oral (gavage)
Exposure time: single treatment
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: negative

RENOL-APRICOT-ZN

Page 9

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

GLP: yes

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

Carcinogenicity**Components:****C.I. Pigment White 6:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity**Components:****C.I. Pigment White 6:**

Effects on fertility : Remarks: The study is not necessary from a scientific perspective.

Effects on foetal development : Remarks: The study is not necessary from a scientific perspective.

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

STOT - single exposure**Components:****C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure**Components:****C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****C.I. Pigment White 6:**

Species: Rat, male
NOAEL: 24,000 mg/kg
Application Route: oral (gavage)
Exposure time: 29 d
Number of exposures: daily
Dose: 24000 mg/kg

RENOL-APRICOT-ZN

Page 10

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Group: yes
Method: OECD Test Guideline 407
GLP: No information available.

Species: Rat, male and female
NOAEL: 0.01 mg/l
Application Route: Inhalation
Exposure time: 2 a
Number of exposures: 6 hours/day, 5 days/week
Dose: 0,0106 - 0,0507 - 0,250 mg/l
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no

Application Route: Skin contact
Remarks: The study is not necessary from a scientific perspective.

Aspiration toxicity**Components:****C.I. Pigment White 6:**

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Components:****C.I. Pigment White 6:**

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: no data available

Components:**C.I. Pigment White 6:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no

RENOL-APRICOT-ZN

Page 11

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Method: EPA

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 100 mg/l

Exposure time: 96 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Cyprinodon variegatus* (sheepshead minnow)): > 10,000 mg/l

Exposure time: 96 h

Test Type: semi-static test

Analytical monitoring: no data available

Method: OECD Test Guideline 203

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other
aquatic invertebrates: LC50 (*Daphnia magna* (Water flea)): > 100 mg/l

Exposure time: 48 h

Test Type: static test

Analytical monitoring: no data available

Method: OECD Test Guideline 202

GLP: no data available

Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Acartia tonsa*): > 10,000 mg/l

Exposure time: 48 h

Analytical monitoring: no data available

Method: ISO 14669 and PARCOM method

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae

: EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l

End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: EPA

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l

End point: Growth rate

RENOL-APRICOT-ZN

Page 12

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

	<p>Exposure time: 72 h Analytical monitoring: no data available Method: ISO 10253 GLP: yes Remarks: The details of the toxic effect relate to the nominal concentration.</p>
Toxicity to fish (Chronic toxicity)	<p>: LC50 (Oncorhynchus mykiss (rainbow trout)): 7.31 mg/l Exposure time: 28 d Test Type: static test Analytical monitoring: yes Method: Other GLP: No information available. Remarks: By analogy with a product of similar composition</p>
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	<p>: Remarks: Not applicable</p>
Toxicity to microorganisms	<p>: EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l End point: Bacteria toxicity (respiration inhibition) Exposure time: 3 h Test Type: aquatic Method: OECD Test Guideline 209 GLP: yes Remarks: The details of the toxic effect relate to the nominal concentration.</p> <p>NOEC (activated sludge of a predominantly domestic sewage): >= 1,000 mg/l End point: Bacteria toxicity (respiration inhibition) Exposure time: 3 h Test Type: aquatic Method: OECD Test Guideline 209 GLP: yes Remarks: The details of the toxic effect relate to the nominal concentration.</p>
Toxicity to soil dwelling organisms	<p>: Test Type: artificial soil NOEC (Folsomia candida): 0,1 ->= 10 % Exposure time: 28 d End point: mortality Method: ISO 11267 GLP: no Remarks: By analogy with a product of similar composition This product does not have any known adverse effect on the soil organisms tested.</p>
Plant toxicity	<p>: NOEC (Lactuca sativa (lettuce)): >= 10 % Exposure time: 20 h End point: Growth Analytical monitoring: yes</p>

RENOL-APRICOT-ZN

Page 13

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition
No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalella azteca (Scud)): ≥ 100000 %
Analytical monitoring: no
Sediment: artificial soil
Exposure duration: 28 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition

NOEC: ≥ 14989 mg/kg dry weight (d.w.)
Analytical monitoring: no data available
Sediment: Natural sediment
Exposure duration: 10 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: yes

Toxicity to terrestrial organisms : Remarks: Not applicable

Persistence and degradability**Components:****C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not tested.

Components:**C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 20 - 200
Exposure time: 14 d
Concentration: 0.1 - 1 mg/l
Method: Other
GLP: No information available.
Remarks: Does not accumulate in organisms.

Mobility in soil**Product:**

RENOL-APRICOT-ZN

Page 14

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Distribution among environmental compartments : Remarks: not tested.

Components:**C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil
Medium: water - soil
log Koc: 4.61
Method: Other

Other adverse effects**Product:**

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Components:**C.I. Pigment White 6:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

TDG not restricted

RENOL-APRICOT-ZN

Page 15

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

IATA	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Zinc compounds
Chromium (III) compound
Copper Compound

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA QC OEL / TWA EV : Time-weighted average exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -

RENOL-APRICOT-ZN

Page 16

Substance key: 000000725906

Revision Date: 01/30/2018

Version : 1 - 0 / CDN

Date of printing :02/20/2018

Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 01/30/2018

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN