

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 4/28/16  
PAGE: 1

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

\*\*\*\*\* MATERIAL SAFETY DATA SHEETS \*\*\*\*\*

\*

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.  
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS  
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE  
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

\*

\*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE  
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

\*

\*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 4/28/16  
PAGE: 2

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

PVC NATURAL 8245 004.000% DWT2145 BEIGE

PRODUCT CODE:

CV82754993

VERSION NUMBER:

4

DATE: 4/28/16

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW  
WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE  
OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200  
OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

CAS NUMBER	DESCRIPTION	OSHA PEL MG/M3	ACGIH TLV MG/M3	OTHER LIMITS	DOES NOT EXCEED(%)
68186-90-3	CHROME ANTIMONY TITANIUM	-	-	-	.80
CRCMPD	CHROMIUM (III) COMPOUND	0.5	0.5	-	.80
SBCMPD	ANTIMONY & COMPOUNDS(AS SB)	0.5	0.5	-	.80
7440-47-3	CHROMIUM AS CR	0.5	0.5	-	.04
7440-36-0	ANTIMONY (SB) METAL	0.5	0.5	-	.10
68412-38-4	C.I. PIGMENT YELLOW 164				.40
68186-91-4	COPPER CHROMITE SPINEL	N.E.	N.E.	-	.35
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	40.00
1344-28-1	ALUMINUM OXIDE (DUST)	10.0	10.0	5.0	.40
75-01-4	VINYL CHLORIDE MONOMER	1 PPM	5PPM	0.5PPM	----

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N/A  
SPECIFIC GRAVITY: 1.35-1.55  
VAPOR PRESSURE: N/A  
MELTING POINT: Non Determined  
VAPOR DENSITY: N/A  
EVAPORATION RATE: N/A  
SOLUBILITY IN WATER: SLIGHT  
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 4/28/16  
PAGE: 3

SHIPPED FROM:

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434

PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

-----  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA:  
-----

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 391 C.  
THE METHOD USED TO DETERMINE THIS IS: EXTERNAL PILOT FLAME  
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH  
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

USE WATER FOG, FOAM OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-CONTAINED BREATHING  
APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

DENSE BLACK SMOKE EMITTED WHEN BURNED WITHOUT SUFFICIENT OXYGEN. TOXIC  
FUMES ARE RELEASED IN FIRE SITUATIONS

-----  
SECTION V - REACTIVITY DATA:  
-----

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

NONE

INCOMPATIBILITY (MATERIALS TO AVOID):

DURING PROCESSING, AVOID ACETAL/ACETAL COPOLYMERS AND AMINES

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM  
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

N/A

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 4/28/16  
PAGE: 4

SHIPPED FROM:

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434

PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE  
IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR  
SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO  
TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN  
WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.  
INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND  
IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY  
BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

ACUTE: PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.  
HARMFUL IF ABSORBED THROUGH SKIN.  
CHRONIC: REPEATED EXPOSURE MAY CAUSE ALLERGIC SKIN RASH, ITCHING, SWELLING.

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

CONTACT WITH EYE MAY CAUSE EYE IRRITATION

-----  
IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE  
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES  
-----

SIGNS AND SYMPTOMS OF EXPOSURE:

CHROME ANTIMONY TITANIUM: REPEATED OVEREXPOSURE TO THIS COMPOUND MAY CAUSE  
EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

PIGMENT YELLOW 164: MAY CAUSE EYE, SKIN, AND RESPIRATORY TRACT IRRITATION.  
ROUTES OF ENTRY: INGESTION, INHALATION.

COPPER CHROMITE: OVEREXPOSURE MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT  
IRRITATION.

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 4/28/16  
PAGE: 5

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434

PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

TITANIUM DIOXIDE, ALUMINUM OXIDE: IARC HAS LISTED TITANIUM DIOXIDE AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. EXPOSURE TO DUST MAY CAUSE TEMPORARY DRYING EFFECT AND /OR MILD IRRITATION OF THE NOSE, THROAT, AND LUNGS AND MAY AGGRAVATE PRE-EXISTING CONDITIONS.

DUST MAY CAUSE IRRITATION OF THE NOSE, LUNGS AND THROAT.  
FUMES RELEASED DURING PROCESSING MAY CAUSE IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

CHROME ANTIMONY TITANIUM: RESPIRATORY AND SKIN DISORDERS.

PIGMENT YELLOW 164: SKIN AND RESPIRATORY DISORDERS.

COPPER CHROMITE: RESPIRATORY AND SKIN DISORDERS AGGRAVATED BY DUST.

TITANIUM DIOXIDE, ALUMINUM OXIDE: TITANIUM DIOXIDE LISTED BY IARC AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. ALUMINUM OXIDE (RESPIRATORY DISORDERS)

NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

FOR EXCESSIVE INGESTION DRINK WATER OR MILK. CALL A PHYSICIAN

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE, OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 4/28/16  
PAGE: 6

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

-----  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:  
-----

HANDLING: SPILLAGE

DIKE AND ABSORB SPILL WITH AN INERT MATERIAL SUCH AS SAND, OR EARTH AND  
TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL.

HANDLING: WASTE DISPOSAL

INCINERATE OR BURY IN A LICENSED FACILITY. DO NOT DISCHARGE INTO  
WATERWAYS OR SEWER WITHOUT PROPER AUTHORITY.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH  
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP  
CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

USE UNDER WELL-VENTILATED CONDITIONS AND RECOMMEND THAT EMPLOYEES WASH  
THOROUGHLY AFTER HANDLING PRODUCT.

-----  
SECTION VIII - CONTROL MEASURES:  
-----

CONTROL: RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR MAY BE NEEDED WHEN  
HANDLING MOLTEN MATERIAL.

CONTROL: VENTILATION

PROVIDE AN ADEQUATE EXHAUST SYSTEM THAT IS FILTERED TO AVOID CONTAMINATING  
THE ENVIRONMENT AND MEETS THE TLV REQUIREMENTS IN THE WORK AREA.

CONTROL: GLOVES

LEATHER OR OTHER NON-PERMEABLE GLOVES.

CONTROL: EYE PROTECTION

GOGGLES

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----DATE: 4/28/16  
PAGE: 7

## SHIPPED FROM:

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434

PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993-----  
SECTION VIII - CONTROL MEASURES: (CONT)  
-----CONTROL: OTHER CLOTHING  
EYE WASH STATION.CONTROL: WORK/HYGIENE  
DO NOT EAT, DRINK, OR SMOKE IN WORK AREAS. WASH THOROUGHLY WITH SOAP AND  
WATER AFTER HANDLING.-----  
SECTION IX - OTHER REGULATORY INFORMATION:  
-----SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE  
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED  
AND DISTRIBUTED FOR THIS MATERIAL.

CAS #	DOES NOT EXCEED(%)	DESCRIPTION
CRCMPD	1.15	CHROMIUM (III) COMPOUND
7440-47-3	.19	CHROMIUM (III) AS (CR)
SBCMPD	1.20	ANTIMONY COMPOUND
7440-36-0	.18	ANTIMONY (SB) METAL
MNCMPD	.40	MANGANESE COMPOUND
7439-96-5	.02	MANGANESE (MN)
CUCMPD	.35	COPPER COMPOUND
7440-50-8	.11	COPPER (DUST)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN  
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY  
AS REQUIRED BY FEDERAL LAW.-----  
SECTION X - STATE REGULATORY INFORMATION:  
-----CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE CANCER ARE LISTED BELOW:  
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS  
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65\\_LIST/NEWLIST.HTML](http://www.oehha.ca.gov/prop65/prop65_list/newlist.html)

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 4/28/16  
PAGE: 8

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

SECTION X - STATE REGULATORY INFORMATION: (CONT)

LEAD <50PPM  
HEXAVALENT CHROMIUM <10PPM  
LEAD-10PPM, MERCURY-<0.3PPM, CHROMIUM-43% , CADMIUM-<10PPM:  
HEXAVALENT CHROMIUM 100PPM

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT  
HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS  
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65\\_LIST/NEWLIST.HTML](http://www.oehha.ca.gov/prop65/prop65_list/newlist.html)

LEAD <50PPM  
HEXAVALENT CHROMIUM <10PPM  
LEAD-10PPM, MERCURY-<0.3PPM, CHROMIUM-43% , CADMIUM-<10PPM:

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
AS GIVEN IN WHMIS IS SHOWN BELOW:

[HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX](http://www.csst.qc.ca/en/prevention/reptox/pages/list-whmis-cas-50-84.aspx)  
CLASS D DIV. 2B

TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:  
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS  
SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET



SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 4/28/16  
PAGE: 9

CLARIANT PLASTICS & COATING  
CANADA, INC. MASTERBATCHES  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434

PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC NATURAL 8245 004.000% DWT2145 BEIGE  
PRODUCT CODE: CV82754993

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS  
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:  
NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.  
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT  
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE  
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS  
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER  
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.