

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 1

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

### SECTION 1. IDENTIFICATION

<b>Identification of the company:</b>	Avient Colorants Canada Inc. 2 Lone Oak Court Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559
	<b>Information of the substance/preparation:</b> Product Stewardship e-mail: SDS.NORAMMB@avient.com
	<b>Emergency tel. number:</b> +1 CANUTEC (613) 996-6666

<b>Trade name:</b>	<b>ABS GP35 004.000% PARCHMENT</b>
<b>Material number:</b>	SB82754414
<b>Synonyms:</b>	ABS GP35 004.000% PARCHMENT (SB82754414)
<b>Chemical family:</b>	Colourant preparation Carrier: ABS
<b>Primary product use:</b>	Additive for plastic material processing

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

#### GHS label elements

Not a hazardous substance or mixture.

#### Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation  
Carrier: ABS

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Yellow 164	68412-38-4	0.1 - 1
C.I. Pigment Black 28	68186-91-4	0.1 - 1
Aluminium oxide	1344-28-1	0.1 - 1
N,N'-Ethylenedi(stearamide)	110-30-5	1 - 5
C.I. Pigment White 6	13463-67-7	10 - 30

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 2

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

### SECTION 4. FIRST AID MEASURES

- |   |   |   |
|---|---|---|
| If inhaled  | : | Move the victim to fresh air.<br>Give oxygen or artificial respiration if needed.<br>Get immediate medical advice/ attention.<br>Never give anything by mouth to an unconscious person.   |
| In case of skin contact                                     | : | Wash off immediately with plenty of water for at least 15 minutes.<br>In case of burns apply cold water until pain subsides then seek medical advice.<br>Burns must be treated by a physician.<br>If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely. |
| In case of eye contact                                      | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Get medical attention immediately if irritation develops and persists.  |
| If swallowed  | : | Rinse mouth.<br>Do NOT induce vomiting.<br>Never give anything by mouth to an unconscious person.<br>Get medical advice/ attention.   |
| Most important symptoms and effects, both acute and delayed | : | The possible symptoms known are those derived from the labelling (see section 2).<br>No additional symptoms are known.  |
| Notes to physician  | : | Treat symptomatically.  |

### SECTION 5. FIREFIGHTING MEASURES

- |                                      |   |  |
|--------------------------------------|---|--|
| Suitable extinguishing media         | : | Water spray<br>Foam<br>Carbon dioxide (CO2)<br>Dry chemical  |
| Unsuitable extinguishing media       | : | High volume water jet  |
| Specific hazards during firefighting | : | In case of fire hazardous decomposition products may be produced such as:<br>Styrene<br>Hydrogen cyanide (hydrocyanic acid)<br>Acrylonitrile |

# SAFETY DATA SHEET



**ABS GP35 004.000% PARCHMENT**

Page 3

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Take measures to prevent the build up of electrostatic charge.  
Dust can form an explosive mixture in air.  
Metal oxides

Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.

Methods and materials for containment and cleaning up : Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Take up uncontaminated material and pass on for further processing.  
After cleaning, flush away traces with water.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
When handling hot melts use suitable protective clothing.  
Avoid dust formation. Keep away from sources of ignition.  
Lead off electrostatic charges.

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 4

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture.  
Keep away from direct sunlight.
- Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Keep in an area equipped with sprinklers.  
Minimize dust generation and accumulation.
- Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N'-Ethylenedi(stearamide)	110-30-5	TWA	10 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
C.I. Pigment Yellow 164	68412-38-4	TWA	0.5 mg/m3 (antimony)	CA AB OEL
		TWA	0.2 mg/m3 (Manganese)	CA AB OEL
		TWAEV	0.5 mg/m3 (antimony)	CA QC OEL
		TWAEV (total dust)	0.2 mg/m3 (Manganese)	CA QC OEL
		TWA	0.5 mg/m3 (antimony)	CA BC OEL
		TWA (Respirable)	0.02 mg/m3 (Manganese)	CA BC OEL
		TWA (Total)	0.2 mg/m3 (Manganese)	CA BC OEL
		TWA	0.5 mg/m3 (antimony)	ACGIH
		TWA (Inhalable particulate matter)	0.1 mg/m3 (Manganese)	ACGIH
		TWA (Respirable particulate)	0.02 mg/m3 (Manganese)	ACGIH

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 5

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

		matter)		
C.I. Pigment Black 28	68186-91-4	TWA	1 mg/m3 (Copper)	NIOSH REL
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
Aluminium oxide	1344-28-1	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3 (Aluminium)	CA QC OEL
		TWA (Respirable)	1 mg/m3 (Aluminium)	CA BC OEL
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH

**Engineering measures** : Use only in area provided with appropriate exhaust ventilation.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.  
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

### Personal protective equipment

**Respiratory protection** : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.  
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

**Hand protection**  
**Remarks** : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.  
When handling hot melts use suitable protective clothing.

**Hygiene measures** : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 6

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Appearance	:	Granules
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	Not applicable
pH	:	Not applicable
Melting point	:	> 90 °C
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	:	Not applicable

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 7

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant
Particle size	:	Product specific

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Keep away from heat and sources of ignition.
Incompatible materials	:	no data available Strong acids and strong bases
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

None known.

#### Acute toxicity

##### Product:

Acute inhalation toxicity	:	Acute toxicity estimate: 18.75 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 3,563 mg/kg

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 8

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Method: Calculation method

### Components:

#### **Aluminium oxide:**

- Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: No information available.
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Remarks: Not applicable

#### **N,N'-Ethylenedi(stearamide):**

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

#### **C.I. Pigment White 6:**

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no
- Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: not required

### **Skin corrosion/irritation**

#### Product:

Result: No skin irritation



# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 9

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

### **Components:**

#### **Aluminium oxide:**

Species: Rabbit  
Exposure time: 24 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: No information available.

#### **N,N'-Ethylenedi(stearamide):**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

#### **C.I. Pigment White 6:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

### **Serious eye damage/eye irritation**

#### **Product:**

Result: No eye irritation

### **Components:**

#### **Aluminium oxide:**

Result: Mild eye irritation

#### **N,N'-Ethylenedi(stearamide):**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405

#### **C.I. Pigment White 6:**

Species: rabbit eye  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: No information available.

### **Respiratory or skin sensitisation**

#### **Product:**

Result: non-sensitizing

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 10

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

### Components:

#### **Aluminium oxide:**

Test Type: Draize Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: Draize Test  
Result: Not a skin sensitizer.  
GLP: no

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Not a skin sensitizer.  
GLP: no

#### **N,N'-Ethylenedi(stearamide):**

Species: Mouse  
Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.

#### **C.I. Pigment White 6:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Dermal  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.  
GLP: No information available.

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Does not cause respiratory sensitisation.  
GLP: No information available.

### **Germ cell mutagenicity**

#### Components:

#### **Aluminium oxide:**

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 6,1 - 780 µg/ml  
Metabolic activation: with and without metabolic activation

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 11

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Genotoxicity in vivo

: Test Type: Chromosome Aberration Test

Species: Rat (female)

Strain: wistar

Cell type: Bone marrow

Application Route: oral (gavage)

Exposure time: Single exposure

Dose: 500 - 1000 - 2000 mg/kg

Method: OECD Test Guideline 475

Result: positive

GLP: No information available.

Test Type: Micronucleus test

Species: Rat (female)

Strain: wistar

Cell type: Bone marrow

Application Route: oral (gavage)

Exposure time: Single exposure

Dose: 500 - 1000 - 2000 mg/kg

Method: OECD Test Guideline 474

Result: positive

GLP: No information available.

Germ cell mutagenicity -  
Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

### **N,N'-Ethylenedi(stearamide):**

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test Type: Mammalian cell gene mutation assay

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Germ cell mutagenicity -  
Assessment

: In vitro tests did not show mutagenic effects

### **C.I. Pigment White 6:**

# SAFETY DATA SHEET



**ABS GP35 004.000% PARCHMENT**

Page 12

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

- Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes
- Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: ICR  
Cell type: Erythrocytes  
Application Route: oral (gavage)  
Exposure time: single treatment  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes
- Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

## **Carcinogenicity**

### **Components:**

#### **Aluminium oxide:**

- Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

#### **N,N'-Ethylenedi(stearamide):**

- Carcinogenicity - Assessment : No information available.

#### **C.I. Pigment White 6:**

- Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

## **Reproductive toxicity**

### **Components:**

#### **Aluminium oxide:**

- Effects on fertility : Species: Rat, male and female  
Strain: Sprague-Dawley

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 13

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Application Route: Drinking water  
Dose: 57 - 189 - 567 mg/kg  
General Toxicity - Parent: NOAEL: ca. 567 mg/kg body weight  
General Toxicity F1: NOAEL: ca. 57 mg/kg body weight  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Effects on foetal development : Species: Rat  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 126 - 251 - 503 mg/kg  
Frequency of Treatment: 2 daily  
General Toxicity Maternal: NOAEL: > 100 mg/kg body weight  
Teratogenicity: NOAEL: 503 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
No teratogenic effects to be expected.

### **N,N'-Ethylenedi(stearamide):**

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body weight  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

### **C.I. Pigment White 6:**

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: No significant adverse effects were reported

Reproductive toxicity - : No evidence of adverse effects on sexual function and fertility,

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 14

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Assessment

or on development, based on animal experiments.  
Did not show teratogenic effects in animal experiments.

### STOT - single exposure

#### Components:

##### **Aluminium oxide:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### **N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

##### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### **Aluminium oxide:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

##### **N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

##### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Aluminium oxide:**

Species: Rat, male and female

NOAEL: 57 mg/kg

Application Route: Drinking water

Exposure time: 1 a

Number of exposures: continuously

Dose: 57 - 189 - 567 mg/kg

Group: yes

Method: OECD Test Guideline 426

GLP: yes

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 15

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Remarks: By analogy with a product of similar composition

Species: Rat

LOAEL: 0.070 mg/l

Application Route: Inhalation

Exposure time: 6 m

Number of exposures: 6 hr/day; 5 days a week

Dose: 15-30-50-70-100 mg Al/m<sup>3</sup>

Method: OECD Test Guideline 413

GLP: No information available.

Application Route: Skin contact

Remarks: The study is not necessary from a scientific perspective.

### **N,N'-Ethylenedi(stearamide):**

Species: Rat, male and female

NOEL: >= 1000 mg/kg bw/day

Application Route: oral (gavage)

Method: OECD Test Guideline 408

### **C.I. Pigment White 6:**

Species: Rat, male

NOEL: > 24000 mg/kg bw/day

Application Route: oral (gavage)

Exposure time: 29 d

Number of exposures: daily

Dose: 24000 mg/kg

Group: yes

Method: OECD Test Guideline 407

GLP: No information available.

Species: Rat, male and female

NOAEL: 0.01 mg/l

Application Route: Inhalation

Exposure time: 2 a

Number of exposures: 6 hours/day, 5 days/week

Dose: 0,0106 - 0,0507 - 0,250 mg/l

Group: yes

Method: Repeated Dose Toxicity (chronic Toxicity)

GLP: no

### **Aspiration toxicity**

#### **Components:**

#### **Aluminium oxide:**

No aspiration toxicity classification

### **N,N'-Ethylenedi(stearamide):**

no data available

# SAFETY DATA SHEET



**ABS GP35 004.000% PARCHMENT**

Page 16

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

## **C.I. Pigment White 6:**

No aspiration toxicity classification

## **Experience with human exposure**

### **Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

## **Further information**

### **Components:**

#### **C.I. Pigment White 6:**

Remarks: Lung damage possible.

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Product:**

Toxicity to fish : Remarks: no data available

### **Components:**

#### **Aluminium oxide:**

Toxicity to fish : NOEC (Salmo trutta (brown trout)): > 0.072 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 0.071 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.052 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
  
EC50 (Pseudokirchneriella subcapitata (green algae)): 1.05 mg/l  
End point: Growth rate



# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 17

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 56.48 mg/l  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.076 mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : Remarks: Not applicable

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

### Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### N,N'-Ethylenedi(stearamide):

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.027 mg/l  
End point: mortality  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0022 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 18

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (algae)): 0.053 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility
- Toxicity to fish (Chronic toxicity) : Remarks: no data available
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): 0.0056 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg  
Exposure time: 56 d  
Method: OECD Test Guideline 222
- Sediment toxicity : NOEC: >= 1000 mg/kg dry weight (d.w.)  
Test Type: static test  
Sediment: Artificial sediment  
Exposure duration: 28 d  
Method: OECD Test Guideline 218

### C.I. Pigment White 6:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no data available

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 19

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Method: OECD Test Guideline 203

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h

Test Type: static test

Analytical monitoring: no data available

Method: OECD Test Guideline 202

GLP: no data available

Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Acartia tonsa*): > 10,000 mg/l

Exposure time: 48 h

Analytical monitoring: no data available

Method: ISO 14669 and PARCOM method

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l  
End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: EPA

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Analytical monitoring: no data available

Method: ISO 10253

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l  
Exposure time: 28 d

Test Type: static test

Analytical monitoring: yes

Method: Other

GLP: No information available.

Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h

Test Type: aquatic

# SAFETY DATA SHEET



**ABS GP35 004.000% PARCHMENT**

Page 20

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage):  $\geq 1,000$  mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h

Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms

: Test Type: artificial soil

NOEC (*Folsomia candida*): 0,1  $\rightarrow \geq 10$  %

Exposure time: 28 d

End point: mortality

Method: ISO 11267

GLP: no

Remarks: By analogy with a product of similar composition  
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity

: NOEC:  $\geq 10$  %

Exposure time: 20 h

End point: Growth

Species: *Lactuca sativa* (lettuce)

Analytical monitoring: yes

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition  
No effect on the growth was observed.

Sediment toxicity

: NOEC (*Hyalella azteca* (Scud)):  $\geq 100000$  %

Analytical monitoring: no

Sediment: artificial soil

Exposure duration: 28 d

Nominal / Measured: nominal

Basis for effect: mortality

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition

NOEC:  $\geq 14989$  mg/kg dry weight (d.w.)

Analytical monitoring: no data available

Sediment: Natural sediment

Exposure duration: 10 d

Nominal / Measured: nominal

Basis for effect: mortality

Method: Other

GLP: yes

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 21

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

### Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Persistence and degradability

#### Components:

##### **Aluminium oxide:**

Biodegradability : Remarks: Not applicable

##### **N,N'-Ethylenedi(stearamide):**

Biodegradability : aerobic  
Inoculum: activated sludge  
Carbon dioxide (CO<sub>2</sub>)  
Result: Not readily biodegradable.  
Biodegradation: 5.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

##### **C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: not tested.

#### Components:

##### **Aluminium oxide:**

Bioaccumulation : Remarks: Not applicable

##### **N,N'-Ethylenedi(stearamide):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

##### **C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 20 - 200  
Exposure time: 14 d  
Concentration: 0.1 - 1 mg/l  
Method: Other  
GLP: No information available.  
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 22

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

### Mobility in soil

#### Product:

Distribution among environmental compartments : Remarks: not tested.

#### Components:

##### **Aluminium oxide:**

Distribution among environmental compartments : Remarks: Not applicable

##### **N,N'-Ethylenedi(stearamide):**

Distribution among environmental compartments : log Koc: 8.6 - 8.91  
Method: calculated

##### **C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 4.61  
Method: Other

### Other adverse effects

#### Product:

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

#### Components:

##### **Aluminium oxide:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : Remarks: Not applicable

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

##### **N,N'-Ethylenedi(stearamide):**

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

##### **C.I. Pigment White 6:**

# SAFETY DATA SHEET



**ABS GP35 004.000% PARCHMENT**

Page 23

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

Environmental fate and pathways	:	not available
Results of PBT and vPvB assessment	:	This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
Additional ecological information	:	Do not allow to enter ground water, waterways or waste water.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Dispose of this product in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Regulations concerning reuse or disposal of used packaging materials must be observed.

## SECTION 14. TRANSPORT INFORMATION

<b>TDG</b>	not restricted
<b>IATA</b>	not restricted
<b>IMDG</b>	not restricted

## SECTION 15. REGULATORY INFORMATION

<b>NPRI Components</b>	:	Zinc compounds Antimony compounds Manganese Compound Chromium (III) compound Copper Compound
------------------------	---	--

**The components of this product are reported in the following inventories:**

DSL	:	All components of this product are on the Canadian DSL
-----	---	--

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 24

Substance key: 000000645452

Revision Date: 09/19/2020

Version : 1 - 2 / CDN

Date of printing :04/26/2022

CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA	:	Time-weighted average exposure value
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/19/2020  
Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user.



# SAFETY DATA SHEET



## ABS GP35 004.000% PARCHMENT

Page 25

---

Substance key: 000000645452

Revision Date: 09/19/2020

---

Version : 1 - 2 / CDN

Date of printing :04/26/2022

---

Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN