

### DC RVC-544 001.000% BLACK DC

Page 1

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

#### **SECTION 1. IDENTIFICATION**

Identification of the

Avient Colorants Canada Inc.

company:

2 Lone Oak Court

Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559

Information of the substance/preparation:

**Product Stewardship** 

e-mail: SDS.NORAMMB@avient.com

Emergency tel. number: +1 CANUTEC (613) 996-6666

Trade name: DC RVC-544 001.000% BLACK DC

Material number: EM94765601

**Synonyms:** DC RVC-544 001.000% BLACK DC (07DRV-039)

Chemical family: Colourant preparation

Carrier: -

**Primary product use:** Additive for plastic material processing

# **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the Hazardous Products Regulations

Eye irritation : Category 2B

**GHS** label elements

Signal word : Warning

Hazard statements : H320 Causes eye irritation.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

#### Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.



# DC RVC-544 001.000% BLACK DC

Page 2

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

Chemical nature : Colourant preparation

Carrier: -

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Crystalline silica, quartz	14808-60-7	1 - 5
Calcium distearate	1592-23-0	10 - 30
Limestone	1317-65-3	10 - 30

Any concentration shown as a range is due to batch variation.

### **SECTION 4. FIRST AID MEASURES**

General advice : Ensure that the First Aid Personnel are aware of the product

involved, and take precautions to protect themselves (e.g.

wear personal protection equipment).

Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash off immediately with plenty of water for at least 15

minutes.

Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed : Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Get medical advice/ attention.

Most important symptoms and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : Treat symptomatically.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry chemical



### DC RVC-544 001.000% BLACK DC

Page 3

Substance key: 000000645396 Revision Date: 09/19/2020 Version: 1-2/CDN Date of printing :07/29/2022

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

In case of fire hazardous decomposition products may be

produced such as: Carbon dioxide (CO2) Carbon monoxide

Metal oxides

Further information Combustible material

> In the event of fire and/or explosion do not breathe fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not allow run-off from fire fighting to enter drains or water

courses.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

Avoid contact with skin, eyes and clothing.

Wash thoroughly after handling.

**Environmental precautions** 

Do not allow contact with soil, surface or ground water.

Prevent product from entering drains.

Methods and materials for containment and cleaning up Non-sparking tools should be used.

Avoid dust formation.

Take measures to prevent the build up of electrostatic charge. Sweep up and shovel into suitable containers for disposal.

Clean contaminated surface thoroughly.

# **SECTION 7. HANDLING AND STORAGE**

fire and explosion

Advice on protection against : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling

Handle in accordance with good industrial hygiene and safety

practice.

Use only with adequate ventilation/personal protection.

For personal protection see section 8. Avoid contact with skin, eyes and clothing.

Use only with adequate ventilation.

Avoid dust formation.



# DC RVC-544 001.000% BLACK DC

Page 4

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

Take measures to prevent the build up of electrostatic charge. Ensure all equipment is electrically grounded before beginning

transfer operations.

Use only non-sparking tools.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.

Protect from moisture.

Keep away from direct sunlight.

Further information on storage conditions

Store in a cool, dry, well-ventilated area. Keep container

sealed when not in use.

Keep in an area equipped with sprinklers. Minimize dust generation and accumulation.

Materials to avoid : not required

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Crystalline silica, quartz	14808-60-7	TWA (Respirable particulates)	0.025 mg/m3	CA AB OEL
		TWA (Respirable fraction)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
Calcium distearate	1592-23-0	TWA	10 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
Limestone	1317-65-3	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL

**Engineering measures** 

Use only in area provided with appropriate exhaust

ventilation.

Provide appropriate exhaust ventilation at machinery and at

places where dust can be generated.

Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.



Page 5

### DC RVC-544 001.000% BLACK DC

ŭ

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

Personal protective equipment

Respiratory protection : If dusty conditions exist, use NIOSH approved respirator with

high efficiency (p-100) filter media.

Hand protection

Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC

Neoprene gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

Hygiene measures : The usual Industrial Hygiene precautions must be taken

during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during

work intervals and after work.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES** 

Appearance : powder

Colour : black

Odour : characteristic

Odour Threshold : Not applicable

pH : Not applicable

Melting point : Not applicable

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Self-ignition : Not applicable

Upper explosion limit / upper

flammability limit

not tested.

Lower explosion limit / Lower :

flammability limit

not tested.

Vapour pressure : Not applicable



Page 6

### DC RVC-544 001.000% BLACK DC

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

Relative vapour density : Not applicable

Relative density : not available

Density : not tested.

Solubility(ies)

Water solubility : not determined

Partition coefficient: n-

octanol/water

This property is not applicable for mixtures.

Decomposition temperature : To the best of our current knowledge, no thermal

decomposition of the product is expected if it is processed

according to good manufacturing practices. See section 10.4. "Conditions to avoid"

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : no data available

no data available

Oxidizing properties : not available

Surface tension : Not relevant

Particle size : Product specific

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : To avoid thermal decomposition, do not overheat.

Heating can release hazardous gases.

Keep away from heat, sparks, open flames, and other sources

of ignition.

If small particles are generated during further processing, handling or by other means, may form combustible dust

concentrations in air.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.



# DC RVC-544 001.000% BLACK DC

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

Incompatible materials : Strong acids and oxidizing agents

Hazardous decomposition

products

No decomposition if used as directed.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Inhalation Eye contact Skin contact

### **Acute toxicity**

# **Components:**

# Crystalline silica, quartz:

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after

short term inhalation.

Acute dermal toxicity : Remarks: no data available

Calcium distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: By analogy with a product of similar composition

### Skin corrosion/irritation

# **Product:**

Result: No skin irritation

# **Components:**

# Crystalline silica, quartz:

Remarks: no data available

### Calcium distearate:

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

Remarks: By analogy with a product of similar composition

Page 7



# DC RVC-544 001.000% BLACK DC

Page 8

Substance key: 000000645396 Revision Date: 09/19/2020 Version: 1-2/CDN Date of printing :07/29/2022

# Serious eye damage/eye irritation

#### **Product:**

Result: Mild eye irritation

# **Components:**

# Crystalline silica, quartz: Remarks: no data available

#### Calcium distearate:

Species: rabbit eye Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

Remarks: By analogy with a product of similar composition

### Respiratory or skin sensitisation

#### **Product:**

Result: non-sensitizing

#### Components:

# Crystalline silica, quartz:

Remarks: no data available

# Calcium distearate:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429 Result: Not a skin sensitizer.

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Respiratory system Exposure routes: Inhalation

Remarks: This information is not available.

# Germ cell mutagenicity

#### Components:

### Calcium distearate:

Genotoxicity in vitro Test Type: Ames test

> Test system: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: In vitro gene mutation study in mammalian cells



### DC RVC-544 001.000% BLACK DC

Page 9

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

Test system: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Cytogenetic assay

Test system: V79 cells (embryonic lung fibroblasts) of the

Chinese hamster

Method: OECD Test Guideline 473

Result: negative GLP: yes

Remarks: By analogy with a product of similar composition

Germ cell mutagenicity -

Assessment

It is concluded that the product is not mutagenic based on

evaluation of several mutagenicity tests.

Carcinogenicity

**Components:** 

Calcium distearate:

Carcinogenicity - Assessment

: Not classifiable as a human carcinogen.

Reproductive toxicity

**Components:** 

Calcium distearate:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 1,000 mg/kg body weight General Toxicity F1: NOAEL: > 1,000 mg/kg body weight

Method: OECD Test Guideline 421

GLP: yes

Effects on foetal development

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: > 1,000 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Remarks: By analogy with a product of similar composition

Reproductive toxicity -

Assessment

No reproductive toxicity to be expected. No teratogenic effects to be expected.

STOT - single exposure

Components:

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.



### DC RVC-544 001.000% BLACK DC

Page 10

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

# STOT - repeated exposure

### **Components:**

#### Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

# Repeated dose toxicity

#### **Components:**

#### Calcium distearate:

Species: Rat

NOAEL: > 2,000 mg/kg Application Route: Oral

Method: OECD Test Guideline 407

GLP: yes

# **Aspiration toxicity**

#### **Components:**

### Calcium distearate:

No aspiration toxicity classification

### **Experience with human exposure**

# **Product:**

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

# **Product:**

Toxicity to fish

Remarks: no data available

# **Components:**

# Crystalline silica, quartz:

Toxicity to fish : Remarks: no data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: no data available

Toxicity to algae/aquatic

plants

Remarks: no data available

Toxicity to fish (Chronic

toxicity)

: Remarks: no data available



Page 11

# DC RVC-544 001.000% BLACK DC

Substance key: 000000645396 Revision Date: 09/19/2020 Version: 1-2/CDN Date of printing :07/29/2022

Toxicity to daphnia and other : Remarks: no data available

aquatic invertebrates (Chronic toxicity)

Calcium distearate:

LC50 (Orycias latipes): > 100 mg/l Toxicity to fish

> Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

ma/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic

toxicity)

Remarks: not required

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.22 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Remarks: By analogy with a product of similar composition

Toxicity to microorganisms EC50 (activated sludge): > 1,000 mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: By analogy with a product of similar composition

Toxicity to soil dwelling

organisms

Remarks: Not applicable

Plant toxicity Remarks: Not applicable

Sediment toxicity Remarks: no data available

Toxicity to terrestrial

organisms

Remarks: Not applicable



# DC RVC-544 001.000% BLACK DC

Page 12

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

# Persistence and degradability

**Components:** 

Calcium distearate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 93 %

Method: OECD Test Guideline 301C

Result: Readily biodegradable.

Biodegradation: 99 %

Method: OECD Test Guideline 301B

Bioaccumulative potential

**Product:** 

Bioaccumulation : Remarks: not tested.

**Components:** 

Crystalline silica, quartz:

Bioaccumulation : Remarks: no data available

Calcium distearate:

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not

expected

Mobility in soil

**Product:** 

Distribution among

environmental compartments

Remarks: not tested.

Other adverse effects

**Product:** 

Results of PBT and vPvB

assessment

Remarks: No information is available as no chemical safety

report (CSR) is required.

Additional ecological

information

Do not allow to enter ground water, waterways or waste water.

**Components:** 

Calcium distearate:

Results of PBT and vPvB

assessment

The substance is not identified as a PBT or as a vPvB

substance.

Additional ecological

information

: Do not allow to enter ground water, waterways or waste water.



### DC RVC-544 001.000% BLACK DC

Page 13

Substance key: 000000645396	Revision Date: 09/19/2020
Version: 1 - 2 / CDN	Date of printing :07/29/2022

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : Dispose of this product in accordance with all applicable local,

state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging

materials must be observed.

# **SECTION 14. TRANSPORT INFORMATION**

TDG not restricted

IATA not restricted

IMDG not restricted

#### **SECTION 15. REGULATORY INFORMATION**

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

# **Canadian lists**

No substances are subject to a Significant New Activity Notification.

### **SECTION 16. OTHER INFORMATION**

# Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under

the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA ON OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWAEV : Time-weighted average exposure value

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances



# DC RVC-544 001.000% BLACK DC

Page 14

 Substance key: 000000645396
 Revision Date: 09/19/2020

 Version: 1 - 2 / CDN
 Date of printing: 07/29/2022

List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods: IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/19/2020 Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN