

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 1

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## SECTION 1. IDENTIFICATION

|                                       |   |
|---------------------------------------|---|
| <b>Identification of the company:</b> | Avient Colorants Canada Inc.<br>2 Lone Oak Court<br>Toronto, Ontario, M9C 5R9<br>Telephone No.: +1 514-832-2559 |
|                                       | <b>Information of the substance/preparation:</b><br>Product Stewardship<br>e-mail: SDS.NORAMMB@Clariant.com     |
|                                       | <b>Emergency tel. number:</b> +1 CANUTEC (613) 996-6666   |

**Trade name:** RENOL-RED SB33800006-ZN

**Material number:** SB33800006

**Chemical family:** Colourant preparation  
Carrier: ABS

**Primary product use:** Additive for plastic material processing

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

### GHS label elements

Not a hazardous substance or mixture.

### Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation  
Carrier: ABS

### Components

| Chemical name               | CAS-No.    | Concentration (% w/w) |
|-----------------------------|------------|-----------------------|
| Iron(III)oxide              | 1309-37-1  | 0.1 - 1               |
| Aluminium oxide             | 1344-28-1  | 0.1 - 1               |
| N,N'-Ethylenedi(stearamide) | 110-30-5   | 1 - 5                 |
| C.I. Pigment White 6        | 13463-67-7 | 10 - 30               |

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 2

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## SECTION 4. FIRST AID MEASURES

- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
In case of burns apply cold water until pain subsides then seek medical advice.  
Burns must be treated by a physician.  
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Styrene  
Hydrogen cyanide (hydrocyanic acid)  
Acrylonitrile  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 3

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing : 11/11/2021

Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Halogenated compounds

- Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Take up uncontaminated material and pass on for further processing.  
After cleaning, flush away traces with water.

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
When handling hot melts use suitable protective clothing.  
Avoid dust formation. Keep away from sources of ignition.  
Lead off electrostatic charges.
- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 4

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing : 11/11/2021

Protect from moisture.  
Keep away from direct sunlight.

Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Keep in an area equipped with sprinklers.  
Minimize dust generation and accumulation.

Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

| Components                  | CAS-No.    | Value type<br>(Form of exposure)       | Control parameters / Permissible concentration | Basis     |
|-----------------------------|------------|--|--|-----------|
| N,N'-Ethylenedi(stearamide) | 110-30-5   | TWA                                    | 10 mg/m3                                       | CA AB OEL |
|                             |            | TWA                                    | 10 mg/m3                                       | CA BC OEL |
|                             |            | TWA<br>(Inhalable particulate matter)  | 10 mg/m3                                       | ACGIH     |
|                             |            | TWA<br>(Respirable particulate matter) | 3 mg/m3  | ACGIH     |
| Iron(III)oxide              | 1309-37-1  | TWA<br>(Respirable)                    | 5 mg/m3  | CA AB OEL |
|                             |            | TWA<br>(Fumes)                         | 5 mg/m3<br>(Iron)                              | CA BC OEL |
|                             |            | TWA (Dust)                             | 5 mg/m3<br>(Iron)                              | CA BC OEL |
|                             |            | STEL<br>(Fumes)                        | 10 mg/m3<br>(Iron)                             | CA BC OEL |
|                             |            | TWAEV<br>(fume and dust)               | 5 mg/m3<br>(Iron)                              | CA QC OEL |
|                             |            | TWA<br>(Respirable particulate matter) | 5 mg/m3  | ACGIH     |
| C.I. Pigment White 6        | 13463-67-7 | TWA                                    | 10 mg/m3                                       | CA AB OEL |
|                             |            | TWA (Total dust)                       | 10 mg/m3                                       | CA BC OEL |
|                             |            | TWA<br>(respirable dust fraction)      | 3 mg/m3  | CA BC OEL |
|                             |            | TWAEV<br>(total dust)                  | 10 mg/m3                                       | CA QC OEL |
| Aluminium oxide             | 1344-28-1  | TWA                                    | 10 mg/m3                                       | CA AB OEL |
|                             |            | TWAEV                                  | 10 mg/m3                                       | CA QC OEL |

# SAFETY DATA SHEET



RENOL-RED SB33800006-ZN

Page 5

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing : 11/11/2021

|  |  |  |                        |           |
|--|--|--|------------------------|-----------|
|  |  | (total dust)                                 | (Aluminium)            |           |
|  |  | TWA<br>(Respirable)                          | 1 mg/m3<br>(Aluminium) | CA BC OEL |
|  |  | TWA<br>(Respirable<br>particulate<br>matter) | 1 mg/m3<br>(Aluminium) | ACGIH     |

**Engineering measures** : Use only in area provided with appropriate exhaust ventilation.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.  
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

## Personal protective equipment

**Respiratory protection** : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.  
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

**Hand protection**  
**Remarks** : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.  
When handling hot melts use suitable protective clothing.

**Hygiene measures** : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Granules

**Colour** : red

**Odour** : characteristic

**Odour Threshold** : Not applicable

**pH** : Not applicable

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 6

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

|  |   |  |
|--|---|--|
| Melting point                                    | : | > 90 °C  |
| Boiling point                                    | : | Not applicable   |
| Flash point                                      | : | Not applicable   |
| Evaporation rate                                 | : | Not applicable   |
| Flammability (solid, gas)                        | : | not determined   |
| Self-ignition                                    | : | Not applicable   |
| Upper explosion limit / upper flammability limit | : | not tested.  |
| Lower explosion limit / Lower flammability limit | : | not tested.  |
| Vapour pressure                                  | : | Not applicable   |
| Relative vapour density                          | : | Not applicable   |
| Relative density                                 | : | not available  |
| Density  | : | not tested.  |
| Solubility(ies)<br>Water solubility              | : | insoluble  |
| Partition coefficient: n-octanol/water           | : | This property is not applicable for mixtures.  |
| Decomposition temperature                        | : | To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices.<br>See section 10.4. "Conditions to avoid" |
| Viscosity<br>Viscosity, dynamic                  | : | Not applicable   |
| Viscosity, kinematic                             | : | Not applicable   |
| Explosive properties                             | : | no data available<br>no data available   |
| Oxidizing properties                             | : | not available  |
| Surface tension                                  | : | Not relevant   |
| Particle size                                    | : | Product specific   |

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 7

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## SECTION 10. STABILITY AND REACTIVITY

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | No dangerous reaction known under conditions of normal use.   |
| Chemical stability                 | : | Stable  |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use.   |
| Conditions to avoid                | : | To avoid thermal decomposition, do not overheat.<br>Heating can release hazardous gases.<br>Keep away from heat, sparks, open flames, and other sources of ignition.<br>If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.<br>Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. |
| Incompatible materials             | : | Strong acids and oxidizing agents<br>Strong acids and strong bases  |
| Hazardous decomposition products   | : | Possible in traces:<br>Nitrogen oxides (NOx)  |

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

None known.

### Acute toxicity

#### Product:

|                           |   |   |
|---------------------------|---|---|
| Acute inhalation toxicity | : | Acute toxicity estimate: 50.58 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: Calculation method |
| Acute dermal toxicity     | : | Acute toxicity estimate: 3,094 mg/kg<br>Method: Calculation method  |

#### Components:

##### **Iron(III)oxide:**

|                           |   |  |
|---------------------------|---|--|
| Acute oral toxicity       | : | LD50 (Rat, male): > 10,000 mg/kg<br>Method: Other<br>GLP: No information available.                |
| Acute inhalation toxicity | : | LC0 (Rat, male): > 0.21 mg/l<br>Exposure time: 14 d<br>Method: OECD Test Guideline 412<br>GLP: yes |

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 8

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Acute dermal toxicity : Remarks: no data available

Acute toxicity (other routes of administration) : LD50 (Rat): 5,550 mg/kg  
Application Route: Intraperitoneal injection

## **Aluminium oxide:**

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: No information available.

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: Not applicable

## **N,N'-Ethylenedi(stearamide):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

## **C.I. Pigment White 6:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: not required



# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 9

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## **Skin corrosion/irritation**

### **Product:**

Result: No skin irritation

### **Components:**

#### **Iron(III)oxide:**

Species: Rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

#### **Aluminium oxide:**

Species: Rabbit

Exposure time: 24 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: No information available.

#### **N,N'-Ethylenedi(stearamide):**

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

#### **C.I. Pigment White 6:**

Species: Rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: no

## **Serious eye damage/eye irritation**

### **Product:**

Result: No eye irritation

### **Components:**

#### **Iron(III)oxide:**

Species: rabbit eye

Result: No eye irritation

Exposure time: 192 h

Method: OECD Test Guideline 405

GLP: yes

#### **Aluminium oxide:**

Result: Mild eye irritation

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 10

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

**N,N'-Ethylenedi(stearamide):**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

**C.I. Pigment White 6:**

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: No information available.

**Respiratory or skin sensitisation**

**Product:**

Result: non-sensitizing

**Components:**

**Iron(III)oxide:**

Test Type: Maurer optimisation test

Exposure routes: Skin contact

Species: Guinea pig

Method: Other

Result: Not a skin sensitizer.

GLP: No information available.

**Aluminium oxide:**

Test Type: Draize Test

Exposure routes: Dermal

Species: Guinea pig

Method: Draize Test

Result: Not a skin sensitizer.

GLP: no

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Not a skin sensitizer.

GLP: no

**N,N'-Ethylenedi(stearamide):**

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

**C.I. Pigment White 6:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 11

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.  
GLP: No information available.

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Does not cause respiratory sensitisation.  
GLP: No information available.

## **Germ cell mutagenicity**

### **Components:**

#### **Iron(III)oxide:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 8 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay  
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster  
Concentration: 6 - 36 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro  
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster  
Concentration: 6,25 - 25 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat (male)

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 12

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Exposure time: 24 h  
Dose: 3,75 mg/kg  
Method: Other  
Result: negative  
GLP: No information available.

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

## **Aluminium oxide:**

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 6,1 - 780 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Chromosome Aberration Test  
Species: Rat (female)  
Strain: wistar  
Cell type: Bone marrow  
Application Route: oral (gavage)  
Exposure time: Single exposure  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 475  
Result: positive  
GLP: No information available.

Test Type: Micronucleus test  
Species: Rat (female)  
Strain: wistar  
Cell type: Bone marrow  
Application Route: oral (gavage)  
Exposure time: Single exposure  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: positive  
GLP: No information available.

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

## **N,N'-Ethylenedi(stearamide):**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 13

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Mammalian cell gene mutation assay  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

## **C.I. Pigment White 6:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: ICR  
Cell type: Erythrocytes  
Application Route: oral (gavage)  
Exposure time: single treatment  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

## **Carcinogenicity**

### **Components:**

#### **Iron(III)oxide:**

Species: Rat, (male and female)  
Application Route: oral (gavage)

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 14

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Exposure time: 798 d  
Dose: 10 - 40 mg/kg  
Group: yes  
Frequency of Treatment: every other week  
Method: Other  
GLP: No information available.  
Remarks: Based on available data, the classification criteria are not met.

Species: Rat, (male and female)  
Application Route: Intraperitoneal injection  
Exposure time: 790 - 914 d  
Dose: 200 mg/kg  
Group: yes  
Frequency of Treatment: 3 injections; every 8 weeks  
Method: Other  
GLP: No information available.  
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

## **Aluminium oxide:**

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

## **N,N'-Ethylenedi(stearamide):**

Carcinogenicity - Assessment : No information available.

## **C.I. Pigment White 6:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

## **Reproductive toxicity**

### **Components:**

#### **Iron(III)oxide:**

Effects on fertility : Remarks: Not applicable

Effects on foetal development : Remarks: Not applicable

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.  
No teratogenic effects to be expected.

#### **Aluminium oxide:**

Effects on fertility : Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: Drinking water  
Dose: 57 - 189 - 567 mg/kg

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 15

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

General Toxicity - Parent: NOAEL: ca. 567 mg/kg body weight  
General Toxicity F1: NOAEL: ca. 57 mg/kg body weight  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Effects on foetal development : Species: Rat  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 126 - 251 - 503 mg/kg  
Frequency of Treatment: 2 daily  
General Toxicity Maternal: NOAEL: > 100 mg/kg body weight  
Teratogenicity: NOAEL: 503 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
No teratogenic effects to be expected.

## **N,N'-Ethylenedi(stearamide):**

Effects on foetal development : Test Type: Pre-natal  
Species: Rat  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body weight  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

## **C.I. Pigment White 6:**

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: No significant adverse effects were reported

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
Did not show teratogenic effects in animal experiments.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 16

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## **STOT - single exposure**

### **Components:**

#### **Iron(III)oxide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Aluminium oxide:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

#### **N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

## **STOT - repeated exposure**

### **Components:**

#### **Iron(III)oxide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Aluminium oxide:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

#### **N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## **Repeated dose toxicity**

### **Components:**

#### **Iron(III)oxide:**

Species: Rat, male

Application Route: oral (feed)



# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 17

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Exposure time: 21 d  
Number of exposures: daily  
Dose: 112,3 - 330,1 mg/100g diet  
Group: yes  
Method: Repeated Dose Toxicity (subacute study)  
GLP: yes  
Target Organs: Liver  
Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male  
Application Route: Inhalation  
Exposure time: 2 w  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 185,2- 195,7 - 210,2 mg/m<sup>3</sup>  
Group: yes  
Method: OECD Test Guideline 412  
GLP: yes  
Remarks: No adverse effect has been observed in chronic toxicity tests.

Application Route: Skin contact  
Method: Repeated Dose Toxicity (subacute study)  
Remarks: The study is not necessary from a scientific perspective.

## **Aluminium oxide:**

Species: Rat, male and female  
NOAEL: 57 mg/kg  
Application Route: Drinking water  
Exposure time: 1 a  
Number of exposures: continuously  
Dose: 57 - 189 - 567 mg/kg  
Group: yes  
Method: OECD Test Guideline 426  
GLP: yes  
Remarks: By analogy with a product of similar composition

Species: Rat  
LOAEL: 0.070 mg/l  
Application Route: Inhalation  
Exposure time: 6 m  
Number of exposures: 6 hr/day; 5 days a week  
Dose: 15-30-50-70-100 mg Al/m<sup>3</sup>  
Method: OECD Test Guideline 413  
GLP: No information available.

Application Route: Skin contact  
Remarks: The study is not necessary from a scientific perspective.

## **N,N'-Ethylenedi(stearamide):**

Species: Rat, male and female  
NOEL: >= 1000 mg/kg bw/day  
Application Route: oral (gavage)  
Method: OECD Test Guideline 408

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 18

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## **C.I. Pigment White 6:**

Species: Rat, male  
NOEL: > 24000 mg/kg bw/day  
Application Route: oral (gavage)  
Exposure time: 29 d  
Number of exposures: daily  
Dose: 24000 mg/kg  
Group: yes  
Method: OECD Test Guideline 407  
GLP: No information available.

Species: Rat, male and female  
NOAEL: 0.01 mg/l  
Application Route: Inhalation  
Exposure time: 2 a  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 0,0106 - 0,0507 - 0,250 mg/l  
Group: yes  
Method: Repeated Dose Toxicity (chronic Toxicity)  
GLP: no

## **Aspiration toxicity**

### **Components:**

#### **Iron(III)oxide:**

No aspiration toxicity classification

#### **Aluminium oxide:**

No aspiration toxicity classification

#### **N,N'-Ethylenedi(stearamide):**

no data available

## **C.I. Pigment White 6:**

No aspiration toxicity classification

## **Experience with human exposure**

### **Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

## **Further information**

### **Components:**

#### **C.I. Pigment White 6:**

Remarks: Lung damage possible.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 19

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing : 11/11/2021

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish :  
Remarks: no data available

#### Components:

##### **Iron(III)oxide:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): approx. 100,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: Umweltbundesamt, 1984  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : Remarks: no data available

Toxicity to fish (Chronic toxicity) : Remarks: not reasonable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 10,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: ISO 8192  
GLP: no

Toxicity to soil dwelling organisms : Remarks: The study is not necessary from a scientific perspective.

Plant toxicity : Remarks: The study is not necessary from a scientific perspective.

Sediment toxicity : Remarks: The study is not necessary from a scientific

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 20

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

perspective.

Toxicity to terrestrial organisms : Remarks: The study is not necessary from a scientific perspective.

## **Aluminium oxide:**

Toxicity to fish : NOEC (Salmo trutta (brown trout)): > 0.072 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 0.071 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.052 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.05 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 56.48 mg/l  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.076 mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 21

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

GLP: yes

Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : Remarks: Not applicable

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

## Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## N,N'-Ethylenedi(stearamide):

Toxicity to fish : LC50 (*Oryzias latipes* (Orange-red killifish)): 0.027 mg/l  
End point: mortality  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 0.0022 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (*Pseudokirchneriella subcapitata* (algae)): 0.053 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (*Daphnia magna* (Water flea)): 0.0056 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): >= 1,000 mg/kg  
Exposure time: 56 d

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 22

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Method: OECD Test Guideline 222

Sediment toxicity : NOEC:  $\geq 1000$  mg/kg dry weight (d.w.)  
Test Type: static test  
Sediment: Artificial sediment  
Exposure duration: 28 d  
Method: OECD Test Guideline 218

## **C.I. Pigment White 6:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)):  $> 1,000$  mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)):  $> 100$  mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)):  $> 10,000$  mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)):  $> 100$  mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 202  
GLP: no data available  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Acartia tonsa):  $> 10,000$  mg/l  
Exposure time: 48 h  
Analytical monitoring: no data available  
Method: ISO 14669 and PARCOM method  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 23

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.
- EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Analytical monitoring: no data available  
Method: ISO 10253  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l  
Exposure time: 28 d  
Test Type: static test  
Analytical monitoring: yes  
Method: Other  
GLP: No information available.  
Remarks: By analogy with a product of similar composition
- Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- NOEC (activated sludge of a predominantly domestic sewage): >= 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Test Type: artificial soil  
NOEC (*Folsomia candida*): 0,1 ->= 10 %  
Exposure time: 28 d  
End point: mortality  
Method: ISO 11267  
GLP: no

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 24

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Remarks: By analogy with a product of similar composition  
This product does not have any known adverse effect on the  
soil organisms tested.

Plant toxicity : NOEC:  $\geq 10$  %  
Exposure time: 20 h  
End point: Growth  
Species: Lactuca sativa (lettuce)  
Analytical monitoring: yes  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition  
No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalaea azteca (Scud)):  $\geq 100000$  %  
Analytical monitoring: no  
Sediment: artificial soil  
Exposure duration: 28 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition  
  
NOEC:  $\geq 14989$  mg/kg dry weight (d.w.)  
Analytical monitoring: no data available  
Sediment: Natural sediment  
Exposure duration: 10 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other  
GLP: yes

## Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## Persistence and degradability

### Components:

#### **Iron(III)oxide:**

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical  
removability : Remarks: Not applicable

#### **Aluminium oxide:**

Biodegradability : Remarks: Not applicable

#### **N,N'-Ethylenedi(stearamide):**

Biodegradability : aerobic  
Inoculum: activated sludge



# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 25

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Carbon dioxide (CO<sub>2</sub>)  
Result: Not readily biodegradable.  
Biodegradation: 5.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

## **C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

## **Bioaccumulative potential**

### **Product:**

Bioaccumulation : Remarks: not tested.

### **Components:**

#### **Iron(III)oxide:**

Bioaccumulation : Remarks: Does not accumulate in organisms.

#### **Aluminium oxide:**

Bioaccumulation : Remarks: Not applicable

#### **N,N'-Ethylenedi(stearamide):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

## **C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 20 - 200  
Exposure time: 14 d  
Concentration: 0.1 - 1 mg/l  
Method: Other  
GLP: No information available.  
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

## **Mobility in soil**

### **Product:**

Distribution among environmental compartments : Remarks: not tested.

### **Components:**

#### **Iron(III)oxide:**

Mobility : Remarks: Known distribution to environmental compartments

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 26

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

Distribution among environmental compartments : Remarks: Not applicable

**Aluminium oxide:**

Distribution among environmental compartments : Remarks: Not applicable

**N,N'-Ethylenedi(stearamide):**

Distribution among environmental compartments : log Koc: 8.6 - 8.91  
Method: calculated

**C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 4.61  
Method: Other

**Other adverse effects**

**Product:**

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Components:**

**Iron(III)oxide:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Aluminium oxide:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : Remarks: Not applicable

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 27

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

## **N,N'-Ethylenedi(stearamide):**

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

## **C.I. Pigment White 6:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

## **SECTION 14. TRANSPORT INFORMATION**

**TDG** not restricted

**IATA** not restricted

**IMDG** not restricted

## **SECTION 15. REGULATORY INFORMATION**

### **The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

### **Canadian lists**

No substances are subject to a Significant New Activity Notification.

## **SECTION 16. OTHER INFORMATION**

### **Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 28

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

|                    |   |   |
|--------------------|---|---|
| CA AB OEL          | : | Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)   |
| CA BC OEL          | : | Canada. British Columbia OEL  |
| CA QC OEL          | : | Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants |
| ACGIH / TWA        | : | 8-hour, time-weighted average   |
| CA AB OEL / TWA    | : | 8-hour Occupational exposure limit  |
| CA BC OEL / TWA    | : | 8-hour time weighted average  |
| CA BC OEL / STEL   | : | short-term exposure limit   |
| CA QC OEL / TWA EV | : | Time-weighted average exposure value  |

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/22/2020  
Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user.

# SAFETY DATA SHEET



**RENOL-RED SB33800006-ZN**

Page 29

---

Substance key: 000000686984

Revision Date: 09/22/2020

Version : 1 - 2 / CDN

Date of printing :11/11/2021

---

Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN