

# SAFETY DATA SHEET



DC 001.000% DC

Page 1

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

## SECTION 1. IDENTIFICATION

**Identification of the company:**

Avient Colorants Canada Inc.  
2 Lone Oak Court  
Toronto, Ontario, M9C 5R9  
Telephone No.: +1 514-832-2559

**Information of the substance/preparation:**

Product Stewardship  
e-mail: SDS.NORAMMB@avient.com

**Emergency tel. number:** +1 CANUTEC (613) 996-6666

**Trade name:**

**DC 001.000% DC**

**Material number:**

EM54765608

**Synonyms:**

04DRV-577

**Chemical family:**

Colourant preparation  
Carrier: -

**Primary product use:**

Additive for plastic material processing

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the Hazardous Products Regulations**

Carcinogenicity : Category 2

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H351 Suspected of causing cancer.

Precautionary statements :

**Prevention:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

# SAFETY DATA SHEET



DC 001.000% DC

Page 2

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

P405 Store locked up.

## Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation  
Carrier: -

### Components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Black 7	1333-86-4	0.1 - 1
C.I. Pigment White 6	13463-67-7	5 - 10
Calcium distearate	1592-23-0	10 - 30

Any concentration shown as a range is due to batch variation.

## SECTION 4. FIRST AID MEASURES

General advice : Ensure that the First Aid Personnel are aware of the product involved, and take precautions to protect themselves (e.g. wear personal protection equipment).  
Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
Wash off with soap and water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.

If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
Get medical advice/ attention.

Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.

Notes to physician : Treat symptomatically.

# SAFETY DATA SHEET



DC 001.000% DC

Page 3

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

---

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides  
Hydrogen sulfide (H<sub>2</sub>S)  
Carbon monoxide  
Metal oxides
- Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Avoid dust formation.

# SAFETY DATA SHEET



DC 001.000% DC

Page 4

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Clean contaminated surface thoroughly.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Ensure all equipment is electrically grounded before beginning transfer operations.  
Use only non-sparking tools.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture.  
Keep away from direct sunlight.

Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Keep in an area equipped with sprinklers.  
Minimize dust generation and accumulation.

Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m3	CA AB OEL
		TWA (Inhalable)	3 mg/m3	CA BC OEL
		TWAEV	3.5 mg/m3	CA QC OEL
		TWA (Inhalable particulate matter)	3 mg/m3	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL

# SAFETY DATA SHEET



DC 001.000% DC

Page 5

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
Calcium distearate	1592-23-0	TWA	10 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

**Engineering measures** : Use only in area provided with appropriate exhaust ventilation.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.  
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

## Personal protective equipment

Respiratory protection : If dusty conditions exist, use NIOSH approved respirator with high efficiency (p-100) filter media.

Hand protection  
Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC  
Neoprene gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : blue

Odour : characteristic

Odour Threshold : Not applicable

# SAFETY DATA SHEET



**DC 001.000% DC**

Page 6

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

pH	:	Not applicable
Melting point	:	Not applicable
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	approx. 1.99 g/cm <sup>3</sup> Value determined from data on raw material.
Solubility(ies) Water solubility	:	not determined
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant

# SAFETY DATA SHEET



DC 001.000% DC

Page 7

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Particle size : Product specific

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : To avoid thermal decomposition, do not overheat.  
Heating can release hazardous gases.  
Keep away from heat, sparks, open flames, and other sources of ignition.  
If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Incompatible materials : None.  
Strong acids and strong bases  
Strong acids and oxidizing agents  
Strong oxidizing agents

Hazardous decomposition products : No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation  
Eye contact  
Skin contact

### Acute toxicity

#### Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **C.I. Pigment Black 7:**

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no  
Remarks: No significant adverse effects were reported

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l

# SAFETY DATA SHEET



DC 001.000% DC

Page 8

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: No information available.  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: not required

## C.I. Pigment White 6:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: not required

## Calcium distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: By analogy with a product of similar composition

## Skin corrosion/irritation

### Product:

Result: No skin irritation

### Components:

#### C.I. Pigment Black 7:

Species: Rabbit  
Exposure time: 4 - 24 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

#### C.I. Pigment White 6:



# SAFETY DATA SHEET



**DC 001.000% DC**

Page 9

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

**Calcium distearate:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes  
Remarks: By analogy with a product of similar composition

**Serious eye damage/eye irritation**

**Product:**

Result: No eye irritation

**Components:**

**C.I. Pigment Black 7:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: no

**C.I. Pigment White 6:**

Species: rabbit eye  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: No information available.

**Calcium distearate:**

Species: rabbit eye  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: yes  
Remarks: By analogy with a product of similar composition

**Respiratory or skin sensitisation**

**Product:**

Result: non-sensitizing

**Components:**

**C.I. Pigment Black 7:**

Test Type: Buehler Test  
Exposure routes: Skin contact

# SAFETY DATA SHEET



DC 001.000% DC

Page 10

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

## **C.I. Pigment White 6:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Dermal  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.  
GLP: No information available.

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Does not cause respiratory sensitisation.  
GLP: No information available.

## **Calcium distearate:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Dermal  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.  
GLP: yes  
Remarks: By analogy with a product of similar composition

Test Type: Respiratory system  
Exposure routes: Inhalation  
Remarks: This information is not available.

## **Germ cell mutagenicity**

### **Components:**

#### **C.I. Pigment Black 7:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells

# SAFETY DATA SHEET



DC 001.000% DC

Page 11

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Test system: Rodent cell line  
Metabolic activation: without  
Method: OECD Test Guideline 476  
Result: positive  
GLP: No information available.

Test Type: Micronucleus test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

## C.I. Pigment White 6:

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: ICR  
Cell type: Erythrocytes  
Application Route: oral (gavage)  
Exposure time: single treatment  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

## Calcium distearate:

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

# SAFETY DATA SHEET



DC 001.000% DC

Page 12

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Test Type: Cytogenetic assay  
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

## Carcinogenicity

### Components:

#### **C.I. Pigment Black 7:**

Remarks: Carbon Black should not be classified for carcinogenicity according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals. Human health studies show that exposure to carbon black does not increase the risk of carcinogenicity. Studies in laboratory animals show that lung tumors are induced in rats as a result of repeated exposure to inert, poorly soluble particles like carbon black and other poorly soluble particles. Rat tumors are a result of a secondary non-genotoxic mechanism associated with the phenomenon of lung overload. This is a species-specific mechanism that has questionable relevance for classification in humans. Thus a carcinogenicity classification for Carbon Black is not warranted.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **C.I. Pigment White 6:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### **Calcium distearate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

## Reproductive toxicity

### Components:

#### **C.I. Pigment Black 7:**

Effects on foetal development : Test Type: Pre-natal  
Species: Rabbit, male and female  
Strain: New Zealand white  
Application Route: Inhalation

# SAFETY DATA SHEET



DC 001.000% DC

Page 13

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Dose: 10% diesel exhaust emission  
Duration of Single Treatment: 12 d  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.  
GLP: no  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

## C.I. Pigment White 6:

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: No significant adverse effects were reported

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
Did not show teratogenic effects in animal experiments.

## Calcium distearate:

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: > 1,000 mg/kg body weight  
General Toxicity F1: NOAEL: > 1,000 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Effects on foetal development : Species: Rat  
Application Route: Oral  
Teratogenicity: NOAEL: > 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.  
No teratogenic effects to be expected.

# SAFETY DATA SHEET



DC 001.000% DC

Page 14

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

## STOT - single exposure

### Components:

#### **C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Calcium distearate:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

## STOT - repeated exposure

### Components:

#### **C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **Calcium distearate:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

## Repeated dose toxicity

### Components:

#### **C.I. Pigment Black 7:**

Species: Rat, female

NOAEL: 52 mg/kg bw/day

Application Route: oral (feed)

Exposure time: 1 a - 2 a

Number of exposures: daily

Dose: 2,05 g/kg of chow diet

Group: yes

Method: Other

GLP: No information available.

Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male

NOAEL: 0.0011 mg/l

LOAEL: 0.0071 mg/l

Application Route: Inhalation

# SAFETY DATA SHEET



**DC 001.000% DC**

Page 15

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Test atmosphere: dust/mist  
Exposure time: 13 w  
Number of exposures: 6 h per day; 5 d per week  
Dose: 1,1 - 7,1 - 52,8 mg/m<sup>3</sup>  
Group: yes  
Method: Other  
GLP: No information available.

Species: Mouse, male and female  
Application Route: Skin contact  
Exposure time: 12-18 m  
Number of exposures: 3 times per week  
Dose: 20% carbon black suspensions  
Group: yes  
Method: Other  
GLP: no  
Remarks: No adverse effect has been observed in chronic toxicity tests.

## **C.I. Pigment White 6:**

Species: Rat, male  
NOEL: > 24000 mg/kg bw/day  
Application Route: oral (gavage)  
Exposure time: 29 d  
Number of exposures: daily  
Dose: 24000 mg/kg  
Group: yes  
Method: OECD Test Guideline 407  
GLP: No information available.

Species: Rat, male and female  
NOAEL: 0.01 mg/l  
Application Route: Inhalation  
Exposure time: 2 a  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 0,0106 - 0,0507 - 0,250 mg/l  
Group: yes  
Method: Repeated Dose Toxicity (chronic Toxicity)  
GLP: no

## **Calcium distearate:**

Species: Rat  
NOAEL: > 2,000 mg/kg  
Application Route: Oral  
Method: OECD Test Guideline 407  
GLP: yes

## **Aspiration toxicity**

### **Components:**

## **C.I. Pigment Black 7:**

No aspiration toxicity classification

# SAFETY DATA SHEET



DC 001.000% DC

Page 16

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

## **C.I. Pigment White 6:**

No aspiration toxicity classification

## **Calcium distearate:**

No aspiration toxicity classification

## **Experience with human exposure**

### **Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

## **Further information**

### **Components:**

#### **C.I. Pigment White 6:**

Remarks: Lung damage possible.

## **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

#### **Product:**

Toxicity to fish :  
Remarks: no data available

#### **Components:**

##### **C.I. Pigment Black 7:**

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1,000 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5,600 mg/l  
End point: Immobilization  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l



# SAFETY DATA SHEET



DC 001.000% DC

Page 17

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC0 (activated sludge): > 400 mg/l  
End point: Bacteria toxicity (growth inhibition)  
Exposure time: 3 h  
Test Type: static test  
Method: DIN 38412  
GLP: no

Toxicity to soil dwelling organisms : Test Type: Other  
Method: Other  
GLP: No information available.  
Remarks: This product does not have any known adverse effect on the soil organisms tested.

## C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no data available

# SAFETY DATA SHEET



DC 001.000% DC

Page 18

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Method: OECD Test Guideline 203

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h

Test Type: static test

Analytical monitoring: no data available

Method: OECD Test Guideline 202

GLP: no data available

Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Acartia tonsa*): > 10,000 mg/l

Exposure time: 48 h

Analytical monitoring: no data available

Method: ISO 14669 and PARCOM method

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l  
End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: EPA

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Analytical monitoring: no data available

Method: ISO 10253

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l  
Exposure time: 28 d

Test Type: static test

Analytical monitoring: yes

Method: Other

GLP: No information available.

Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h

Test Type: aquatic

# SAFETY DATA SHEET



DC 001.000% DC

Page 19

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage):  $\geq 1,000$  mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h

Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms

: Test Type: artificial soil

NOEC (*Folsomia candida*): 0,1  $\rightarrow \geq 10$  %

Exposure time: 28 d

End point: mortality

Method: ISO 11267

GLP: no

Remarks: By analogy with a product of similar composition  
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity

: NOEC:  $\geq 10$  %

Exposure time: 20 h

End point: Growth

Species: *Lactuca sativa* (lettuce)

Analytical monitoring: yes

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition  
No effect on the growth was observed.

Sediment toxicity

: NOEC (*Hyalella azteca* (Scud)):  $\geq 100000$  %

Analytical monitoring: no

Sediment: artificial soil

Exposure duration: 28 d

Nominal / Measured: nominal

Basis for effect: mortality

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition

NOEC:  $\geq 14989$  mg/kg dry weight (d.w.)

Analytical monitoring: no data available

Sediment: Natural sediment

Exposure duration: 10 d

Nominal / Measured: nominal

Basis for effect: mortality

Method: Other

GLP: yes

# SAFETY DATA SHEET



DC 001.000% DC

Page 20

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

## Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Calcium distearate:

Toxicity to fish : LC50 (*Oryzias latipes*): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): > 0.22 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: no data available

Toxicity to terrestrial organisms : Remarks: Not applicable

# SAFETY DATA SHEET



DC 001.000% DC

Page 21

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

## Persistence and degradability

### Components:

#### **C.I. Pigment Black 7:**

Biodegradability : Remarks: Not applicable

#### **C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

#### **Calcium distearate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 93 %  
Method: OECD Test Guideline 301C

Result: Readily biodegradable.  
Biodegradation: 99 %  
Method: OECD Test Guideline 301B

## Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: not tested.

### Components:

#### **C.I. Pigment Black 7:**

Bioaccumulation : Remarks: Not applicable

#### **C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 20 - 200  
Exposure time: 14 d  
Concentration: 0.1 - 1 mg/l  
Method: Other  
GLP: No information available.  
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

#### **Calcium distearate:**

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

## Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: not tested.

# SAFETY DATA SHEET



DC 001.000% DC

Page 22

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

## Components:

### **C.I. Pigment Black 7:**

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
Remarks: Not applicable

### **C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 4.61  
Method: Other

## **Other adverse effects**

### Product:

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

## Components:

### **C.I. Pigment Black 7:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

### **C.I. Pigment White 6:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

## **Calcium distearate:**

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

# SAFETY DATA SHEET



DC 001.000% DC

Page 23

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

information

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

## SECTION 14. TRANSPORT INFORMATION

<b>TDG</b>	not restricted
<b>IATA</b>	not restricted
<b>IMDG</b>	not restricted

## SECTION 15. REGULATORY INFORMATION

- NPRI Components** : C.I. Pigment Blue 15:1  
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-,  
(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)methyl derivs.

**The components of this product are reported in the following inventories:**

- DSL : All components of this product are on the Canadian DSL

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
- CA BC OEL : Canada. British Columbia OEL
- CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
- ACGIH / TWA : 8-hour, time-weighted average
- CA AB OEL / TWA : 8-hour Occupational exposure limit
- CA BC OEL / TWA : 8-hour time weighted average
- CA QC OEL / TWAEL : Time-weighted average exposure value

# SAFETY DATA SHEET



DC 001.000% DC

Page 24

Substance key: 000000648395

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :08/08/2022

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/21/2020  
Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN