

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 1

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

***** MATERIAL SAFETY DATA SHEETS *****

*

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

*

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->B

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 2

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

ABS ABS 004.000% STOCK YELLOW

PRODUCT CODE:

SB13754412

VERSION NUMBER:

5

DATE: 11/24/14

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CAS NUMBER	DESCRIPTION	OSHA PEL MG/M3	ACGIH TLV MG/M3	OTHER LIMITS	DOES NOT EXCEED(%)
100-42-5	STYRENE	100PPM	-	-	.08
68186-90-3	CHROME ANTIMONY TITANIUM	-	-	-	3.00
CRCMPD	CHROMIUM (III) COMPOUND	0.5	0.5	-	3.00
SBCMPD	ANTIMONY & COMPOUNDS(AS SB)	0.5	0.5	-	3.00
7440-36-0	ANTIMONY (SB) METAL	0.5	0.5	-	.30
7440-47-3	CHROMIUM AS CR	0.5	0.5	-	.12
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	3.87
21645-51-2	ALUMINUM HYDROXIDE (AS AL)	N.E.	10.0	-	.15
7631-86-9	SILICON DIOXIDE, AMORPHOUS	6.0	10.0	-	.23
1317-65-3	LIMESTONE (TOTAL DUST)	15.0	10.0	5.0	.14
14808-60-7	SILICA, CRYSTALLINE QUARTZ	0.1	0.1	-	----

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: NA
SPECIFIC GRAVITY: 1.05
VAPOR PRESSURE: NA
MELTING POINT: Non Determined
VAPOR DENSITY: NA
EVAPORATION RATE: NA
SOLUBILITY IN WATER: INSOLUBLE

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS: (CONT)
-----APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR
-----SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 285 C.
THE METHOD USED TO DETERMINE THIS IS: COC
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

APPROVED PRESSURE DEMAND BREATHING APPARATUS AND PROTECTIVE CLOTHING
SHOULD BE USED FOR ALL FIRES. USE EXTINGUISHING WATER STREAM CAREFULLY TO
AVOID CREATING DUST CLOUDS.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

HAZARDOUS COMBUSTION PRODUCTS MAY INCLUDE INTENSE HEAT, DENSE BLACK SMOKE,
CARBON MONOXIDE, HYDROGEN CYANIDE, HYDROCARBON FRAGMENTS AND CARBON DIOXIDE.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

AVOID EXPOSURE TO HEAT, SPARK, OR OPEN FLAME.

INCOMPATIBILITY (MATERIALS TO AVOID):

AVOID CONTACT WITH STRONG ALKALI, AMINES.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 4

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION V - REACTIVITY DATA: (CONT)

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):
 AVOID CONTACT WITH STRONG CHEMICAL OXIDIZING AGENTS.

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY IHALATION TO TITANIUM DIOXIDE MAY CAUSE
IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR
SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO
TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN
WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.
INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND
IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY
BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

THIS PRODUCT IS NOT EXPECTED TO BE TOXIC BY INGESTION. LARGE QUANTITIES OF
MATERIALS INGESTED MAY CAUSE DISCOMFORT OR OBSTRUCTION OF THE DIGESTIVE
SYSTEMS.

HEALTH HAZARD: EYE CONTACT

SOLID OR DUST MAY CAUSE IRRITATION OR CORNEAL INJURY DUE TO
MECHNICAL ACTIONS.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

STYRENE MONOMER (CAS# 100-42-5): MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 5

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION VI - HEALTH HAZARD DATA: (CONT)

IRRITATION. INGESTION MAY CAUSE GASTRIC DISTURBANCES.

CHROME ANTIMONY TITANIUM RUTILE: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT
IRRITATION. PROLONGED INHALATION MAY CAUSE LUNG DAMAGE.

AMORPHOUS SILICA: OVEREXPOSURE MAY CAUSE TISSUE RESPONSE IN THE LUNG WHICH
IN SEVERE CASES CAN RESULT IN PULMONARY FIBROSIS (PNEUMOCONIOSIS).
TITANIUM DIOXIDE: MAY CAUSE MECHANICAL EYE IRRITATION. LONG TERM EXPOSURE
TO AIRBORNE DUST MAY CAUSE LUNG DAMAGE.

CALCIUM CARBONATE: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. MAY
IRRITATE EYE TISSUE. MAY CAUSE IRRITATION OF THROAT, STOMACH AND
GASTROINTESTINAL TRACT.

SILICA: LONG TERM EXPOSURE MAY CAUSE SILICOSIS A FORM OF PULMONARY
FIBROSIS. CONSIDERED TO BE CLASSIFIED AS CARCINOGENIC BY IARC.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

STYRENE MONOMER (CAS# 100-42-5): NONE NOTED

CHROME ANTIMONY TITANIUM RUTILE: RESPIRATORY AND SKIN DISORDERS AGGRAVATED
BY DUST.

AMORPHOUS SILICA: NONE KNOWN
TITANIUM DIOXIDE: NONE KNOWN

CALCIUM CARBONATE: NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE FROM AREA TO FRESH AIR. GET MEDICAL ATTENTION IF RESPIRATORY
IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT.

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS
(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 6

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION VI - HEALTH HAZARD DATA: (CONT)

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE
VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL
ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONNEL PROTECTIVE EQUIPMENT, CONTAIN SPILL, COLLECT
IN A SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

RECYCLING, INCINERATION WITH ENERGY RECOVERY, OR LANDFILL IN ACCORDANCE
WITH APPLICABLE REGULATIONS AND LAWS.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP
CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

IN ACCORDANCE WITH GOOD MANUFACTURING PRACTICES, GOOD GENERAL VENTILATION
OF THE POLYMER PROCESSING AREA IS RECOMMENDED.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

IN DUSTY ATMOSPHERES USE NIOSH/MSHA APPROVED RESPIRATORS

CONTROL: VENTILATION

LOCAL EXHAUST IS RECOMMENDED. APPROPRIATE PRECAUTIONS TO AVOID DUST
EXPLOSIONS SHOULD BE TAKEN INCLUDING A PROPERLY GROUNDED DUST COLLECTION
SYSTEM.

M A T E R I A L S A F E T Y D A T A S H E E T
-----DATE: 11/24/14
PAGE: 7

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412-----
SECTION VIII - CONTROL MEASURES: (CONT)

CONTROL: GLOVES

BUTYL RUBBER,PVC OR NEOPRENE

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

EYE WASH STATION.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:
-----SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED
AND DISTRIBUTED FOR THIS MATERIAL.

CAS #	DOES NOT EXCEED(%)	DESCRIPTION
100-42-5	.08	STYRENE
CRCMPD	3.00	CHROMIUM (III) COMPOUND
SBCMPD	3.00	ANTIMONY COMPOUND
7440-36-0	.30	ANTIMONY (SB) METAL
7440-47-3	.12	CHROMIUM (III) AS (CR)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY
AS REQUIRED BY FEDERAL LAW.-----
SECTION X - STATE REGULATORY INFORMATION:
-----CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE CANCER ARE LISTED BELOW:

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 8

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION X - STATE REGULATORY INFORMATION: (CONT)

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.

[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML](http://www.oeeha.ca.gov/prop65/prop65_list/newlist.html)

STYRENE, ACRYLONITRILE

LEAD

HEXAVALENT CHROMIUM

CRYSTALLINE SILICA CAS# 1317-65-3 0.4%

LEAD <1.0PPM

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT
HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.

[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML](http://www.oeeha.ca.gov/prop65/prop65_list/newlist.html)

LEAD

HEXAVALENT CHROMIUM

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
AS GIVEN IN WHMIS IS SHOWN BELOW:

[HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX](http://www.csst.qc.ca/en/prevention/reptox/pages/list-whmis-cas-50-84.aspx)

QUARTZ - CLASS D, DIVISION 2, SUBDIVISION A

D2B STYRENE-ACRYLONITRILE COPOLYMER

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS
SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 9

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS ABS 004.000% STOCK YELLOW
PRODUCT CODE: SB13754412

SECTION X - STATE REGULATORY INFORMATION: (CONT)

OCTADECANNAMIDE, N,N'-1,2-ETHANEDDIYLBIS- CAS# 000110-30-5
HEXADECANNAMIDE, N,N'-1,2-ETHANEDDIYLBIS- CAS# 005518-18-3

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:
NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.