

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14  
PAGE: 1

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE: 06DRV-862A

\*\*\*\*\* MATERIAL SAFETY DATA SHEETS \*\*\*\*\*

\*

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.  
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS  
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE  
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

\*

\*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE  
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

\*

\*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1

FLAMMABILITY ----->0

REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 11/24/14  
PAGE: 2

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE: 06DRV-862A

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

DC RVC-544 001.000% ANTIQUE WHITE DC

PRODUCT CODE:

06DRV-862A

VERSION NUMBER:

1

DATE: 11/24/14

CHEMICAL NAME/FAMILY:

COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW  
WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE  
OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200  
OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

CAS NUMBER	DESCRIPTION	OSHA PEL MG/M3	ACGIH TLV MG/M3	OTHER LIMITS	DOES NOT EXCEED (%)
95-50-1	O-DICHLOROBENZENE	50.0	-	-	----
68186-90-3	CHROME ANTIMONY TITANIUM	-	-	-	2.40
CRCMPD	CHROMIUM (III) COMPOUND	0.5	0.5	-	2.40
SBCMPD	ANTIMONY & COMPOUNDS(AS SB)	0.5	0.5	-	2.40
7440-36-0	ANTIMONY (SB) METAL	0.5	0.5	-	.24
7440-47-3	CHROMIUM AS CR	0.5	0.5	-	.10
1333-86-4	CARBON BLACK	3.5	3.5	-	.02
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	77.95
21645-51-2	ALUMINUM HYDROXIDE (AS AL)	N.E.	10.0	-	3.00
7631-86-9	SILICON DIOXIDE, AMORPHOUS	6.0	10.0	-	4.71
1317-65-3	LIMESTONE (TOTAL DUST)	15.0	10.0	5.0	1.69
14808-60-7	SILICA, CRYSTALLINE QUARTZ	0.1	0.1	-	.02

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N.A.  
SPECIFIC GRAVITY: 3.8 - 4.3  
VAPOR PRESSURE: N.A.  
MELTING POINT: Non Determined  
VAPOR DENSITY: N.A.  
EVAPORATION RATE: N.A.  
SOLUBILITY IN WATER: INSOLUBLE

## SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE:            06DRV-862A

-----  
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS: (CONT)  
-----APPEARANCE AND ODOR: COLORED DRY POWDER - NO SIGNIFICANT ODOR  
-----SECTION IV - FIRE AND EXPLOSION HAZARD DATA:  
-----

## FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 110 C.  
THE METHOD USED TO DETERMINE THIS IS: SCC  
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH  
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

## EXTINGUISHING MEDIA:

FOAM, CARBON DIOXIDE, DRY CHEMICAL, WATER FOG

## SPECIAL FIRE FIGHTING PROCEDURES:

EQUIP FIREFIGHTERS WITH SELF-CONTAINED BREATHING APPARATUS (SCBA) AND  
TURN-OUT GEAR.

## UNUSUAL FIRE AND EXPLOSION HAZARDS:

IT MAY NOT BE OBVIOUS THAT CARBON BLACK IS BURNING UNLESS THE MATERIAL IS  
STIRRED AND SPARKS ARE APPARENT. CARBON BLACK THAT HAS BEEN ON FIRE SHOULD  
BE OBSERVED CLOSELY FOR AT LEAST 48 HOURS TO ENSURE NO SMOLDERING MATERIAL  
IS PRESENT.

-----  
SECTION V - REACTIVITY DATA:  
-----

STABILITY: STABLE -&gt; X UNSTABLE -&gt;

## STABILITY (CONDITIONS TO AVOID):

CONTACT WITH STRONG MINERAL ACIDS IS TO BE AVOIDED.

## INCOMPATIBILITY (MATERIALS TO AVOID):

AVOID CONTACT WITH STRONG ALKALI, AMINES.

## HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM  
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -&gt;    WILL NOT OCCUR -&gt; X

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 11/24/14  
PAGE: 4

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE:            06DRV-862A

-----  
SECTION V - REACTIVITY DATA: (CONT)  
-----

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):  
N/A

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE  
IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR  
SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO  
TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN  
WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.  
INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND  
IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY  
BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

HIGH DUST CONCENTRATIONS MAY CAUSE MECHANICAL IRRITATION TO EYES.

-----  
IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE  
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES  
-----

SIGNS AND SYMPTOMS OF EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)  
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM.

O-DICHLOROBENZENE: EYE, SKIN AND RESPIRATORY TRACT IRRITANT.

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 11/24/14  
PAGE: 5

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE:            06DRV-862A

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

CHROME ANTIMONY TITANIUM RUTILE: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. PROLONGED INHALATION MAY CAUSE LUNG DAMAGE.

CARBON BLACK: TEMPORARY DISCOMFORT TO UPPER RESPIRATORY TRACT. IARC HAS CLASSIFIED CARBON BLACK AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

AMOROPHOUS SILICA: OVEREXPOSURE MAY CAUSE TISSUE RESPONSE IN THE LUNG WHICH IN SEVERE CASES CAN RESULT IN PULMONARY FIBROSIS (PNEUMOCONIOSIS).  
TITANIUM DIOXIDE: MAY CAUSE MECHANICAL EYE IRRITATION. LONG TERM EXPOSURE TO AIRBORNE DUST MAY CAUSE LUNG DAMAGE.

CALCIUM CARBONATE: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. MAY IRRITATE EYE TISSUE. MAY CAUSE IRRITATION OF THROAT, STOMACH AND GASTROINTESTINAL TRACT.

SILICA: LONG TERM EXPOSURE MAY CAUSE SILICOSIS A FORM OF PULMONARY FIBROSIS. CONSIDERED TO BE CLASSIFIED AS CARCINOGENIC BY IARC.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM.

O-DICHLOROBENZENE: NONE KNOWN

CHROME ANTIMONY TITANIUM RUTILE: RESPIRATORY AND SKIN DISORDERS AGGRAVATED BY DUST.

CARBON BLACK: UPPER RESPIRATORY DISORDERS, SUCH AS BRONCHITIS OR ASTHMA.

AMOROPHOUS SILICA: NONE KNOWN  
TITANIUM DIOXIDE: NONE KNOWN

CALCIUM CARBONATE: NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

## SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE:            06DRV-862A

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

## EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD  
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS  
(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

## EMERGENCY FIRST AID: INGESTION

IF CONSCIOUS, GIVE WATER AND THEN INDUCE VOMITING. NEVER GIVE FLUIDS OR  
INDUCE VOMITING IF THE VICTIM IS UNCONSCIOUS OR HAVING CONVULSIONS. GET  
IMMEDIATE MEDICAL ATTENTION.

## EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,  
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL  
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

-----  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:  
-----

## HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONNEL PROTECTIVE EQUIPMENT, CONTAIN SPILL, COLLECT  
IN A SUITABLE CONTAINER.

## HANDLING: WASTE DISPOSAL

OBEY APPLICABLE FEDERAL, STATE AND LOCAL LAWS. DO NOT CONTAMINATE ANY  
LAKES, STREAMS, PONDS OR UNDERGROUND WATER SUPPLY.

## HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH  
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP  
CONTAINER TIGHTLY CLOSED.

## HANDLING: OTHER PRECAUTIONS

IN ACCORDANCE WITH GOOD MANUFACTURING PRACTICES, GOOD GENERAL VENTILATION  
OF THE POLYMER PROCESSING AREA IS RECOMMENDED.

-----  
SECTION VIII - CONTROL MEASURES:  
-----

CONTROL: RESPIRATORY PROTECTION

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 11/24/14  
PAGE: 7

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE:            06DRV-862A

SECTION VIII - CONTROL MEASURES: (CONT)

IN DUSTY ATMOSPHERES USE NIOSH/MSHA APPROVED RESPIRATORS

CONTROL: VENTILATION

USE VENTILATION SYSTEM TO MAINTAIN EXPOSURE LEVELS WITHIN THE ACGIH TLV

CONTROL: GLOVES

LEATHER OR OTHER NON-PERMEABLE GLOVES.

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

EYE WASH STATION.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE  
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED  
AND DISTRIBUTED FOR THIS MATERIAL.

CAS #	DOES NOT EXCEED(%)	DESCRIPTION
CRCMPD	2.40	CHROMIUM (III) COMPOUND
SBCMPD	2.40	ANTIMONY COMPOUND
7440-36-0	.24	ANTIMONY (SB) METAL
7440-47-3	.10	CHROMIUM (III) AS (CR)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN  
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY  
AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 11/24/14  
PAGE: 8

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE: 06DRV-862A

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:  
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65\\_LIST/NEWLIST.HTML](http://www.oehha.ca.gov/prop65/prop65_list/newlist.html)  
LEAD  
HEXAVALENT CHROMIUM  
CARBON BLACK: (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE)" IS A CALIFORNIA PROPOSITION 65 LISTED SUBSTANCE. PLEASE NOTE THAT ALL THREE LISTING QUALIFIERS (AIRBORNE, UNBOUND (NOT BOUND WITHIN A MATRIX), AND RESPIRABLE SIZE (10 MICROMETERS OR LESS IN DIAMETER)) MUST BE MET FOR THIS SUBSTANCE TO BE CONSIDERED A PROPOSITION 65 SUBSTANCE.  
CRYSTALLINE SILICA CAS# 1317-65-3 0.4%  
LEAD <1.0PPM

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT HARM ARE LISTED BELOW:  
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65\\_LIST/NEWLIST.HTML](http://www.oehha.ca.gov/prop65/prop65_list/newlist.html)  
LEAD  
HEXAVALENT CHROMIUM

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:  
[HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX](http://www.csst.qc.ca/en/prevention/reptox/pages/list-whmis-cas-50-84.aspx)  
D2A: O-DICHLOROBENZENE  
CARBON BLACK - D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS  
QUARTZ - CLASS D, DIVISION 2, SUBDIVISION A

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:  
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL



SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 11/24/14  
PAGE: 9

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: DC RVC-544 001.000% ANTIQUE WHITE DC  
PRODUCT CODE:            06DRV-862A

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS  
SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS  
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:  
NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.  
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT  
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE  
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS  
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER  
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.