

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 1

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

***** MATERIAL SAFETY DATA SHEETS *****

*

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

*

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 2

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

PVC 25020000BX 004.000% DV BROWN #2

PRODUCT CODE:

CV82754940

VERSION NUMBER:

4

DATE: 11/24/14

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CAS NUMBER	DESCRIPTION	OSHA	ACGIH	OTHER LIMITS	DOES NOT EXCEED(%)
		PEL MG/M3	TLV MG/M3		
1309-37-1	IRON OXIDE (TOTAL DUST)	15.0	5.0	5.0	1.69
7631-86-9	SILICON DIOXIDE, AMORPHOUS	6.0	10.0	-	.08
7727-43-7	BARIUM SULFATE(DUST)	5.0	10.0	-	.12
1333-86-4	CARBON BLACK	3.5	3.5	-	.33
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	22.50
1344-28-1	ALUMINUM OXIDE (DUST)	10.0	10.0	5.0	.23
75-01-4	VINYL CHLORIDE MONOMER	1 PPM	5PPM	0.5PPM	----

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N/A
SPECIFIC GRAVITY: 1.35-1.55
VAPOR PRESSURE: N/A
MELTING POINT: Non Determined
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: SLIGHT
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 391 C.
THE METHOD USED TO DETERMINE THIS IS: EXTERNAL PILOT FLAME
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-CONTAINED BREATHING
APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

IT MAY NOT BE OBVIOUS THAT CARBON BLACK IS BURNING UNLESS THE MATERIAL IS
STIRRED AND SPARKS ARE APPARENT. CARBON BLACK THAT HAS BEEN ON FIRE SHOULD
BE OBSERVED CLOSELY FOR AT LEAST 48 HOURS TO ENSURE NO SMOLDERING MATERIAL
IS PRESENT.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

TO AVOID THERMAL DECOMPOSITION DO NOT OVERHEAT. DECOMPOSITION BEGINS AT
APPROX. 240 C.

INCOMPATIBILITY (MATERIALS TO AVOID):

DURING PROCESSING, AVOID ACETAL/ACETAL COPOLYMERS AND AMINES

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

N/A

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 4

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION V - REACTIVITY DATA: (CONT)

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE. INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

ACUTE: PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION. HARMFUL IF ABSORBED THROUGH SKIN.
CHRONIC: REPEATED EXPOSURE MAY CAUSE ALLERGIC SKIN RASH, ITCHING, SWELLING.

HEALTH HAZARD: INGESTION

MAY CAUSE HEADACHE, NAUSEA, VOMITING, BREATHING DIFFICULTIES, AND WEAKNESS. POSSIBLE KIDNEY DAMAGE MAY RESULT FROM INGESTION OF LARGE QUANTITIES.

HEALTH HAZARD: EYE CONTACT

HIGH DUST CONCENTRATIONS MAY CAUSE MECHANICAL IRRITATION TO EYES.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENTS PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.

M A T E R I A L S A F E T Y D A T A S H E E T

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION VI - HEALTH HAZARD DATA: (CONT)

WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

IRON OXIDE(CAS# 1309-37-1): EXPOSURE TO AIRBORNE DUST MAY REDUCE VISIBILITY AND MAY CAUSE MECHANICAL IRRITATION TO THE EYES AND RESPIRATORY TRACT. RIGOROUS SKIN CLEANING NECESSARY FOR REMOVAL OF DUST CAN CAUSE IRRITATION. PROLONGED INHALATION OF IRON OXIDE FUME HAS BEEN REPORTED TO PRODUCE CHANGES IN LUNG X-RAYS OF EXPOSED INDIVIDUALS. THIS CONDITION, SIDEROSIS, IS CONSIDERED TO BE A BENIGN PNEUMOCONIOSIS THAT EXHIBITS NO ADVERSE HEALTH EFFECTS.

SILICON DIOXIDE: PROLONGED INHALTION OF AMORPHOUS SILICA MAY PRODUCE X-RAY CHANGES IN THE LUNGS WITHOUT DISABILITY.

CARBON BLACK: TEMPORARY DISCOMFORT TO UPPER RESPIRATORY TRACT. IARC HAS CLASSIFIED CARBON BLACK AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

TITANIUM DIOXIDE, ALUMINUM OXIDE: IARC HAS LISTED TITANIUM DIOXIDE AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. EXPOSURE TO DUST MAY CAUSE TEMPORARY DRYING EFFECT AND /OR MILD IRRITATION OF THE NOSE, THROAT, AND LUNGS AND MAY AGGRAVATE PRE-EXISTING CONDITIONS.

DUST MAY CAUSE IRRITATION OF THE NOSE, LUNGS AND THROAT.
FUMES RELEASED DURING PROCESSING MAY CAUSE IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

IRON OXIDE - NONE KNOWN

CARBON BLACK: UPPER RESPIRATORY DISORDERS, SUCH AS BRONCHITIS OR ASTHMA.

TITANIUM DIOXIDE, ALUMINUM OXIDE: TITANIUM DIOXIDE LISTED BY IARC AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. ALUMINUM OXIDE (RESPIRATORY DISORDERS)

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 6

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION VI - HEALTH HAZARD DATA: (CONT)

NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS
(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE 2 GLASSES OF WATER. CALL
PHYSICIAN IMMEDIATELY.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

DIKE AND ABSORB SPILL WITH AN INERT MATERIAL SUCH AS SAND, OR EARTH AND
TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL.

HANDLING: WASTE DISPOSAL

LANDFILL OR INCINERATE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL LAWS.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP
CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

AGGRESSIVE MEASURES SHOULD BE TAKEN TO AVOID DUST ACCUMULATION; EMPLOY
BONDING, GROUNDING, VENTING, AND EXPLOSION RELIEF PROVISIONS IN ACCORDANCE

M A T E R I A L S A F E T Y D A T A S H E E T

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE: (CONT)

WITH ACCEPTED ENGINEERING PROCEDURES.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR MAY BE NEEDED WHEN
HANDLING MOLTEN MATERIAL.

CONTROL: VENTILATION

PROVIDE AN ADEQUATE EXHAUST SYSTEM THAT IS FILTERED TO AVOID CONTAMINATING
THE ENVIRONMENT AND MEETS THE TLV REQUIREMENTS IN THE WORK AREA.

CONTROL: GLOVES

LEATHER OR OTHER NON-PERMEABLE GLOVES.

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

IMPERVIOUS CLOTHING SHOULD BE WORN WHEN GROSS CONTACT IS LIKELY, SUCH AS
WHEN CLEANING UP SPILLS OF LARGE AMOUNTS.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED
AND DISTRIBUTED FOR THIS MATERIAL.

CAS #	DOES NOT EXCEED(%)	DESCRIPTION
ZNCMPD	8.00	ZINC COMPOUND
7440-66-6	2.40	ZINC

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 8

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION IX - OTHER REGULATORY INFORMATION: (CONT)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY
AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE CANCER ARE LISTED BELOW:
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML](http://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML)
ARSENIC CAS# 7440-38-2 <10PPM
CADMIUM CAS# 7440-43-9 <10PPM
NICKEL CAS# 7440-02-0 50 - 200PPM
LEAD CAS# 7439-92-1 10 - 90PPM
SELENIUM CAS# 7782-49-2 < 2 PPM
CARBON BLACK: (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE)" IS A
CALIFORNIA PROPOSITION 65 LISTED SUBSTANCE. PLEASE NOTE
THAT ALL THREE LISTING QUALIFIERS (AIRBORNE, UNBOUND (NOT BOUND WITHIN A
MATRIX), AND RESPIRABLE SIZE (10 MICROMETERS OR LESS
IN DIAMETER)) MUST BE MET FOR THIS SUBSTANCE TO BE CONSIDERED A PROPOSITION
65 SUBSTANCE.

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO
CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT
HARM ARE LISTED BELOW:
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML](http://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML)
ARSENIC CAS# 7440-38-2 <10PPM
CADMIUM CAS# 7440-43-9 <10PPM
MERCURY CAS# 7439-97-6 <1PPM
LEAD CAS# 7439-92-1 10 - 90PPM

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
AS GIVEN IN WHMIS IS SHOWN BELOW:

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 9

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION X - STATE REGULATORY INFORMATION: (CONT)

HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX
CARBON BLACK - D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS
TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS
SHOWN BELOW:

IRON OXIDE CAS# 1309-37-1	<100%
SILICON DIOXIDE CAS# 7631-86-9	<5.0%
BARIUM SULFATE CAS# 7727-43-7	<7.0%
ARSENIC CAS# 7440-38-2	50 PPM
NICKEL CAS# 7440-02-0	250 PPM
CHROMIUM CAS# 7440-47-3	900 PPM
ARSENIC CAS# 7440-38-2	<10PPM
CADMIUM CAS# 7440-43-9	<10PPM
NICKEL CAS# 7440-02-0	50 - 200PPM

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:
ZINC FERRITE CAS# 68187-51-9 APPROX. 100%

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:
ZINC FERRITE CAS# 68187-51-9 APPROX. 100%

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 11/24/14
PAGE: 10

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 25020000BX 004.000% DV BROWN #2
PRODUCT CODE: CV82754940

SECTION X - STATE REGULATORY INFORMATION: (CONT)

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.