SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE: 1

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

***** MATERIAL SAFETY DATA SHEETS *****

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT. THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE "STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ---->1

FLAMMABILITY ---->1

REACTIVITY ---->0

PERSONAL PROTECTION -->B

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA) 2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE:

07ABS-364 VERSION NUMBER: 2 DATE: 1/16/15

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.

WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

		OSHA	ACGIH		
CAS		PEL	${ t TLV}$	OTHER	DOES NOT
NUMBER	DESCRIPTION	MG/M3	MG/M3	LIMITS	EXCEED(%)
100-42-5	STYRENE	100PPM	_	_	.17
1309-37-1	IRON OXIDE (TOTAL DUST)	15.0	5.0	5.0	1.09
7631-86-9	SILICON DIOXIDE, AMORPHOU	JS 6.0	10.0	_	.01
1333-86-4	CARBON BLACK	3.5	3.5	_	3.12
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	_	4.63
1344-28-1	ALUMINUM OXIDE (DUST)	10.0	10.0	5.0	.05
7440-66-6	ZINC	_	5.0	_	.12
36443-68-2	ANTIOXIDANT/STABILIZER	_	_	_	.25

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS: ______

> BOILING POINT: NA SPECIFIC GRAVITY: 1.05 VAPOR PRESSURE: NA

> > MELTING POINT: Non Determined

VAPOR DENSITY: NA EVAPORATION RATE: NA

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA) 2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE: 3

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 193 C.

THE METHOD USED TO DETERMINE THIS IS: OPEN CUP

ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH

POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

IT MAY NOT BE OBVIOUS THAT CARBON BLACK IS BURNING UNLESS THE MATERIAL IS STIRRED AND SPARKS ARE APPARENT. CARBON BLACK THAT HAS BEEN ON FIRE SHOULD BE OBSERVED CLOSELY FOR AT LEAST 48 HOURS TO ENSURE NO SMOLDERING MATERIAL IS PRESENT.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

AVOID EXPOSURE TO HEAT, SPARK, OR OPEN FLAME.

INCOMPATILBILITY (MATERIALS TO AVOID):

AVOID CONTACT WITH STRONG ALKALI, AMINES.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM

OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

SMOKING, OPEN FLAMES, SPARKS AND OTHER SOURCES OF IGNITION AND HEAT.

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE:

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION V - REACTIVITY DATA: (CONT)

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY IHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN

WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.

INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY

BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

HIGH DUST CONCENTRATIONS MAY CAUSE MECHANICAL IRRITATION TO EYES.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE

CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENTS PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

STYRENE MONOMER (CAS# 100-42-5): MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. INGESTION MAY CAUSE GASTRIC DISTURBANCES.

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE:

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION VI - HEALTH HAZARD DATA: (CONT)

DECITOR VI HEADIN HADARD DATA (CONT)

IRON OXIDE(CAS# 1309-37-1): EXPOSURE TO AIRBORNE DUST MAY REDUCE VISIBILITY AND MAY CAUSE MECHANICAL IRRITATION TO THE EYES AND RESPIRATORY TRACT. RIGOROUS SKIN CLEANING NECESSARY FOR REMOVAL OF DUST CAN CAUSE IRRITATION. PROLONGED INHALATION OF IRON OXIDE FUME HAS BEEN REPORTED TO PRODUCE CHANGES IN LUNG X-RAYS OF EXPOSED INDIVIDUALS. THIS CONDITION, SIDEROSIS, IS CONSIDERED TO BE A BENIGN PNEUMOCONIOSIS THAT EXHIBITS NO ADVERSE HEALTH EFFECTS.

SILICON DIOXIDE: PROLONGED INHALTION OF AMORPHOUS SILICA MAY PRODUCE X-RAY CHANGES IN THE LUNGS WITHOUT DISABILITY.

CARBON BLACK: TEMPORARY DISCOMFORT TO UPPER RESPIRATORY TRACT. IARC HAS CLASSIFIED CARBON BLACK AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

TITANIUM DIOXIDE, ALUMINUM OXIDE: IARC HAS LISTED TITANIUM DIOXIDE AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. EXPOSURE TO DUST MAY CAUSE TEMPORARY DRYING EFFECT AND /OR MILD IRRITATION OF THE NOSE, THROAT, AND LUNGS AND MAY AGGRAVATE PRE-EXISTING CONDITIONS.

ZINC: INHALED IN SUBSTANTIAL AMOUNTS MAY IRRITATE THE RESPIRATORY TRACT. EXTREME EXPOSURE MAY CAUSE TEMPORARY BREATHING DIFICULTIES.

ANTIOXIDANT: LIVER AND THYROID DAMAGE BASED UPON THE PREVIOUSLEY CITED FEEDING STUDIES.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE
INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

STYRENE MONOMER (CAS# 100-42-5): NONE NOTED

IRON OXIDE - NONE KNOWN

CARBON BLACK: UPPER RESPIRATORY DISORDERS, SUCH AS BRONCHITIS OR ASTHMA.

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION VI - HEALTH HAZARD DATA: (CONT)

TITANIUM DIOXIDE, ALUMINUM OXIDE: TITANIUM DIOXIDE LISTED BY IARC AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. ALUMINUM OXIDE (RESPIRATORY

DISORDERS)

ZINC: NONE NOTED

ANTIOXIDANT: LIVER DISEASE AND JAUDICE: THYROID CONDITIONS

EMERGENCY FIRST AID: INHALATION

REMOVE FROM AREA TO FRESH AIR. GET MEDICAL ATTENTION IF RESPIRATORY IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT.

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE. OCCASIONALLY LIFTING UPPER AND LOWER LIDS. UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

WEARING APPROPRIATE PERSONNEL PROTECTIVE EQUIPMENT, CONTAIN SPILL, COLLECT IN A SUITABLE CONTAINER.

HANDLING: WASTE DISPOSAL

DISPOSE OF IN AN APPROVED HAZARDOUS WASTE LANDFILL IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

HANDLING: STORAGE

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA) 2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE: 7

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE: (CONT)

AVOID COMPANY DATE AND COMPANY WHEN THE COMPANY OF COMPANY WAS A

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP

CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

IN ACCORDANCE WITH GOOD MANUFACTURING PRACTICES, GOOD GENERAL VENTILATION

OF THE POLYMER PROCESSING AREA IS RECOMMENDED.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

USE NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS

CONTROL: VENTILATION

PROVIDE AN ADEQUATE EXHAUST SYSTEM THAT IS FILTERED TO AVOID CONTAMINATING

THE ENVIRONMENT AND MEETS THE TLV REQUIREMENTS IN THE WORK AREA.

CONTROL: GLOVES

IMPERVIOUS GLOVES

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

EYE WASH STATION.

CONTROL: WORK/HYGIENE

DO NOT EAT, DRINK, OR SMOKE IN WORK AREA.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND

AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

DOES NOT

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA) 2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION IX - OTHER REGULATORY INFORMATION: (CONT)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REOUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML STYRENE, ACRYLONITRILE

MERCURY <1PPM

LEAD <20PPM

HEXAVALENT CHROMIUM <50PPM

ANTIMONY < 10PPM NICKEL <10PPM

CARBON BLACK: (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE) " IS A CALIFORNIA PROPOSITION 65 LISTED SUBSTANCE. PLEASE NOTE

THAT ALL THREE LISTING QUALIFIERS (AIRBORNE, UNBOUND (NOT BOUND WITHIN A MATRIX), AND RESPIRABLE SIZE (10 MICROMETERS OR LESS

IN DIAMETER)) MUST BE MET FOR THIS SUBSTANCE TO BE CONSIDERED A PROPOSITION 65 SUBSTANCE.

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML NONE

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION X - STATE REGULATORY INFORMATION: (CONT)

DECION A DIRTE REGULATOR IN ORDER TON (CONT)

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:

HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX CARBON BLACK - D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS SHOWN BELOW:

IRON OXIDE CAS# 1309-37-1 <100% SILICON DIOXIDE CAS# 7631-86-9 <1.0% ARSENIC CAS# 7440-38-2 < 50 PPM NICKEL CAS# 7440-02-0 < 250 PPM

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

IRON OXIDE CAS# 1309-37-1 <100%
SILICON DIOXIDE CAS# 7631-86-9 <1.0%
OCTADECANNAMIDE, N,N'-1,2-ETHANEDDIYLBIS- CAS# 000110-30-5
HEXADECANNAMIDE, N,N'-1,2-ETHANEDDIYLBIS- CAS# 005518-18-3

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

IRON OXIDE CAS# 1309-37-1 <100% SILICON DIOXIDE CAS# 7631-86-9 <1.0%

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: 7467SW-B CHARCOAL; 4%; ABS

PRODUCT CODE: 07ABS-364

SECTION X - STATE REGULATORY INFORMATION: (CONT)

SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.