

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 1

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

***** MATERIAL SAFETY DATA SHEETS *****

*

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

*

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 2

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

SFR CHAMPANGE #3,4%;RPVC

PRODUCT CODE:

68VRVW-888

VERSION NUMBER:

4

DATE: 1/16/15

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW
WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE
OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200
OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

CAS NUMBER	DESCRIPTION	OSHA	ACGIH	OTHER LIMITS	DOES NOT EXCEED(%)
		PEL MG/M3	TLV MG/M3		
68186-90-3	CHROME ANTIMONY TITANIUM	-	-	-	1.95
CRCMPD	CHROMIUM (III) COMPOUND	0.5	0.5	-	1.95
SBCMPD	ANTIMONY & COMPOUNDS(AS SB)	0.5	0.5	-	1.95
7440-36-0	ANTIMONY (SB) METAL	0.5	0.5	-	.20
7440-47-3	CHROMIUM AS CR	0.5	0.5	-	.08
68412-38-4	C.I. PIGMENT YELLOW 164				.58
1333-86-4	CARBON BLACK	3.5	3.5	-	.06
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	13.00
1344-28-1	ALUMINUM OXIDE (DUST)	10.0	10.0	5.0	.06
12001-26-2	MICA(MINERAL)	3.0	3.0	-	18.00
73138-45-1	MONTAN WAX ACID (PNOC)	15.0	10.0	3.0	1.13
75-01-4	VINYL CHLORIDE MONOMER	1 PPM	5PPM	0.5PPM	.01

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N/A
SPECIFIC GRAVITY: 1.35-1.55
VAPOR PRESSURE: N/A
MELTING POINT: Non Determined
VAPOR DENSITY: N/A
EVAPORATION RATE: N/A
SOLUBILITY IN WATER: SLIGHT

M A T E R I A L S A F E T Y D A T A S H E E T
-----DATE: 1/16/15
PAGE: 3

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888-----
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS: (CONT)
-----APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR
-----SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 391 C.
THE METHOD USED TO DETERMINE THIS IS: EXTERNAL PILOT FLAME
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

USE WATER FOG, FOAM OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-CONTAINED BREATHING
APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

IT MAY NOT BE OBVIOUS THAT CARBON BLACK IS BURNING UNLESS THE MATERIAL IS
STIRRED AND SPARKS ARE APPARENT. CARBON BLACK THAT HAS BEEN ON FIRE SHOULD
BE OBSERVED CLOSELY FOR AT LEAST 48 HOURS TO ENSURE NO SMOLDERING MATERIAL
IS PRESENT.-----
SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

NONE

INCOMPATIBILITY (MATERIALS TO AVOID):

DURING PROCESSING, AVOID ACETAL/ACETAL COPOLYMERS AND AMINES

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 4

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION V - REACTIVITY DATA: (CONT)

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):
 AVOID CONTACT WITH STRONG CHEMICAL OXIDIZING AGENTS.

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE
IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR
SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO
TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN
WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.
INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND
IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY
BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

ACUTE: PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION.
HARMFUL IF ABSORBED THROUGH SKIN.
CHRONIC: REPEATED EXPOSURE MAY CAUSE ALLERGIC SKIN RASH, ITCHING, SWELLING.

HEALTH HAZARD: INGESTION

MAY CAUSE HEADACHE, NAUSEA, VOMITING, BREATHING DIFFICULTIES, AND
WEAKNESS. POSSIBLE KIDNEY DAMAGE MAY RESULT FROM INGESTION OF LARGE
QUANTITIES.

HEALTH HAZARD: EYE CONTACT

HIGH DUST CONCENTRATIONS MAY CAUSE MECHANICAL IRRITATION TO EYES.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 5

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION VI - HEALTH HAZARD DATA: (CONT)

CHROME ANTIMONY TITANIUM RUTILE: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. PROLONGED INHALATION MAY CAUSE LUNG DAMAGE.

PIGMENT YELLOW 164: MAY CAUSE EYE, SKIN, AND RESPIRATORY TRACT IRRITATION. ROUTES OF ENTRY: INGESTION, INHALATION.

CARBON BLACK: TEMPORARY DISCOMFORT TO UPPER RESPIRATORY TRACT. IARC HAS CLASSIFIED CARBON BLACK AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B).

TITANIUM DIOXIDE, ALUMINUM OXIDE: IARC HAS LISTED TITANIUM DIOXIDE AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. EXPOSURE TO DUST MAY CAUSE TEMPORARY DRYING EFFECT AND /OR MILD IRRITATION OF THE NOSE, THROAT, AND LUNGS AND MAY AGGRAVATE PRE-EXISTING CONDITIONS.

MICA/TITANIUM DIOXIDE: COUGHING, WHEEZING, OR SHORTNESS OF BREATH WHEN INHALED. ITCHING, IRRITATION AND REDNESS AFTER CONTACT WITH THE EYES. MICA CAN CAUSE LUNG DAMAGE RESULTING IN SLIGHT LUNG FIBROSIS.

MONTAN WAX: MAY CAUSE LOCAL IRRITATION OF THE EYES, NOSE, THROAT, AND LUNGS FINE POWDER MAY CAUSE MECHANICAL IRRITATION OF EYES AND RESPIRATORY TRACT.

DUST MAY CAUSE IRRITATION OF THE NOSE, LUNGS AND THROAT.
FUMES RELEASED DURING PROCESSING MAY CAUSE IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

CHROME ANTIMONY TITANIUM RUTILE: RESPIRATORY AND SKIN DISORDERS AGGRAVATED BY DUST.

PIGMENT YELLOW 164: SKIN AND RESPIRATORY DISORDERS.

CARBON BLACK: UPPER RESPIRATORY DISORDERS, SUCH AS BRONCHITIS OR ASTHMA.

TITANIUM DIOXIDE, ALUMINUM OXIDE: TITANIUM DIOXIDE LISTED BY IARC AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. ALUMINUM OXIDE (RESPIRATORY DISORDERS)

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 6

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION VI - HEALTH HAZARD DATA: (CONT)

MICA/TITANIUM DIOXIDE: ASTHMA, EMPHYSEMA, OR OTHER EXISTING LUNG OR
RESPIRATORY DISEASE.

MONTAN WAX: NONE KNOWN

NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS
(AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE 2 GLASSES OF WATER. CALL
PHYSICIAN IMMEDIATELY.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL
REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

DIKE AND ABSORB SPILL WITH AN INERT MATERIAL SUCH AS SAND, OR EARTH AND
TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL.

HANDLING: WASTE DISPOSAL

DISPOSE IN CLOSED CONTAINERS. COMPLY WITH LOCAL, STATE, AND FEDERAL
REGULATIONS.

HANDLING: STORAGE

AVOID GENERATING DUST. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. WASH
THOROUGHLY AFTER HANDLING. STORE IN A DRY WELL VENTILATED AREA. KEEP

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 7

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE: (CONT)

CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

AGRESSIVE MEASURES SHOULD BE TAKEN TO AVOID DUST ACCUMULATION; EMPLOY
BONDING, GROUNDING, VENTING, AND EXPLOSION RELIEF PROVISIONS IN ACCORDANCE
WITH ACCEPTED ENGINEERING PROCEDURES.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR MAY BE NEEDED WHEN
HANDLING MOLTEN MATERIAL.

CONTROL: VENTILATION

PROVIDE AN ADEQUATE EXHAUST SYSTEM THAT IS FILTERED TO AVOID CONTAMINATING
THE ENVIRONMENT AND MEETS THE TLV REQUIREMENTS IN THE WORK AREA.

CONTROL: GLOVES

BUTYL RUBBER,PVC OR NEOPRENE

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

EYE WASH STATION.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED
AND DISTRIBUTED FOR THIS MATERIAL.
DOES NOT

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 8

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION IX - OTHER REGULATORY INFORMATION: (CONT)

CAS #	EXCEED(%)	DESCRIPTION
CRCMPD	1.95	CHROMIUM (III) COMPOUND
SBCMPD	2.53	ANTIMONY COMPOUND
7440-36-0	.31	ANTIMONY (SB) METAL
7440-47-3	.08	CHROMIUM (III) AS (CR)
MNCMPD	.58	MANGANESE COMPOUND
7439-96-5	.03	MANGANESE (MN)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML](http://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML)
LEAD
HEXAVALENT CHROMIUM
CARBON BLACK: (AIRBORNE, UNBOUND PARTICLES OF RESPIRABLE SIZE)" IS A CALIFORNIA PROPOSITION 65 LISTED SUBSTANCE. PLEASE NOTE THAT ALL THREE LISTING QUALIFIERS (AIRBORNE, UNBOUND (NOT BOUND WITHIN A MATRIX), AND RESPIRABLE SIZE (10 MICROMETERS OR LESS IN DIAMETER)) MUST BE MET FOR THIS SUBSTANCE TO BE CONSIDERED A PROPOSITION 65 SUBSTANCE.

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT HARM ARE LISTED BELOW:
PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML](http://WWW.OEHHA.CA.GOV/PROP65/PROP65_LIST/NEWLIST.HTML)
LEAD
HEXAVALENT CHROMIUM

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 9

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

SECTION X - STATE REGULATORY INFORMATION: (CONT)

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
AS GIVEN IN WHMIS IS SHOWN BELOW:
[HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX](http://www.csst.qc.ca/en/prevention/reptox/pages/list-whmis-cas-50-84.aspx)
CARBON BLACK - D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS
TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS
SHOWN BELOW:
NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:
NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A
HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:
NONE

RHODE ISLAND:ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT
SHOWN IN SECTION II ARE AS FOLLOWS:
NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE

SHIPPED FROM:

M A T E R I A L S A F E T Y D A T A S H E E T

DATE: 1/16/15
PAGE: 10

TORONTO MASTERBATCHES (CANADA)
2 LONE OAK COURT
TORONTO ONTARIO M9C 5R9
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: SFR CHAMPANGE #3,4%;RPVC
PRODUCT CODE: 68VRVW-888

UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.