

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 1/16/15  
PAGE: 1

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470

\*\*\*\*\* MATERIAL SAFETY DATA SHEETS \*\*\*\*\*

\*

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT.  
THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS  
PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE  
"STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

\*

\*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE  
INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

\*

\*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ----->1

FLAMMABILITY ----->1

REACTIVITY ----->0

PERSONAL PROTECTION -->E

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 1/16/15  
PAGE: 2

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE: CV13754470

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

PVC 004.000% DWT YELLOW

PRODUCT CODE:

CV13754470

VERSION NUMBER:

2

DATE: 1/16/15

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS PIGMENT(S) AND ADDITIVE(S) APPLIES TO THEM IN THE PURE DRY FORM. THE FORM OF THE PIGMENT AND ADDITIVE PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

CAS NUMBER	DESCRIPTION	OSHA	ACGIH	OTHER LIMITS	DOES NOT EXCEED(%)
		PEL MG/M3	TLV MG/M3		
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	13.00
1344-28-1	ALUMINIUM OXIDE (DUST)	10.0	10.0	5.0	.13
73138-45-1	MONTAN WAX ACID (PNOC)	15.0	10.0	3.0	3.00
1317-65-3	LIMESTONE (TOTAL DUST)	15.0	10.0	5.0	.54
14808-60-7	SILICA, CRYSTALLINE QUARTZ	0.1	0.1	-	.01
75-01-4	VINYL CHLORIDE MONOMER	1 PPM	5PPM	0.5PPM	----

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: N/A  
SPECIFIC GRAVITY: 1.35-1.55  
VAPOR PRESSURE: N/A  
MELTING POINT: Non Determined  
VAPOR DENSITY: N/A  
EVAPORATION RATE: N/A  
SOLUBILITY IN WATER: SLIGHT  
APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----DATE: 1/16/15  
PAGE: 3

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470-----  
SECTION IV - FIRE AND EXPLOSION HAZARD DATA: (CONT)  
-----THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 391 C.  
THE METHOD USED TO DETERMINE THIS IS: EXTERNAL PILOT FLAME  
ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH  
POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

WATER SPRAY, FOAM, CARBON DIOXIDE, OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

BURNING WILL PRODUCE TOXIC FUMES. WEAR SELF-CONTAINED BREATHING  
APPARATUS AND FULL TURNOUT GEAR TO FIGHT FIRES.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

TREAT AS A FLAMMABLE DUST, TAKE PRECAUTIONARY MEASURES AGAINST  
STATIC DISCHARGES-----  
SECTION V - REACTIVITY DATA:  
-----

STABILITY: STABLE -&gt; X UNSTABLE -&gt;

STABILITY (CONDITIONS TO AVOID):

CONTACT WITH STRONG MINERAL ACIDS IS TO BE AVOIDED.

INCOMPATIBILITY (MATERIALS TO AVOID):

DURING PROCESSING, AVOID ACETAL/ACETAL COPOLYMERS AND AMINES

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM  
OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -&gt;    WILL NOT OCCUR -&gt; X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

AVOID CONTACT WITH STRONG CHEMICAL OXIDIZING AGENTS.

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 1/16/15  
PAGE: 4

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470

-----  
SECTION VI - HEALTH HAZARD DATA:  
-----

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY INHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE. INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

ACUTE: PROLONGED OR REPEATED CONTACT MAY DRY SKIN AND CAUSE IRRITATION. HARMFUL IF ABSORBED THROUGH SKIN.  
CHRONIC: REPEATED EXPOSURE MAY CAUSE ALLERGIC SKIN RASH, ITCHING, SWELLING.

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

CONTACT WITH EYE MAY CAUSE EYE IRRITATION

-----  
IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE  
CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES  
-----

SIGNS AND SYMPTOMS OF EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S) APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE INGREDIENTS PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE, THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE. WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

TITANIUM DIOXIDE, ALUMINUM OXIDE: IARC HAS LISTED TITANIUM DIOXIDE AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. EXPOSURE TO DUST MAY CAUSE TEMPORARY DRYING EFFECT AND /OR MILD IRRITATION OF THE NOSE, THROAT, AND

SHIPPED FROM:

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 1/16/15  
PAGE: 5

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

LUNGS AND MAY AGGRAVATE PRE-EXISTING CONDITIONS.

MONTAN WAX: MAY CAUSE LOCAL IRRITATION OF THE EYES, NOSE, THROAT, AND LUNGS  
FINE POWDER MAY CAUSE MECHANICAL IRRITATION OF EYES AND RESPIRATORY TRACT.

CALCIUM CARBONATE: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. MAY  
IRRITATE EYE TISSUE. MAY CAUSE IRRITATION OF THROAT, STOMACH AND  
GASTROINTESTINAL TRACT.

SILICA: LONG TERM EXPOSURE MAY CAUSE SILICOSIS A FORM OF PULMONARY  
FIBROSIS. CONSIDERED TO BE CLASSIFIED AS CARCINOGENIC BY IARC.

DUST MAY CAUSE IRRITATION OF THE NOSE, LUNGS AND THROAT.  
FUMES RELEASED DURING PROCESSING MAY CAUSE IRRITATION.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

\* THE FOLLOWING INFORMATION PROVIDED ON THE BELOW HAZARDOUS INGREDIENT(S)  
APPLIES TO THE INGREDIENT(S) IN THE PURE DRY FORM. THE FORM OF THE  
INGREDIENT(S) PROVIDED TO YOU IS ENCAPSULATED IN PLASTIC, AND THEREFORE,  
THE LIKELIHOOD OF EXPOSURE IS MUCH LESS, EVEN TO THE POINT OF NEGLIGIBLE.  
WE THEREFORE CONSIDER THE LEVEL OF HAZARD TO BE NEGLIGIBLE.

TITANIUM DIOXIDE, ALUMINUM OXIDE: TITANIUM DIOXIDE LISTED BY IARC AS  
GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. ALUMINUM OXIDE (RESPIRATORY  
DISORDERS)

MONTAN WAX: NONE KNOWN

CALCIUM CARBONATE: NONE KNOWN

NONE KNOWN

EMERGENCY FIRST AID: INHALATION

REMOVE TO UNCONTAMINATED AREA. IF NOT BREATHING, ADMINISTER ARTIFICIAL  
RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD  
DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS

-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 1/16/15  
PAGE: 6

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470

-----  
SECTION VI - HEALTH HAZARD DATA: (CONT)  
-----

(AT LEAST 15 - 20 MINUTES).    GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE  
VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL  
ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE,  
OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL  
REMAINS (AT LEAST 15 - 20 MINUTES).    GET MEDICAL ATTENTION IMMEDIATELY.

-----  
SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:  
-----

HANDLING: SPILLAGE

DIKE AND ABSORB SPILL WITH AN INERT MATERIAL SUCH AS SAND, OR EARTH AND  
TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL.

HANDLING: WASTE DISPOSAL

DISPOSE IN CLOSED CONTAINERS. COMPLY WITH LOCAL, STATE, AND FEDERAL  
REGULATIONS.

HANDLING: STORAGE

AVOID GENERATING DUST.    AVOID CONTACT WITH EYES, SKIN, OR CLOTHING.    WASH  
THOROUGHLY AFTER HANDLING.    STORE IN A DRY WELL VENTILATED AREA.    KEEP  
CONTAINER TIGHTLY CLOSED.

HANDLING: OTHER PRECAUTIONS

USE UNDER WELL-VENTILATED CONDITIONS AND RECOMMEND THAT EMPLOYEES WASH  
THOROUGHLY AFTER HANDLING PRODUCT.

-----  
SECTION VIII - CONTROL MEASURES:  
-----

CONTROL: RESPIRATORY PROTECTION

NIOSH/MSHA APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR MAY BE NEEDED WHEN  
HANDLING MOLTEN MATERIAL.

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 1/16/15  
PAGE: 7

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470

SECTION VIII - CONTROL MEASURES: (CONT)

CONTROL: VENTILATION

PROVIDE AN ADEQUATE EXHAUST SYSTEM THAT IS FILTERED TO AVOID CONTAMINATING  
THE ENVIRONMENT AND MEETS THE TLV REQUIREMENTS IN THE WORK AREA.

CONTROL: GLOVES

LEATHER OR OTHER NON-PERMEABLE GLOVES.

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

IMPERVIOUS CLOTHING SHOULD BE WORN WHEN GROSS CONTACT IS LIKELY, SUCH AS  
WHEN CLEANING UP SPILLS OF LARGE AMOUNTS.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE  
REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372:  
THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED  
AND DISTRIBUTED FOR THIS MATERIAL.

	CAS #	DOES NOT EXCEED(%) DESCRIPTION
NONE		

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN  
COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY  
AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE CANCER ARE LISTED BELOW:

SHIPPED FROM:

M A T E R I A L   S A F E T Y   D A T A   S H E E T

DATE: 1/16/15  
PAGE: 8

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: [HTTP://WWW.CLARIANTMASTERBATCH.COM](http://www.clariantmasterbatch.com)

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE: CV13754470

SECTION X - STATE REGULATORY INFORMATION: (CONT)

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS  
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65\\_LIST/NEWLIST.HTML](http://www.oehha.ca.gov/prop65/prop65_list/newlist.html)  
CRYSTALLINE SILICA CAS# 1317-65-3 0.4%  
LEAD <1.0PPM

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS  
MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO  
CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT  
HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS  
FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65.  
[HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65\\_LIST/NEWLIST.HTML](http://www.oehha.ca.gov/prop65/prop65_list/newlist.html)  
LEAD

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
AS GIVEN IN WHMIS IS SHOWN BELOW:  
[HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX](http://www.csst.qc.ca/en/prevention/reptox/pages/list-whmis-cas-50-84.aspx)  
TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS  
QUARTZ - CLASS D, DIVISION 2, SUBDIVISION A

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:  
NONE

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS  
SHOWN BELOW:  
NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A  
HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST  
IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:  
NONE

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET  
INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A



-----  
M A T E R I A L   S A F E T Y   D A T A   S H E E T  
-----

DATE: 1/16/15  
PAGE: 9

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)  
2 LONE OAK COURT  
TORONTO                      ONTARIO M9C 5R9  
PHONE: 416-847-7000

FOR ALL EMERGENCIES    269-753-8434  
PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: PVC 004.000% DWT YELLOW  
PRODUCT CODE:            CV13754470

-----  
SECTION X - STATE REGULATORY INFORMATION: (CONT)  
-----

HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS  
LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED  
CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND:ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL  
CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS  
SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT  
SHOWN IN SECTION II ARE AS FOLLOWS:  
NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE.  
IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT  
CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE  
UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS  
MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER  
TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.