SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE: 1

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

***** MATERIAL SAFETY DATA SHEETS *****

THE ATTACHED MATERIAL SAFETY DATA SHEET (MSDS) IS AN IMPORTANT DOCUMENT. THE OSHA HAZARDOUS COMMUNICATION STANDARD REQUIRES US TO FORWARD A MSDS PRIOR TO OR ACCOMPANYING AN INITIAL SHIPMENT OF A PRODUCT AND THE "STANDARD" REQUIRES YOUR COMPANY TO KEEP THE MSDS ON FILE.

*

IF YOU ARE NOT RESPONSIBLE FOR HEALTH AND SAFETY IN YOUR COMPANY PLEASE INSURE THAT YOUR HEALTH AND SAFETY MANAGER RECEIVES THIS DOCUMENT.

*

THANK YOU.

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

HEALTH ---->1

FLAMMABILITY ---->1

REACTIVITY ---->0

PERSONAL PROTECTION -->B

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE:

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION I - PRODUCT INFORMATION:

PRODUCT DESCRIPTION:

ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE:

SB02754458 VERSION NUMBER: 1 DATE: 1/16/15

CHEMICAL NAME/FAMILY:

THERMOPLASTICS RESIN(S) + COLORANT

TROUTEN TO THE TROUTEN THE TRUTCH TRU

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION:

THE DODDIET CONTAINS AS A COMPONENT THE SIDETANCE (S) I STED DELOW

THIS PRODUCT CONTAINS, AS A COMPONENT, THE SUBSTANCE(S) LISTED BELOW WHICH IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE CRITERIA OF THE OSHA HAZARD COMMUNICATION STANDARD 29CFR1910.1200 OSHA HAZARD COMMUNICATION STANDARD 29CFR 1910.1200.

		USHA	ACGIH			
CAS		PEL	\mathtt{TLV}	OTHER	DOES NOT	
NUMBER	DESCRIPTION	MG/M3	MG/M3	LIMITS	EXCEED(%)	
100-42-5	STYRENE	100PPM	_	_	.09	
68186-90-3	CHROME ANTIMONY TITANIUM	_	_	_	.04	
CRCMPD	CHROMIUM (III) COMPOUND	0.5	0.5	_	.04	
SBCMPD	ANTIMONY & COMPOUNDS (AS S		0.5	_	.04	
7440-36-0	ANTIMONY (SB) METAL	0.5	0.5	-	.02	
7440-47-3	CHROMIUM AS CR	0.5	0.5	_		
8007-18-9	NICKEL ANTIMONY TITANIUM	-	-	-	.17	
NICMPD	NICKEL COMPOUND (AS NI)	1.0	1.0	-	.17	
SBCMPD	ANTIMONY & COMPOUNDS (AS S		0.5	-	.17	
7440-02-0	NICKEL (AS NI)	1.0	0.1	-	.01	
68412-38-4	C.I. PIGMENT YELLOW 164				.01	
68186-91-4	COPPER CHROMITE SPINEL	N.E.	N.E.	-	.03	
13463-67-7	TITANIUM DIOXIDE (DUST)	10.0	10.0	-	45.21	
1344-28-1	ALUMINUM OXIDE (DUST)	10.0		5.0	.45	
1317-65-3	LIMESTONE (TOTAL DUST)	15.0		5.0	.38	
14808-60-7	SILICA, CRYSTALLINE QUART	Z 0.1	0.1	-		
36443-68-2	ANTIOXIDANT/STABILIZER	_	_	-	. 25	

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS:

BOILING POINT: NA SPECIFIC GRAVITY: 1.05

------ DATE: 1/16/15
MATERIAL SAFETY DATA SHEET PAGE: 3

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS: (CONT)

VAPOR PRESSURE: NA

MELTING POINT: Non Determined

VAPOR DENSITY: NA

EVAPORATION RATE: NA

SOLUBILITY IN WATER: INSOLUBLE

APPEARANCE AND ODOR: COLORED PLASTIC PELLET - NO SIGNIFICANT ODOR

SECTION IV - FIRE AND EXPLOSION HAZARD DATA:

FLASH POINT (METHOD USED):

THERE IS A COMPONENT IN THIS PRODUCT WITH A FLASH POINT OF 193 C.

THE METHOD USED TO DETERMINE THIS IS: OPEN CUP

ALL OTHER COMPONENTS USED IN THIS PRODUCT EITHER HAVE A HIGHER FLASH

POINT OR ARE NOT COMBUSTIBLE AND DO NOT HAVE A FLASH POINT.

EXTINGUISHING MEDIA:

USE WATER FOG, FOAM OR DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

APPROVED PRESSURE DEMAND BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE USED FOR ALL FIRES. USE EXTINGUISHING WATER STREAM CAREFULLY TO

AVOID CREATING DUST CLOUDS.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

HAZARDOUS COMBUSTION PRODUCTS MAY INCLUDE INTENSE HEAT, DENSE BLACK SMOKE, CARBON MONOXIDE, HYDROGEN CYANIDE, HYDROCARBON FRAGMENTS AND CARBON DIOXIDE.

SECTION V - REACTIVITY DATA:

STABILITY: STABLE -> X UNSTABLE ->

STABILITY (CONDITIONS TO AVOID):

NONE

INCOMPATILBILITY (MATERIALS TO AVOID):

ACIDS, FIRE.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

------DATE: 1/16/15
MATERIAL SAFETY DATA SHEET PAGE: 4

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION V - REACTIVITY DATA: (CONT)

THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HAZARDOUS FUMES OF TITANIUM OXIDE.

HAZARDOUS POLYMERIZATION: WILL OCCUR -> WILL NOT OCCUR -> X

HAZARDOUS POLYMERIZATION (CONDITIONS TO AVOID):

SMOKING, OPEN FLAMES, SPARKS AND OTHER SOURCES OF IGNITION AND HEAT.

SECTION VI - HEALTH HAZARD DATA:

HEALTH HAZARDS (ACUTE AND CHRONIC):

HEALTH HAZARD: INHALATION

SHORT TERM OVEREXPOSURE BY IHALATION TO TITANIUM DIOXIDE MAY CAUSE IRRITATION OF NOSE, THROAT, AND LUNGS WITH COUGH, DIFFICULTY BREATHING OR SHORTNESS OF BREATH. STUDIES SHOWED THAT EMPLOYEES WHO HAD BEEN EXPOSED TO TITANIUM DIOXIDE WERE AT NO GREATER RISK OF DEVELOPING LUNG CANCER THAN WERE EMPLOYEES WHO HAD NOT BEEN EXPOSED TO TITANIUM DIOXIDE.

INHALATION OF AMORPHOUS SILICA MAY CAUSE DRYING OF MUCOUS MEMBRANES AND IRRITATION OF NOSE, THROAT, AND LUNGS WITH NOSEBLEEDS, COUGH AND DIFFICULTY

BREATHING OR SHORTNESS OF BREATH.

HEALTH HAZARD: SKIN

MAY CAUSE IRRITATION TO SKIN

HEALTH HAZARD: INGESTION

INGESTION MAY RESULT IN GASTRIC DISTURBANCES

HEALTH HAZARD: EYE CONTACT

AS WITH ALL POWDERS, MAY CAUSE MILD IRRITATION TO THE EYES.

IS ANY CHEMICAL IN THIS PRODUCT AT A CONCENTRATION OF 0.1 % OR MORE

CLASSIFIED AS A CARCINOGEN BY IARC, NTP, OR OSHA? YES

SIGNS AND SYMPTOMS OF EXPOSURE:

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE:

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION VI - HEALTH HAZARD DATA: (CONT)

STYRENE MONOMER (CAS# 100-42-5): MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. INGESTION MAY CAUSE GASTRIC DISTURBANCES.

CHROME ANTIMONY TITANIUM RUTILE: MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION. PROLONGED INHALATION MAY CAUSE LUNG DAMAGE.

NICKEL ANTIMONY TITANIUM: IRRITATION TO THE EYES, SKIN AND RESPIRATORY TRACT.

PIGMENT YELLOW 164: MAY CAUSE EYE, SKIN, AND RESPIRATORY TRACT IRRITATION. ROUTES OF ENTRY: INGESTION, INHALATION.

COPPER CHROMITE: OVEREXPOSURE MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

TITANIUM DIOXIDE, ALUMINUM OXIDE: IARC HAS LISTED TITANIUM DIOXIDE AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. EXPOSURE TO DUST MAY CAUSE TEMPORARY DRYING EFFECT AND /OR MILD IRRITATION OF THE NOSE, THROAT, AND LUNGS AND MAY AGGRAVATE PRE-EXISTING CONDITIONS.

CALCIUM CARBONATE: IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN. MAY IRRITATE EYE TISSUE. MAY CAUSE IRRITATION OF THROAT, STOMACH AND GASTROINTESTINAL TRACT.

SILICA: LONG TERM EXPOSURE MAY CAUSE SILICOSIS A FORM OF PULMONARY FIBROSIS. CONSIDERED TO BE CLASSIFIED AS CARCINOGENIC BY IARC.

ANTIOXIDANT: LIVER AND THYROID DAMAGE BASED UPON THE PREVIOUSLEY CITED FEEDING STUDIES.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

STYRENE MONOMER (CAS# 100-42-5): NONE NOTED

CHROME ANTIMONY TITANIUM RUTILE: RESPIRATORY AND SKIN DISORDERS AGGRAVATED BY DUST.

NICKEL ANTIMONY TITANIUM: RESPIRATORY AND SKIN DISORDERS AGGRAVATED BY

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA) 2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE: 6

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION VI - HEALTH HAZARD DATA: (CONT)

PIGMENT YELLOW 164: SKIN AND RESPIRATORY DISORDERS.

COPPER CHROMITE: RESPIRATORY AND SKIN DISORDERS AGGRAVATED BY DUST.

TITANIUM DIOXIDE, ALUMINUM OXIDE: TITANIUM DIOXIDE LISTED BY IARC AS GROUP 2(B) POSSIBLE CARCINOGENIC TO HUMANS. ALUMINUM OXIDE (RESPIRATORY DISORDERS)

CALCIUM CARBONATE: NONE KNOWN

ANTIOXIDANT: LIVER DISEASE AND JAUDICE: THYROID CONDITIONS

EMERGENCY FIRST AID: INHALATION

REMOVE FROM AREA TO FRESH AIR. GET MEDICAL ATTENTION IF RESPIRATORY IRRITATION DEVELOPS OR IF BREATHING BECOMES DIFFICULT.

EMERGENCY FIRST AID: SKIN

REMOVE CONTAMINATED CLOTHING AND SHOES IMMEDIATELY. WASH WITH SOAP OR MILD DETERGENT AND LARGE AMOUNTS OF WATER UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

EMERGENCY FIRST AID: INGESTION

IF SWALLOWED, ADMINISTER AT LEAST 3-4 GLASSES OF WATER BUT DO NOT INDUCE VOMITING OR GIVE WATER TO UNCONSCIOUS OR CONVULSING PERSON. SEEK MEDICAL ATTENTION.

EMERGENCY FIRST AID: EYE CONTACT

WASH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER OR NORMAL SALINE, OCCASIONALLY LIFTING UPPER AND LOWER LIDS, UNTIL NO EVIDENCE OF CHEMICAL REMAINS (AT LEAST 15 - 20 MINUTES). GET MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE:

HANDLING: SPILLAGE

SPILLS SHOULD BE PLACED IN SUITABLE CONTAINERS FOR DISPOSAL IN A LICENSED FACILITY. WEAR APPROPRIATE RESPRITORY PROTECTION AND PROTECTIVE CLOTHING

------DATE: 1/16/15
MATERIAL SAFETY DATA SHEET PAGE: 7

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE: (CONT)

AND PROVIDE ADEQUATE VENTILATION DURING CLEAN-UP.

HANDLING: WASTE DISPOSAL

DISPOSE OF IN AN APPROVED HAZARDOUS WASTE LANDFILL IN ACCORDANCE WITH

LOCAL, STATE, AND FEDERAL REGULATIONS.

HANDLING: STORAGE

STORE IN A DRY, WELL VENTILATED AREA. DO NOT STORE IN AREAS WHERE THERE IS A RISK OF FIRE. DO NOT MIX OR STORE WITH ACIDS. AVOID EXCESSIVE DUST

GENERATION, USE APPROPRIATE DUST CONTROL MEASURES WHERE NECESSARY.

HANDLING: OTHER PRECAUTIONS

DO NOT FLUSH INTO SURFACE WATER OR SANITARY SEWER SYSTEMS. IN CASE OF ACCIDENTAL MAJOR DISCHARGE INTO DRAINS, FLUSH WITH COPIOUS AMOUNTS OF WATER

TO DILUTE ANY ACIDIC CONDITIONS WHICH MAY PREVAIL.

SECTION VIII - CONTROL MEASURES:

CONTROL: RESPIRATORY PROTECTION

USE NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS

CONTROL: VENTILATION

PROVIDE AN ADEQUATE EXHAUST SYSTEM THAT IS FILTERED TO AVOID CONTAMINATING

THE ENVIRONMENT AND MEETS THE TLV REQUIREMENTS IN THE WORK AREA.

CONTROL: GLOVES

BUTYL RUBBER, PVC OR NEOPRENE

CONTROL: EYE PROTECTION

GOGGLES

CONTROL: OTHER CLOTHING

EYE WASH STATION.

CONTROL: WORK/HYGIENE

OBSERVE PROPER INDUSTRIAL HYGIENIC PRACTICES ACCORDING TO REGULATIONS.

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

DATE: 1/16/15

PAGE: 8

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION IX - OTHER REGULATORY INFORMATION:

SARA - THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICAL(S) SUBJECT TO THE REPORTING OF SECTION 313 OF TITLE III OF THE SUPERFUND

AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372: THIS INFORMATION SHOULD BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL.

DOES NOT

CAS # EXCEED(%) DESCRIPTION

100-42-5
CRCMPD .07 CHROMIUM (III) COMPOUND

SBCMPD .22 ANTIMONY COMPOUND

7440-36-0 .02 ANTIMONY (SB) METAL

7440-47-3 .01 CHROMIUM (III) AS (CR)

NICMPD .17 NICKEL COMPOUND (AS NI)

7440-02-0 .01 NICKEL(AS PART OF DYE)

MNCMPD .01 MANGANESE COMPOUND

7439-96-5 ---- MANGANESE (MN)

CUCMPD .03 COPPER COMPOUND

7440-50-8 .01 COPPER (DUST)

TSCA - ALL INGREDIENTS USED TO PRODUCE THE ABOVE FORMULATION ARE IN COMPLIANCE WITH THE TOXIC SUBSTANCES AND CONTROL ACT INVENTORY AS REQUIRED BY FEDERAL LAW.

SECTION X - STATE REGULATORY INFORMATION:

CA PROPOSITION (F. MARNING AND COMPONING OF THE PROPOSITION COMPANY

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REQUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. HTTP://www.oehha.ca.gov/prop65/prop65_List/newList.html Styrene, Acrylonitrile

STYRENE, ACRYLONII LEAD

HEXAVALENT CHROMIUM
ARSENIC LESS THAN 3PPM
CADMIUM LESS THAN 0.5PPM
CHROMIUM 12PPM
MERCURY LESS THAN 1PPM

DATE: 1/16/15 MATERIAL SAFETY DATA SHEET PAGE:

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION X - STATE REGULATORY INFORMATION: (CONT)

LEAD 17PPM NICKEL LESS THAN 1PPM ARSENIC < 3 PPM CADMIUM < .5 PPM CHROMIUM 12 PPM MERCURY < 1 PPM LEAD 17 PPM BERYLLIUM NOT DETECTED

NICKEL < 1 PPM

LEAD-10PPM, MERCURY-<0.3PPM, CHROMIUM-43%, CADMIUM-<10PPM:

CRYSTALLINE SILICA CAS# 1317-65-3 0.4%

LEAD <1.0PPM

CA PROPOSITION 65: WARNING - ANY COMPONENT OF THIS PRODUCT WHICH CONTAINS MATERIALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE DEVELOPMENTAL AND REPRODUCTIVE TOXICANT HARM ARE LISTED BELOW:

PLEASE NOTE IT IS THE RESPONSIBILITY OF THE END USER TO DETERMINE IF ITS FINISHED PRODUCTS REOUIRE LABELING UNDER CALIFORNIA PROPOSITION 65. HTTP://WWW.OEHHA.CA.GOV/PROP65/PROP65 LIST/NEWLIST.HTML

LEAD

HEXAVALENT CHROMIUM ARSENIC LESS THAN 3PPM CADMIUM LESS THAN 0.5PPM CHROMIUM 12PPM MERCURY LESS THAN 1PPM LEAD 17PPM NICKEL LESS THAN 1PPM ARSENIC < 3 PPM CADMIUM < .5 PPM CHROMIUM 12 PPM MERCURY < 1 PPM LEAD 17 PPM

BERYLLIUM NOT DETECTED

NICKEL < 1 PPM

LEAD-10PPM, MERCURY-<0.3PPM, CHROMIUM-43%, CADMIUM-<10PPM:

CANADIAN WHMIS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS GIVEN IN WHMIS IS SHOWN BELOW:

DATE: 1/16/15 MATERIAL SAFETY DATA SHEET PAGE: 10

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA)

2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

SECTION X - STATE REGULATORY INFORMATION: (CONT)

HTTP://WWW.CSST.QC.CA/EN/PREVENTION/REPTOX/PAGES/LIST-WHMIS-CAS-50-84.ASPX CLASS D DIV. 2B

TITANIUM DIOXIDE: D2A VERY TOXIC MATERIAL CAUSING OTHER TOXIC EFFECTS QUARTZ - CLASS D, DIVISION 2, SUBDIVISION A D2B STYRENE-ACRYLONITRILE COPOLYMER

FLORIDA: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE FLORIDA IS SHOWN BELOW:

MASSACHUSETTS: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE MASSACHUSETTS SUBSTANCE LIST IS SHOWN BELOW:

NONE

NEW JERSEY: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE NEW JERSEY HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

OCTADECANNAMIDE, N,N'-1,2-ETHANEDDIYLBIS- CAS# 000110-30-5 HEXADECANNAMIDE, N,N'-1,2-ETHANEDDIYLBIS- CAS# 005518-18-3

PENNSYLVANIA: NON-HAZARDOUS INGREDIENTS ARE BEING WITH HELD AS TRADE SECRET INFORMATION. ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL AS LISTED ON THE PENNSYLVANIA HAZARDOUS LIST IS GIVEN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS:

NONE

RHODE ISLAND: ANY COMPONENT OF THIS PRODUCT WHICH IS A HAZARDOUS CHEMICAL CHEMICAL AS LISTED IN THE RHODE ISLAND SUBSTANCE LIST IS SHOWN IN SECTION II OF THIS MSDS. ANY LISTED CHEMICALS NOT SHOWN IN SECTION II ARE AS FOLLOWS: NONE

THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CLARIANT CORPORATION ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE -----DATE: 1/16/15
MATERIAL SAFETY DATA SHEET PAGE: 11

SHIPPED FROM:

TORONTO MASTERBATCHES (CANADA) 2 LONE OAK COURT

TORONTO ONTARIO M9C 5R9

PHONE: 416-847-7000

FOR ALL EMERGENCIES 269-753-8434 PREPARED BY: PRODUCT SAFETY DEPARTMENT

CLARIANT WEBSITE: HTTP:\\WWW.CLARIANTMASTERBATCH.COM

PRODUCT DESCRIPTION: ABS 775 006.000% GENERAL PURPOSE WHITE

PRODUCT CODE: SB02754458

UPON, THESE DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THIS MATERIAL OR FOR THE RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS.