

RENOL-KHAKI PV82800007-ZN

Page 1

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

SECTION 1. IDENTIFICATION

Identification of the company:

Clariant Plastics & Coatings Canada Inc.
2 Lone Oak Court
Toronto, Ontario, M9C 5R9
Telephone No.: +1 514-832-2559

Information of the substance/preparation:

BU Masterbatches
Product Stewardship, +1-704-331-7710
e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 CANUTEC (613) 996-6666**Trade name:****RENOL-KHAKI PV82800007-ZN****Material number:**

PV82800007

Chemical family:

Colourant preparation
Carrier: EVA

Primary product use:

Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation
Carrier: EVA

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Black 7	1333-86-4	0.1 - 1
Aluminium oxide	1344-28-1	0.1 - 1
Amorphous silicon dioxide	7631-86-9	0.1 - 1
Iron(III)oxide	1309-37-1	0.1 - 1
Vinyl acetate	108-05-4	0.1 - 1
C.I. Pigment White 6	13463-67-7	30 - 60

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| If inhaled | : | Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person. |
| In case of skin contact | : | Wash off immediately with plenty of water for at least 15 minutes.
In case of burns apply cold water until pain subsides then seek medical advice.
Burns must be treated by a physician.
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists. |
| If swallowed | : | Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention. |
| Most important symptoms and effects, both acute and delayed | : | The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known. |
| Notes to physician | : | Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Water spray
Foam
Carbon dioxide (CO2)
Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during | : | In case of fire hazardous decomposition products may be |

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

firefighting	produced such as: Acetic acid Carbon monoxide Carbon dioxide (CO ₂) Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Sulphur oxides Metal oxides
Further information	: Combustible material In the event of fire and/or explosion do not breathe fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
Environmental precautions	: Do not allow contact with soil, surface or ground water. Prevent product from entering drains.
Methods and materials for containment and cleaning up	: Avoid dust formation. Take measures to prevent the build up of electrostatic charge. Sweep up and shovel into suitable containers for disposal. Take up uncontaminated material and pass on for further processing. After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Take measures to prevent the build up of electrostatic charge.
Advice on safe handling	: Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation/personal protection. For personal protection see section 8. Avoid contact with skin, eyes and clothing. Use only with adequate ventilation.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

When handling hot melts use suitable protective clothing.
 Avoid dust formation. Keep away from sources of ignition.
 Lead off electrostatic charges.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
 Protect from moisture.
 Keep away from direct sunlight.

Technical measures/Precautions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
 Keep in an area equipped with sprinklers.
 Minimize dust generation and accumulation.

Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m ³	CA AB OEL
		TWA (Inhalable)	3 mg/m ³	CA BC OEL
		TWAEV	3.5 mg/m ³	CA QC OEL
		TWA (Inhalable fraction)	3 mg/m ³	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
Aluminium oxide	1344-28-1	TWA	10 mg/m ³	CA AB OEL
		TWAEV (total dust)	10 mg/m ³ (Aluminium)	CA QC OEL
		TWA (Respirable)	1 mg/m ³ (Aluminium)	CA BC OEL
		TWA (Respirable fraction)	1 mg/m ³ (Aluminium)	ACGIH
Amorphous silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m ³ /	OSHA Z-3

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

			%SiO ₂ (Silica)	
Iron(III)oxide	1309-37-1	TWA (Respirable)	5 mg/m ³	CA AB OEL
		TWA (Fumes)	5 mg/m ³ (Iron)	CA BC OEL
		TWA (Dust)	5 mg/m ³ (Iron)	CA BC OEL
		STEL (Fumes)	10 mg/m ³ (Iron)	CA BC OEL
		TWAEV (fume and dust)	5 mg/m ³ (Iron)	CA QC OEL
		TWA (Respirable fraction)	5 mg/m ³	ACGIH
Vinyl acetate	108-05-4	TWA	10 ppm 35 mg/m ³	CA AB OEL
		STEL	15 ppm 53 mg/m ³	CA AB OEL
		TWA	10 ppm	CA BC OEL
		STEL	15 ppm	CA BC OEL
		TWAEV	10 ppm 35 mg/m ³	CA QC OEL
		STEV	15 ppm 53 mg/m ³	CA QC OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

Engineering measures

- : Use only in area provided with appropriate exhaust ventilation.
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

- Respiratory protection** : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

Hand protection**Remarks**

- : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

Eye protection

- : Safety glasses with side-shields

Skin and body protection

- : Wear protective clothing, including long sleeves and gloves,

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

to prevent skin contact.
When handling hot melts use suitable protective clothing.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Granules
Colour	: brown
Odour	: characteristic
Odour Threshold	: Not applicable
pH	: Not applicable
Melting point	: > 50 °C
Boiling point	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: not determined
Self-ignition	: Not applicable
Upper explosion limit / upper flammability limit	: not tested.
Lower explosion limit / Lower flammability limit	: not tested.
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: not available
Density	: not tested.
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n-octanol/water	: This property is not applicable for mixtures.

RENOL-KHAKI PV82800007-ZN

Page 7

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Decomposition temperature	: 220 °C
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: no data available no data available
Oxidizing properties	: not available
Surface tension	: Not relevant
Particle size	: Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials	: none Strong acids and strong bases Strong oxidizing agents Halogenated hydrocarbons
Hazardous decomposition products	: No hazardous decomposition products if stored and handled as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

None known.

Acute toxicity**Product:**

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Acute inhalation toxicity : Acute toxicity estimate: 14 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**C.I. Pigment Black 7:**

Acute oral toxicity : LD50 (Rat, male and female): > 8,000 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Other
GLP: No information available.

Acute dermal toxicity : Remarks: not required

Aluminium oxide:

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg
Method: OECD Test Guideline 401
GLP: No information available.

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: Not applicable

Amorphous silicon dioxide:

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 2.08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: Other
GLP: no

Iron(III)oxide:

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

- Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg
Method: Other
GLP: No information available.
- Acute inhalation toxicity : LC0 (Rat, male): > 0.21 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 412
GLP: yes
- Acute dermal toxicity : Remarks: no data available
- Acute toxicity (other routes of administration) : LD50 (Rat): 5,550 mg/kg
Application Route: Intraperitoneal injection

C.I. Pigment White 6:

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: no
- Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: not required

Skin corrosion/irritation**Product:**

Result: No skin irritation

Components:**C.I. Pigment Black 7:**

Species: Rabbit
Exposure time: 4 - 24 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Aluminium oxide:

Species: Rabbit
Exposure time: 24 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: No information available.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Amorphous silicon dioxide:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Iron(III)oxide:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

C.I. Pigment White 6:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Components:**C.I. Pigment Black 7:**

Species: rabbit eye
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: no

Aluminium oxide:

Species: rabbit eye
Result: No eye irritation
Method: FDA guideline
GLP: No information available.

Amorphous silicon dioxide:

Species: rabbit eye
Result: No eye irritation
Exposure time: 24 h
Method: OECD Test Guideline 405
GLP: yes

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Iron(III)oxide:

Species: rabbit eye
Result: No eye irritation
Exposure time: 192 h
Method: OECD Test Guideline 405
GLP: yes

C.I. Pigment White 6:

Species: rabbit eye
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: No information available.

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

Components:**C.I. Pigment Black 7:**

Test Type: Buehler Test
Exposure routes: Skin contact
Species: Guinea pig
Method: OECD Test Guideline 406
Result: non-sensitizing
GLP: yes

Aluminium oxide:

Test Type: Draize Test
Exposure routes: Dermal
Species: Guinea pig
Method: Draize Test
Result: non-sensitizing
GLP: no

Test Type: Respiratory system
Exposure routes: inhalation (dust/mist/fume)
Species: Mouse
Method: Other
Result: non-sensitizing
GLP: no

Amorphous silicon dioxide:

Remarks: Not relevant

Iron(III)oxide:

Test Type: Maurer optimisation test
Exposure routes: Skin contact

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Species: Guinea pig
Method: Other
Result: Not a skin sensitizer.
GLP: No information available.

C.I. Pigment White 6:

Test Type: Mouse local lymphnode assay
Exposure routes: Dermal
Species: Mouse
Method: OECD Test Guideline 429
Result: Not a skin sensitizer.
GLP: No information available.

Test Type: Buehler Test
Exposure routes: Dermal
Species: Guinea pig
Method: OECD Test Guideline 406
Result: Not a skin sensitizer.
GLP: yes

Test Type: Respiratory system
Exposure routes: inhalation (dust/mist/fume)
Species: Mouse
Method: Other
Result: Does not cause respiratory sensitisation.
GLP: No information available.

Germ cell mutagenicity**Components:****C.I. Pigment Black 7:**

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Result: ambiguous

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Aluminium oxide:

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

- Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells
Test system: mouse lymphoma cells
Concentration: 6,1 - 780 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition
- Genotoxicity in vivo : Test Type: Chromosome Aberration Test
Species: Rat (female)
Strain: wistar
Cell type: Bone marrow
Application Route: oral (gavage)
Exposure time: Single exposure
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 475
Result: positive
GLP: No information available.
- Test Type: Micronucleus test
Species: Rat (female)
Strain: wistar
Cell type: Bone marrow
Application Route: oral (gavage)
Exposure time: Single exposure
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: positive
GLP: No information available.
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Amorphous silicon dioxide:

- Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Concentration: 38 - 1000 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
- Test Type: In vitro gene mutation study in mammalian cells
Test system: Chinese hamster ovary cells
Concentration: 10 - 500 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
- Test Type: Ames test
Test system: Salmonella typhimurium

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Concentration: 667 - 10000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: HGPRT assay
Species: Rat (male)
Strain: Fischer F344
Application Route: Inhalation
Exposure time: 13 w, 6 h/d, 5 d/wk
Dose: ca. 50 mg/m³
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

Iron(III)oxide:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 8 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.
Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6 - 36 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6,25 - 25 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat (male)
Strain: Sprague-Dawley
Application Route: oral (gavage)

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Exposure time: 24 h
Dose: 3,75 mg/kg
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

C.I. Pigment White 6:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: Escherichia coli
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Erythrocytes
Application Route: oral (gavage)
Exposure time: single treatment
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Carcinogenicity**Components:****C.I. Pigment Black 7:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Aluminium oxide:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Amorphous silicon dioxide:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Iron(III)oxide:

Species: Rat, (male and female)
Application Route: oral (gavage)
Exposure time: 798 d
Dose: 10 - 40 mg/kg
Group: yes
Frequency of Treatment: every other week
Method: Other
GLP: No information available.
Remarks: Based on available data, the classification criteria are not met.

Species: Rat, (male and female)
Application Route: Intraperitoneal injection
Exposure time: 790 - 914 d
Dose: 200 mg/kg
Group: yes
Frequency of Treatment: 3 injections; every 8 weeks
Method: Other
GLP: No information available.
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity - : Carcinogenicity classification not possible from current data.
Assessment

C.I. Pigment White 6:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Reproductive toxicity**Components:****C.I. Pigment Black 7:**

Effects on fertility : Remarks: The study is not necessary from a scientific perspective.

Effects on foetal development : Remarks: The study is not necessary from a scientific perspective.

Reproductive toxicity - : No reproductive toxicity to be expected.
Assessment No teratogenic effects to be expected.

Aluminium oxide:

Effects on fertility : Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: Drinking water
Dose: 57 - 189 - 567 mg/kg

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

General Toxicity - Parent: NOAEL: ca. 567 mg/kg body weight
General Toxicity F1: NOAEL: ca. 57 mg/kg body weight
Method: Other
GLP: yes
Remarks: By analogy with a product of similar composition

Effects on foetal development : Species: Rat
Strain: wistar
Application Route: oral (gavage)
Dose: 126 - 251 - 503 mg/kg
Frequency of Treatment: 2 daily
General Toxicity Maternal: NOAEL: > 100 mg/kg body weight
Teratogenicity: NOAEL: 503 mg/kg body weight
Method: OECD Test Guideline 414
GLP: No information available.
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
No teratogenic effects to be expected.

Amorphous silicon dioxide:

Effects on fertility : Test Type: One generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (feed)
Dose: 497 (m), 509 (f) mg/kg
General Toxicity - Parent: NOAEL: 497 mg/kg body weight
General Toxicity F1: NOAEL: 497 mg/kg body weight
Method: OECD Test Guideline 415
GLP: no

Effects on foetal development : Species: Rat
Strain: wistar
Application Route: oral (gavage)
Dose: 13,5 - 62,7 - 292 - 1350mg/kg
General Toxicity Maternal: NOAEL: 1,350 mg/kg body weight
Teratogenicity: NOAEL: 1,350 mg/kg body weight
Method: OECD Test Guideline 414
GLP: no

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

Iron(III)oxide:

Effects on fertility : Remarks: Not applicable

Effects on foetal development : Remarks: Not applicable

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

C.I. Pigment White 6:

Effects on fertility : Remarks: no data available

Effects on foetal
development

: Test Type: Pre-natal
Species: Rat, female
Strain: wistar
Application Route: oral (gavage)
Dose: 100, 300, 1000 mg/kg bw
Duration of Single Treatment: 14 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: No significant adverse effects were reported

Reproductive toxicity -
Assessment

: No evidence of adverse effects on sexual function and fertility,
or on development, based on animal experiments.
Did not show teratogenic effects in animal experiments.

STOT - single exposure**Components:****C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Amorphous silicon dioxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure**Components:****C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Amorphous silicon dioxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****C.I. Pigment Black 7:**

Species: Rat, female
NOAEL: 52 mg/kg
Application Route: oral (feed)
Exposure time: 1 a - 2 a
Number of exposures: daily
Dose: 2,05 g/kg of chow diet
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: No information available.
Remarks: The product is non-toxic.

Species: Rat, male
NOAEL: 0.0011 mg/l
LOAEL: 0.0071 mg/l
Application Route: Inhalation
Exposure time: 13 w
Number of exposures: 6 h per day; 5 d per week
Dose: 1,1 - 7,1 - 52,8 mg/m³
Group: yes
Method: OECD Test Guideline 413
GLP: No information available.

Species: Mouse, male and female
Application Route: Skin contact
Exposure time: 12-18 m
Number of exposures: 3 times per week
Dose: 20% carbon black suspensions
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no
Remarks: The product is non-toxic.

Aluminium oxide:

Species: Rat, male and female

RENOL-KHAKI PV82800007-ZN

Page 20

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

NOAEL: 57 mg/kg
Application Route: Drinking water
Exposure time: 1 a
Number of exposures: continuously
Dose: 57 - 189 - 567 mg/kg
Group: yes
Method: OECD Test Guideline 426
GLP: yes
Remarks: By analogy with a product of similar composition

Species: Rat
LOAEL: 0.070 mg/l
Application Route: Inhalation
Exposure time: 6 m
Number of exposures: 6 hr/day; 5 days a week
Dose: 15-30-50-70-100 mg Al/m³
Method: OECD Test Guideline 413
GLP: No information available.

Application Route: Skin contact
Remarks: The study is not necessary from a scientific perspective.

Amorphous silicon dioxide:

Species: Rat, male and female
NOAEL: 4,000 - 4,500 mg/kg
Application Route: oral (feed)
Exposure time: 13 w
Number of exposures: continuously
Dose: 0,5 - 2 - 6,7 % SI in diet
Group: yes
Method: OECD Test Guideline 408
GLP: yes

Species: Rat, male and female
NOAEL: 0.0013 mg/l
LOAEL: 0.0059 mg/l
Application Route: Inhalation
Exposure time: 13 w
Number of exposures: 6 hr/day; 5 days a week
Dose: 1,3 - 5,9 - 31 mg/m³
Group: yes
Method: OECD Test Guideline 413
GLP: yes

Application Route: Skin contact
Remarks: This information is not available.

Iron(III)oxide:

Species: Rat, male
Application Route: oral (feed)
Exposure time: 21 d
Number of exposures: daily

RENOL-KHAKI PV82800007-ZN

Page 21

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Dose: 112,3 - 330,1 mg/100g diet
Group: yes
Method: Repeated Dose Toxicity (subacute study)
GLP: yes
Target Organs: Liver
Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male
Application Route: Inhalation
Exposure time: 2 w
Number of exposures: 6 hours/day, 5 days/week
Dose: 185,2- 195,7 - 210,2 mg/m³
Group: yes
Method: OECD Test Guideline 412
GLP: yes
Remarks: No adverse effect has been observed in chronic toxicity tests.

Application Route: Skin contact
Method: Repeated Dose Toxicity (subacute study)
Remarks: The study is not necessary from a scientific perspective.

C.I. Pigment White 6:

Species: Rat, male
NOEL: > 24000 mg/kg bw/day
Application Route: oral (gavage)
Exposure time: 29 d
Number of exposures: daily
Dose: 24000 mg/kg
Group: yes
Method: OECD Test Guideline 407
GLP: No information available.

Species: Rat, male and female
NOAEL: 0.01 mg/l
Application Route: Inhalation
Exposure time: 2 a
Number of exposures: 6 hours/day, 5 days/week
Dose: 0,0106 - 0,0507 - 0,250 mg/l
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no

Aspiration toxicity**Components:****C.I. Pigment Black 7:**

No aspiration toxicity classification

Aluminium oxide:

No aspiration toxicity classification

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Amorphous silicon dioxide:

No aspiration toxicity classification

Iron(III)oxide:

No aspiration toxicity classification

C.I. Pigment White 6:

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Components:****C.I. Pigment White 6:**

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: no data available

Components:**C.I. Pigment Black 7:**

Toxicity to fish : LC0 (Brachydanio rerio (zebrafish)): 1,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5,600 mg/l
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

NOEC (Daphnia magna (Water flea)): 3,200 mg/l

Exposure time: 24 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (Desmodesmus subspicatus (green algae)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not reasonable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable

Toxicity to microorganisms : EC0 (activated sludge, domestic): > 400 mg/l
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: DEV L 3
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Sediment toxicity : Remarks: Not applicable

Aluminium oxide:

Toxicity to fish : NOEC (Salmo trutta (brown trout)): > 0.072 mg/l
Exposure time: 96 h

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

		Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	NOEC (Daphnia magna (Water flea)): > 0.071 mg/l Exposure time: 48 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae	:	NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.052 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes EC50 (Pseudokirchneriella subcapitata (green algae)): 1.05 mg/l End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: yes Method: OECD Test Guideline 201 GLP: yes Remarks: By analogy with a product of similar composition
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 56.48 mg/l Exposure time: 7 d Test Type: semi-static test Analytical monitoring: yes Method: Other GLP: yes Remarks: By analogy with a product of similar composition
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.076 mg/l End point: Reproduction rate Exposure time: 21 d Test Type: semi-static test Analytical monitoring: yes Method: OECD Test Guideline 211 GLP: yes Remarks: By analogy with a product of similar composition
Toxicity to microorganisms	:	GLP: Remarks: Not applicable
Toxicity to soil dwelling organisms	:	Remarks: Not applicable

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Amorphous silicon dioxide:

Toxicity to fish : LL0 (Brachydanio rerio (zebrafish)): 10,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

RENOL-KHAKI PV82800007-ZN

Page 26

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Toxicity to microorganisms : GLP:
Remarks: Not applicable

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

Iron(III)oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): approx. 100,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no data available
Method: Umweltbundesamt, 1984
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae : Exposure time:
Remarks: no data available

Toxicity to fish (Chronic toxicity) : Remarks: not reasonable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage):
> 10,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: ISO 8192

Toxicity to soil dwelling organisms : Remarks: The study is not necessary from a scientific perspective.

Plant toxicity : Remarks: The study is not necessary from a scientific

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

perspective.

Sediment toxicity : Remarks: The study is not necessary from a scientific perspective.

Toxicity to terrestrial organisms : Remarks: The study is not necessary from a scientific perspective.

C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no data available
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no data available
Method: OECD Test Guideline 202
GLP: no data available
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Acartia tonsa): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no data available
Method: ISO 14669 and PARCOM method
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

- Toxicity to algae : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.
- EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: no data available
Method: ISO 10253
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l
Exposure time: 28 d
Test Type: static test
Analytical monitoring: yes
Method: Other
GLP: No information available.
Remarks: By analogy with a product of similar composition
- Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- NOEC (activated sludge of a predominantly domestic sewage): $\geq 1,000$ mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Test Type: artificial soil
NOEC (*Folsomia candida*): 0,1 $\rightarrow \geq 10$ %
Exposure time: 28 d
End point: mortality
Method: ISO 11267

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

GLP: no

Remarks: By analogy with a product of similar composition

This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity

: NOEC (Lactuca sativa (lettuce)): ≥ 10 %

Exposure time: 20 h

End point: Growth

Analytical monitoring: yes

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition

No effect on the growth was observed.

Sediment toxicity

: NOEC (Hyalella azteca (Scud)): ≥ 100000 %

Analytical monitoring: no

Sediment: artificial soil

Exposure duration: 28 d

Nominal / Measured: nominal

Basis for effect: mortality

Method: Other

GLP: no

Remarks: By analogy with a product of similar composition

NOEC: ≥ 14989 mg/kg dry weight (d.w.)

Analytical monitoring: no data available

Sediment: Natural sediment

Exposure duration: 10 d

Nominal / Measured: nominal

Basis for effect: mortality

Method: Other

GLP: yes

Persistence and degradability**Components:****C.I. Pigment Black 7:**

Biodegradability : Remarks: Not applicable

Aluminium oxide:

Biodegradability : Remarks: Not applicable

Amorphous silicon dioxide:

Biodegradability : Remarks: Not applicable

Iron(III)oxide:

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical : Remarks: Not applicable

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

removability

C.I. Pigment White 6:

Biodegradability : Remarks: Not applicable for inorganic compound.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not tested.

Components:**C.I. Pigment Black 7:**

Bioaccumulation : Remarks: Not applicable

Aluminium oxide:

Bioaccumulation : Remarks: Not applicable

Amorphous silicon dioxide:

Bioaccumulation : Remarks: Not applicable

Iron(III)oxide:

Bioaccumulation : Remarks: Does not accumulate in organisms.

C.I. Pigment White 6:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 20 - 200
Exposure time: 14 d
Concentration: 0.1 - 1 mg/l
Method: Other
GLP: No information available.
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: not tested.

Components:**C.I. Pigment Black 7:**

Mobility : Remarks: Known distribution to environmental compartments

Distribution among : Adsorption/Soil

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

environmental compartments Medium: water - soil
Remarks: Not applicable

Aluminium oxide:

Distribution among : Remarks: Not applicable
environmental compartments

Amorphous silicon dioxide:

Distribution among : Remarks: Not applicable
environmental compartments

Iron(III)oxide:

Mobility : Remarks: Known distribution to environmental compartments

Distribution among : Remarks: Not applicable
environmental compartments

C.I. Pigment White 6:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among : Adsorption/Soil
environmental compartments Medium: water - soil
log Koc: 4.61
Method: Other

Other adverse effects**Product:**

Results of PBT and vPvB : Remarks: No information is available as no chemical safety
assessment report (CSR) is required.

Additional ecological : Do not allow to enter ground water, waterways or waste water.
information

Components:**C.I. Pigment Black 7:**

Environmental fate and : not available
pathways

Results of PBT and vPvB : The substance is not identified as a PBT or as a vPvB
assessment substance.

Additional ecological : Do not allow to enter ground water, waterways or waste water.
information

Aluminium oxide:

Environmental fate and : not available
pathways

RENOL-KHAKI PV82800007-ZN

Page 32

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

Results of PBT and vPvB assessment : Remarks: Not applicable

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Amorphous silicon dioxide:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : Remarks: Not relevant for inorganic substances

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Iron(III)oxide:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment White 6:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

TDG	not restricted
IATA	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Zinc compounds
Vinyl acetate

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA AB OEL / STEL	: 15-minute occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA BC OEL / STEL	: short-term exposure limit
CA QC OEL / TWAEV	: Time-weighted average exposure value
CA QC OEL / STEV	: Short-term exposure value
OSHA Z-3 / TWA	: 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety

Substance key: 000000767010

Revision Date: 11/05/2018

Version : 1 - 0 / CDN

Date of printing :08/28/2020

and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 11/05/2018

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN