

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 1

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

SECTION 1. IDENTIFICATION

Identification of the company:	Avient Colorants Canada Inc. 2 Lone Oak Court Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559
	Information of the substance/preparation: Product Stewardship e-mail: SDS.NORAMMB@avient.com
	Emergency tel. number: +1 CANUTEC (613) 996-6666

Trade name: **ABS GP35 002.000% R57360 CIN**
Material number: SB83754479
Synonyms: ABS GP35 002.000% R57360 CIN (SB83754479)
Chemical family: Colourant preparation
Carrier: ABS

Primary product use: Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation
Carrier: ABS

Components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Black 7	1333-86-4	0.1 - 1
Aluminium oxide	1344-28-1	0.1 - 1
Amorphous silicon dioxide	7631-86-9	0.1 - 1
N,N'-Ethylenedi(stearamide)	110-30-5	1 - 5
C.I. Pigment Brown 24	68186-90-3	10 - 30
Iron(III)oxide	1309-37-1	10 - 30

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 2

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
In case of burns apply cold water until pain subsides then seek medical advice.
Burns must be treated by a physician.
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Styrene
Hydrogen cyanide (hydrocyanic acid)

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 3

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Acrylonitrile
Carbon monoxide
Carbon dioxide (CO₂)
Sulphur oxides

- Further information : Combustible material
In the event of fire and/or explosion do not breathe fumes.
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Take up uncontaminated material and pass on for further processing.
After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.
When handling hot melts use suitable protective clothing.
Avoid dust formation. Keep away from sources of ignition.
Lead off electrostatic charges.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 4

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
Protect from moisture.
Keep away from direct sunlight.
- Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
Keep in an area equipped with sprinklers.
Minimize dust generation and accumulation.
- Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis	
N,N'-Ethylenedi(stearamide)	110-30-5	TWA	10 mg/m3	CA AB OEL	
			TWA	10 mg/m3	CA BC OEL
			TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
C.I. Pigment Brown 24	68186-90-3		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
			TWA	0.5 mg/m3 (antimony)	CA AB OEL
			TWAEV	0.5 mg/m3 (antimony)	CA QC OEL
			TWA	0.5 mg/m3 (antimony)	CA BC OEL
			TWA	0.5 mg/m3 (antimony)	ACGIH
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m3	CA AB OEL	
			TWA (Inhalable)	3 mg/m3	CA BC OEL
			TWAEV	3.5 mg/m3	CA QC OEL
			TWA (Inhalable particulate matter)	3 mg/m3	ACGIH
Iron(III)oxide	1309-37-1	TWA (Respirable)	5 mg/m3	CA AB OEL	
			TWA (Fumes)	5 mg/m3 (Iron)	CA BC OEL
			TWA (Dust)	5 mg/m3 (Iron)	CA BC OEL
			STEL (Fumes)	10 mg/m3 (Iron)	CA BC OEL

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 5

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

		TWAEV (fume and dust)	5 mg/m3 (Iron)	CA QC OEL
		TWA (Respirable particulate matter)	5 mg/m3	ACGIH
Aluminium oxide	1344-28-1	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3 (Aluminium)	CA QC OEL
		TWA (Respirable)	1 mg/m3 (Aluminium)	CA BC OEL
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH
Amorphous silicon dioxide	7631-86-9	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3

Engineering measures : Use only in area provided with appropriate exhaust ventilation.
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

Hand protection
Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
When handling hot melts use suitable protective clothing.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 6

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Granules
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	Not applicable
pH	:	Not applicable
Melting point	:	> 90 °C
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 7

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant
Particle size	:	Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials	:	Strong oxidizing agents Strong acids and oxidizing agents Strong acids and strong bases
Hazardous decomposition products	:	Possible in traces: Nitrogen oxides (NOx)

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

None known.

Acute toxicity

Product:

Acute dermal toxicity	:	Acute toxicity estimate: 3,407 mg/kg Method: Calculation method
-----------------------	---	--

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 8

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Components:

C.I. Pigment Black 7:

- Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg
Method: OECD Test Guideline 401
GLP: no
Remarks: No significant adverse effects were reported
- Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Remarks: not required

Amorphous silicon dioxide:

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
GLP: yes
Remarks: No significant adverse effects were reported
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.08 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg
Method: Other
GLP: no

N,N'-Ethylenedi(stearamide):

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402

C.I. Pigment Brown 24:

- Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg
Method: BASF test

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 9

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

GLP: no

Acute inhalation toxicity : Remarks: Not applicable

Acute dermal toxicity : Remarks: Not applicable

Iron(III)oxide:

Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg
Method: Other
GLP: No information available.

Acute inhalation toxicity : LC0 (Rat, male): > 0.21 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 412
GLP: yes

Acute dermal toxicity : Remarks: no data available

Acute toxicity (other routes of administration) : LD50 (Rat): 5,550 mg/kg
Application Route: Intraperitoneal injection

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

C.I. Pigment Black 7:

Species: Rabbit
Exposure time: 4 - 24 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Amorphous silicon dioxide:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

N,N'-Ethylenedi(stearamide):

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation

C.I. Pigment Brown 24:

Species: Rabbit
Exposure time: 24 h

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 10

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Method: Draize Test
Result: No skin irritation
GLP: no

Iron(III)oxide:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Components:

C.I. Pigment Black 7:

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: no

Amorphous silicon dioxide:

Species: Rabbit
Result: No eye irritation
Exposure time: 24 h
Method: OECD Test Guideline 405
GLP: yes

N,N'-Ethylenedi(stearamide):

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405

C.I. Pigment Brown 24:

Species: rabbit eye
Result: slight irritation
Method: FDA guideline
GLP: no

Iron(III)oxide:

Species: rabbit eye
Result: No eye irritation
Exposure time: 192 h
Method: OECD Test Guideline 405
GLP: yes

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

Components:**C.I. Pigment Black 7:**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Amorphous silicon dioxide:

Remarks: no data available

N,N'-Ethylenedi(stearamide):

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

C.I. Pigment Brown 24:

Remarks: Not applicable

Iron(III)oxide:

Test Type: Maurer optimisation test

Exposure routes: Skin contact

Species: Guinea pig

Method: Other

Result: Not a skin sensitizer.

GLP: No information available.

Germ cell mutagenicity**Components:****C.I. Pigment Black 7:**

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: In vitro gene mutation study in mammalian cells

Test system: Rodent cell line

Metabolic activation: without

Method: OECD Test Guideline 476

Result: positive

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 12

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

GLP: No information available.

Test Type: Micronucleus test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Amorphous silicon dioxide:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 667 - 10000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: Chinese hamster ovary cells
Concentration: 10 - 500 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster ovary cells
Concentration: 38 - 1000 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Rat (male)
Strain: Fischer F344
Application Route: Inhalation
Exposure time: 13 w, 6 h/d, 5 d/wk
Dose: ca. 50 mg/m³
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

N,N'-Ethylenedi(stearamide):

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 13

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative

Test Type: Mammalian cell gene mutation assay
Test system: mouse lymphoma cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

C.I. Pigment Brown 24:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 100 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: Escherichia coli
Concentration: 2,5 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Concentration: 0,5 - 900 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: mouse lymphoma cells
Concentration: 3,13 - 100 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Germ cell mutagenicity - : It is concluded that the product is not mutagenic based on

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 14

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Assessment evaluation of several mutagenicity tests.

Iron(III)oxide:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 8 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.
Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6 - 36 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6,25 - 25 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat (male)
Strain: Sprague-Dawley
Application Route: oral (gavage)
Exposure time: 24 h
Dose: 3,75 mg/kg
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

Carcinogenicity

Components:

C.I. Pigment Black 7:

Remarks: Carbon Black should not be classified for carcinogenicity according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals. Human health studies show that exposure to carbon black does not increase the risk of carcinogenicity. Studies

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 15

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

in laboratory animals show that lung tumors are induced in rats as a result of repeated exposure to inert, poorly soluble particles like carbon black and other poorly soluble particles. Rat tumors are a result of a secondary non-genotoxic mechanism associated with the phenomenon of lung overload. This is a species-specific mechanism that has questionable relevance for classification in humans. Thus a carcinogenicity classification for Carbon Black is not warranted.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Amorphous silicon dioxide:

Species: Rat, (male and female)
Application Route: oral (feed)
Exposure time: 103 w
Dose: 1,25 - 2,5 - 5 % in diet
Group: yes
Frequency of Treatment: daily
NOAEL: ca. 1,800 - 3,000 mg/kg bw/day
Method: OECD Test Guideline 453
Result: negative
GLP: No information available.

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

N,N'-Ethylenedi(stearamide):

Carcinogenicity - Assessment : No information available.

C.I. Pigment Brown 24:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Iron(III)oxide:

Species: Rat, (male and female)
Application Route: oral (gavage)
Exposure time: 798 d
Dose: 10 - 40 mg/kg
Group: yes
Frequency of Treatment: every other week
Method: Other
GLP: No information available.
Remarks: Based on available data, the classification criteria are not met.

Species: Rat, (male and female)
Application Route: Intraperitoneal injection
Exposure time: 790 - 914 d
Dose: 200 mg/kg
Group: yes
Frequency of Treatment: 3 injections; every 8 weeks
Method: Other
GLP: No information available.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 16

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Reproductive toxicity

Components:

C.I. Pigment Black 7:

Effects on foetal development : Test Type: Pre-natal
Species: Rabbit, male and female
Strain: New Zealand white
Application Route: Inhalation
Dose: 10% diesel exhaust emission
Duration of Single Treatment: 12 d
Method: OECD Test Guideline 414
Result: No effects on fertility and early embryonic development were detected.
GLP: no
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

Amorphous silicon dioxide:

Effects on fertility : Test Type: One generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (feed)
Dose: 497 (m), 509 (f) mg/kg
General Toxicity - Parent: NOAEL: 497 mg/kg body weight
General Toxicity F1: NOAEL: 497 mg/kg body weight
Method: OECD Test Guideline 415
GLP: no

Effects on foetal development : Test Type: Pre-natal
Species: Rat
Strain: wistar
Application Route: oral (gavage)
Dose: 13,5 - 62,7 - 292 - 1350mg/kg
General Toxicity Maternal: NOAEL: 1,350 mg/kg body weight
Teratogenicity: NOAEL: 1,350 mg/kg body weight
Method: OECD Test Guideline 414
GLP: no

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.
No teratogenic effects to be expected.

N,N'-Ethylenedi(stearamide):

Effects on foetal development : Test Type: Pre-natal
Species: Rat

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 17

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Strain: Sprague-Dawley
Application Route: oral (gavage)
General Toxicity Maternal: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

C.I. Pigment Brown 24:

Effects on fertility : Test Type: One generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 250 - 500 - 1000 mg/kg
General Toxicity - Parent: NOAEL: \geq 1,000 mg/kg body weight
General Toxicity F1: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes

Effects on foetal development : Species: Rat
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 250 - 500 - 1000 mg/kg
General Toxicity Maternal: NOAEL: \geq 1,000 mg/kg body weight
Teratogenicity: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

Iron(III)oxide:

Effects on fertility : Remarks: Not applicable

Effects on foetal development : Remarks: Not applicable

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

STOT - single exposure

Components:

C.I. Pigment Black 7:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 18

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Amorphous silicon dioxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

N,N'-Ethylenedi(stearamide):

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment Brown 24:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

C.I. Pigment Black 7:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Amorphous silicon dioxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

N,N'-Ethylenedi(stearamide):

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment Brown 24:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

C.I. Pigment Black 7:

Species: Rat, female
NOAEL: 52 mg/kg bw/day
Application Route: oral (feed)
Exposure time: 1 a - 2 a

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 19

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Number of exposures: daily
Dose: 2,05 g/kg of chow diet
Group: yes
Method: Other
GLP: No information available.
Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male
NOAEL: 0.0011 mg/l
LOAEL: 0.0071 mg/l
Application Route: Inhalation
Test atmosphere: dust/mist
Exposure time: 13 w
Number of exposures: 6 h per day; 5 d per week
Dose: 1,1 - 7,1 - 52,8 mg/m³
Group: yes
Method: Other
GLP: No information available.

Species: Mouse, male and female
Application Route: Skin contact
Exposure time: 12-18 m
Number of exposures: 3 times per week
Dose: 20% carbon black suspensions
Group: yes
Method: Other
GLP: no
Remarks: No adverse effect has been observed in chronic toxicity tests.

Amorphous silicon dioxide:

Species: Rat, male and female
NOAEL: 4000 - 4500 mg/kg bw/day
Application Route: oral (feed)
Exposure time: 13 w
Number of exposures: continuously
Dose: 0,5 - 2 - 6,7 % SI in diet
Group: yes
Method: OECD Test Guideline 408
GLP: yes

Species: Rat, male and female
NOAEL: 1,3 mg/m³
LOAEL: 0.0059 mg/l
Application Route: Inhalation
Exposure time: 13 w
Number of exposures: 6 hr/day; 5 days a week
Dose: 1,3 - 5,9 - 31 mg/m³
Group: yes
Method: OECD Test Guideline 413
GLP: yes

Application Route: Skin contact
Remarks: This information is not available.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 20

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

N,N'-Ethylenedi(stearamide):

Species: Rat, male and female
NOEL: >= 1000 mg/kg bw/day
Application Route: oral (gavage)
Method: OECD Test Guideline 408

C.I. Pigment Brown 24:

Species: Rat, male and female
NOAEL: 500 mg/kg
Application Route: oral (feed)
Exposure time: 90 d
Number of exposures: daily
Dose: 0,5 - 5 - 50 - 500 mg/kg
Group: yes
Method: OECD Test Guideline 408
GLP: No information available.

Application Route: Inhalation
Remarks: not tested.

Application Route: Skin contact
Remarks: not tested.

Iron(III)oxide:

Species: Rat, male
Application Route: oral (feed)
Exposure time: 21 d
Number of exposures: daily
Dose: 112,3 - 330,1 mg/100g diet
Group: yes
Method: Repeated Dose Toxicity (subacute study)
GLP: yes
Target Organs: Liver
Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male
Application Route: Inhalation
Exposure time: 2 w
Number of exposures: 6 hours/day, 5 days/week
Dose: 185,2- 195,7 - 210,2 mg/m³
Group: yes
Method: OECD Test Guideline 412
GLP: yes
Remarks: No adverse effect has been observed in chronic toxicity tests.

Application Route: Skin contact
Method: Repeated Dose Toxicity (subacute study)
Remarks: The study is not necessary from a scientific perspective.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 21

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Aspiration toxicity

Components:

C.I. Pigment Black 7:

No aspiration toxicity classification

Amorphous silicon dioxide:

No aspiration toxicity classification

N,N'-Ethylenedi(stearamide):

no data available

C.I. Pigment Brown 24:

No aspiration toxicity classification

Iron(III)oxide:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: no data available

Components:

C.I. Pigment Black 7:

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5,600 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 22

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l

End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC0 (activated sludge): > 400 mg/l
End point: Bacteria toxicity (growth inhibition)
Exposure time: 3 h
Test Type: static test
Method: DIN 38412
GLP: no

Toxicity to soil dwelling organisms : Test Type: Other
Method: Other
GLP: No information available.
Remarks: This product does not have any known adverse effect on the soil organisms tested.

Amorphous silicon dioxide:

Toxicity to fish : LL0 (Brachydanio rerio (zebrafish)): 10,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1,000 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 23

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Method: OECD Test Guideline 202

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EL50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : NOEC: 86.03 mg/l
Exposure time: 30 d

Method: Other

GLP: no

Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 34.223 mg/l
Exposure time: 30 d

Method: Other

GLP: no

Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

Sediment toxicity : LC50: 148.41 mg/l

Duration: 14 d

Method: Other

GLP: no

Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models (CAESAR models), etc.

N,N'-Ethylenedi(stearamide):

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.027 mg/l

End point: mortality

Exposure time: 96 h

Method: OECD Test Guideline 203

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0022 mg/l
Exposure time: 48 h

Test Type: semi-static test

Method: OECD Test Guideline 202

Remarks: No toxicity at the limit of solubility

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 24

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (algae)): 0.053 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (Daphnia magna (Water flea)): 0.0056 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
Exposure time: 3 h
Test Type: static test
Method: OECD Test Guideline 209

Toxicity to soil dwelling organisms : NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg
Exposure time: 56 d
Method: OECD Test Guideline 222

Sediment toxicity : NOEC: >= 1000 mg/kg dry weight (d.w.)
Test Type: static test
Sediment: Artificial sediment
Exposure duration: 28 d
Method: OECD Test Guideline 218

C.I. Pigment Brown 24:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: DIN 38412 T.15
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 25

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC50 (*Pseudomonas putida*): > 10,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 0.5 h
Test Type: aquatic
Analytical monitoring: no
Method: DIN 38412 T.27
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

Iron(III)oxide:

Toxicity to fish : LC50 (*Danio rerio* (zebra fish)): approx. 100,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no data available
Method: Umweltbundesamt, 1984
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : Remarks: no data available

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 26

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

- Toxicity to fish (Chronic toxicity) : Remarks: not reasonable
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable
- Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 10,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: ISO 8192
GLP: no
- Toxicity to soil dwelling organisms : Remarks: The study is not necessary from a scientific perspective.
- Plant toxicity : Remarks: The study is not necessary from a scientific perspective.
- Sediment toxicity : Remarks: The study is not necessary from a scientific perspective.
- Toxicity to terrestrial organisms : Remarks: The study is not necessary from a scientific perspective.

Persistence and degradability

Components:

C.I. Pigment Black 7:

Biodegradability : Remarks: Not applicable

Amorphous silicon dioxide:

Biodegradability : Remarks: Not applicable

N,N'-Ethylenedi(stearamide):

Biodegradability : aerobic
Inoculum: activated sludge
Carbon dioxide (CO₂)
Result: Not readily biodegradable.
Biodegradation: 5.5 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

C.I. Pigment Brown 24:

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical removability : Remarks: Inorganic product, cannot be eliminated from the water by biological purification processes.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 27

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Iron(III)oxide:

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical
removability : Remarks: Not applicable

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Components:

C.I. Pigment Black 7:

Bioaccumulation : Remarks: Not applicable

N,N'-Ethylenedi(stearamide):

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-
octanol/water : Remarks: Not applicable

C.I. Pigment Brown 24:

Bioaccumulation : Remarks: Not relevant for inorganic substances

Iron(III)oxide:

Bioaccumulation : Remarks: Does not accumulate in organisms.

Mobility in soil

Product:

Distribution among
environmental compartments : Remarks: not tested.

Components:

C.I. Pigment Black 7:

Distribution among
environmental compartments : Adsorption/Soil
Medium: water - soil
Remarks: Not applicable

N,N'-Ethylenedi(stearamide):

Distribution among
environmental compartments : log Koc: 8.6 - 8.91
Method: calculated

C.I. Pigment Brown 24:

Distribution among : Remarks: Not applicable

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 28

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

environmental compartments

Iron(III)oxide:

Mobility : Remarks: Known distribution to environmental compartments

Distribution among environmental compartments : Remarks: Not applicable

Other adverse effects

Product:

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Components:

C.I. Pigment Black 7:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Amorphous silicon dioxide:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

N,N'-Ethylenedi(stearamide):

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

C.I. Pigment Brown 24:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 29

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Iron(III)oxide:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

TDG not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Chromium (III) compound
Antimony compounds

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 30

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
OSHA Z-3	:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA BC OEL / STEL	:	short-term exposure limit
CA QC OEL / TWAEV	:	Time-weighted average exposure value
OSHA Z-3 / TWA	:	8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECl - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/21/2020
Date format : mm/dd/yyyy

SAFETY DATA SHEET



ABS GP35 002.000% R57360 CIN

Page 31

Substance key: 000000647316

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :04/20/2022

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN