

R55244 EVENING STONE

Page 1

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

SECTION 1. IDENTIFICATION

Identification of the company:

Clariant Plastics & Coatings Canada Inc.
2 Lone Oak Court
Toronto, Ontario, M9C 5R9
Telephone No.: +1 514-832-2559

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710
e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC, +1 (703) 527-3887 INTERNATIONAL

Trade name:**R55244 EVENING STONE****Material number:**

SB73800011

Chemical family:

Colourant preparation
Carrier: ABS

Primary product use:

Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation
Carrier: ABS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Styrene	100-42-5	< 0.1
Iron(III)oxide	1309-37-1	0.25 - 0.5
C.I. Pigment Black 7	1333-86-4	0.5 - 1
N,N'-Ethylenedi(stearamide)	110-30-5	2.5 - 3
C.I. Pigment White 6	13463-67-7	20 - 25

R55244 EVENING STONE

Page 2

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| If inhaled | : | Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person. |
| In case of skin contact | : | Wash off immediately with plenty of water for at least 15 minutes.
In case of burns apply cold water until pain subsides then seek medical advice.
Burns must be treated by a physician.
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists. |
| If swallowed | : | Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention. |
| Most important symptoms and effects, both acute and delayed | : | The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known. |
| Notes to physician | : | Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|--------------------------------|---|---|
| Suitable extinguishing media | : | Water spray
Foam
Carbon dioxide (CO2)
Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during | : | In case of fire hazardous decomposition products may be |

R55244 EVENING STONE

Page 3

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

firefighting	produced such as: Styrene Hydrogen cyanide (hydrocyanic acid) Acrylonitrile Carbon monoxide Carbon dioxide (CO ₂) Take measures to prevent the build up of electrostatic charge. Dust can form an explosive mixture in air. Metal oxides Sulphur oxides
Further information	: Combustible material In the event of fire and/or explosion do not breathe fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Do not allow run-off from fire fighting to enter drains or water courses. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Refer to protective measures listed in sections 7 and 8. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.
Environmental precautions	: Do not allow contact with soil, surface or ground water. Prevent product from entering drains.
Methods and materials for containment and cleaning up	: Avoid dust formation. Take measures to prevent the build up of electrostatic charge. Sweep up and shovel into suitable containers for disposal. Take up uncontaminated material and pass on for further processing. After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Take measures to prevent the build up of electrostatic charge.
Advice on safe handling	: Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation/personal protection. For personal protection see section 8. Avoid contact with skin, eyes and clothing.

R55244 EVENING STONE

Page 4

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Use only with adequate ventilation.
 When handling hot melts use suitable protective clothing.
 Avoid dust formation. Keep away from sources of ignition.
 Lead off electrostatic charges.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
 Protect from moisture.
 Keep away from direct sunlight.

Technical measures/Precautions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
 Keep in an area equipped with sprinklers.
 Minimize dust generation and accumulation.

Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron(III)oxide	1309-37-1	TWA (Respirable)	5 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
Further information: The value is for particulate matter containing no asbestos and less than 1% crystalline silica., The 8-hour TWA listed in the Table is for the total dust. The substance also has an 8-hour TWA of 3 mg/m3 for the respirable fraction.				
		TWAEV (Respirable)	5 mg/m3	CA ON OEL
		TWAEV	5 mg/m3 (Iron)	CA QC OEL
		TWA	5 mg/m3 (Iron)	CA BC OEL
		STEL	10 mg/m3 (Iron)	CA BC OEL
		TWA	5 mg/m3 (Iron)	CA BC OEL
		TWA (Fumes)	5 mg/m3 (Iron)	CA BC OEL
		TWA (Dust)	5 mg/m3 (Iron)	CA BC OEL
		STEL (Fumes)	10 mg/m3 (Iron)	CA BC OEL
		TWAEV (fume and dust)	5 mg/m3 (Iron)	CA QC OEL
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m3	CA AB OEL

SAFETY DATA SHEET



R55244 EVENING STONE

Page 5

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

		TWA	3.5 mg/m3	CA BC OEL
	Further information: IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		TWAEV	3.5 mg/m3	CA ON OEL
		TWAEV	3.5 mg/m3	CA QC OEL
		TWA (Inhalable)	3 mg/m3	CA BC OEL
	Further information: IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
	Further information: Occupational exposure limit is based on irritation effects and its adjustment to compensate for unusual work schedules is not required			
		TWAEV (Total)	10 mg/m3	CA ON OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
	Further information: The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1 %.			
		TWAEV (total dust)	10 mg/m3	CA QC OEL
	Further information: The standard corresponds to dust containing no asbestos and the percentage in crystalline silica is less than 1 %.			
		TWA (Total dust)	10 mg/m3	CA BC OEL
	Further information: IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
	Further information: IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
Styrene	100-42-5	TWAEV	35 ppm	CA ON OEL
		STEV	100 ppm	CA ON OEL
		TWA	35 ppm	CA ON OEL
		STEL	100 ppm	CA ON OEL
		TWA	20 ppm 85 mg/m3	CA AB OEL
		STEL	40 ppm 170 mg/m3	CA AB OEL
		TWA	50 ppm	CA BC OEL
	Further information: IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		STEL	75 ppm	CA BC OEL
	Further information: IARC '2B' applies to substances deemed possibly carcinogenic to humans.			
		TWA	35 ppm	CA ON OEL
		STEL	100 ppm	CA ON OEL
		TWAEV	50 ppm 213 mg/m3	CA QC OEL

R55244 EVENING STONE

Page 6

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

	Further information: Skin (percutaneous), Carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily applicable to humans.			
		STEV	100 ppm 426 mg/m3	CA QC OEL
	Further information: Skin (percutaneous), Carcinogenic effect detected in animals. Results of studies relating to the carcinogenicity of these substances in animals are not necessarily applicable to humans.			

Engineering measures : Use only in area provided with appropriate exhaust ventilation.
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

Hand protection
Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
When handling hot melts use suitable protective clothing.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules

Colour : grey

Odour : characteristic

Odour Threshold : Not applicable

R55244 EVENING STONE

Page 7

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

pH	:	Not applicable
Melting point	:	> 90 °C
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit	:	not tested.
Lower explosion limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant
Particle size	:	Product specific

SECTION 10. STABILITY AND REACTIVITY

R55244 EVENING STONE

Page 8

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials	:	no data available Strong acids and strong bases Strong oxidizing agents Strong acids and oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

None known.

Acute toxicity**Components:****Styrene:**

Acute oral toxicity	:	LD50 (Rat): 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 11.8 mg/l Exposure time: 4 h
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg

Iron(III)oxide:

Acute oral toxicity	:	LD50 (Rat, male): > 10,000 mg/kg Method: Other GLP: No information available.
Acute inhalation toxicity	:	LC0 (Rat, male): > 0.21 mg/l Exposure time: 14 d Method: OECD Test Guideline 412 GLP: yes

R55244 EVENING STONE

Page 9

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Acute dermal toxicity : Remarks: not reasonable

Acute toxicity (other routes of administration) : LD50 (Rat): 5,550 mg/kg
Application Route: Intraperitoneal injection

C.I. Pigment Black 7:

Acute oral toxicity : LD50 (Rat, male and female): > 8,000 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l
Exposure time: 4 h
Method: Other
GLP: No information available.

Acute dermal toxicity : Remarks: not reasonable

C.I. Pigment White 6:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403
GLP: no

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Not applicable

Skin corrosion/irritation**Product:**

Result: No skin irritation

Components:**Styrene:**

Result: Skin irritation

Iron(III)oxide:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

C.I. Pigment Black 7:

Species: Rabbit

R55244 EVENING STONE

Page 10

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Exposure time: 4 - 24 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

C.I. Pigment White 6:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Components:**Styrene:**

Result: Eye irritation

Iron(III)oxide:

Species: rabbit eye
Result: No eye irritation
Exposure time: 192 h
Method: OECD Test Guideline 405
GLP: yes

C.I. Pigment Black 7:

Species: rabbit eye
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: no

C.I. Pigment White 6:

Species: rabbit eye
Result: non-irritant
Method: OECD Test Guideline 405
GLP: No information available.

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

R55244 EVENING STONE

Page 11

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Components:**Styrene:**

Result: Does not cause skin sensitisation.

Iron(III)oxide:

Test Type: Maurer optimisation test

Exposure routes: Skin contact

Species: Guinea pig

Method: Other

Result: ambiguous

GLP: No information available.

C.I. Pigment Black 7:

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

GLP: yes

C.I. Pigment White 6:

Test Type: Mouse local lymphnode assay

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: non-sensitizing

GLP: No information available.

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

GLP: yes

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Does not cause respiratory sensitisation.

GLP: No information available.

Germ cell mutagenicity**Components:****Styrene:**

Genotoxicity in vitro : Remarks: no data available

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ

R55244 EVENING STONE

Page 12

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Assessment

cell mutagen.

Iron(III)oxide:

Genotoxicity in vitro

- : Test Type: Ames test
Species: Salmonella typhimurium
Concentration: 8 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.
Remarks: By analogy with a product of similar composition
- : Test Type: HGPRT assay
Species: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6 - 36 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition
- : Test Type: Chromosome aberration test in vitro
Species: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6,25 - 25 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo

- : Test Type: Micronucleus test
Species: Rat (male)
Strain: Sprague-Dawley
Application Route: oral (gavage)
Exposure time: 24 h
Dose: 3,75 mg/kg
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity -
Assessment

- : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

C.I. Pigment Black 7:

Genotoxicity in vitro

- : Test Type: Ames test
Species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

R55244 EVENING STONE

Page 13

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

- Genotoxicity in vivo : Test Type: Ames test
Species: Escherichia coli
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Genotoxicity in vivo : Result: ambiguous
- Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

C.I. Pigment White 6:

- Genotoxicity in vitro : Test Type: Ames test
Species: Salmonella typhimurium
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Genotoxicity in vivo : Test Type: Ames test
Species: Escherichia coli
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Erythrocytes
Application Route: oral (gavage)
Exposure time: single treatment
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes
- Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

Carcinogenicity**Components:****Styrene:**

- Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

R55244 EVENING STONE

Page 14

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Iron(III)oxide:

Species: Rat, (male and female)

Application Route: oral (gavage)

Exposure time: 798 d

Dose: 10 - 40 mg/kg

Group: yes

Frequency of Treatment: every other week

Method: Other

GLP: No information available.

Remarks: Based on available data, the classification criteria are not met.

Species: Rat, (male and female)

Application Route: Intraperitoneal injection

Exposure time: 790 - 914 d

Dose: 200 mg/kg

Group: yes

Frequency of Treatment: 3 injections; every 8 weeks

Method: Other

GLP: No information available.

Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity - : Carcinogenicity classification not possible from current data.
Assessment

C.I. Pigment Black 7:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

C.I. Pigment White 6:

Carcinogenicity - : Not classifiable as a human carcinogen.
Assessment

Reproductive toxicity**Components:****Styrene:**

Effects on fertility : Remarks: Based on available data, the classification criteria are not met.

Reproductive toxicity - : No reproductive toxicity to be expected.
Assessment Suspected of damaging the unborn child.

Iron(III)oxide:

Effects on fertility : Remarks: Not applicable

Effects on foetal : Remarks: Not applicable
development

Reproductive toxicity - : No reproductive toxicity to be expected.
Assessment No teratogenic effects to be expected.

R55244 EVENING STONE

Page 15

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

C.I. Pigment Black 7:

Effects on fertility : Remarks: The study is not necessary from a scientific perspective.

Effects on foetal development : Remarks: The study is not necessary from a scientific perspective.

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

C.I. Pigment White 6:

Effects on fertility : Remarks: The study is not necessary from a scientific perspective.

Effects on foetal development : Remarks: The study is not necessary from a scientific perspective.

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

STOT - single exposure**Components:****Styrene:**

Assessment: May cause respiratory irritation.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment Black 7:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure**Components:****Styrene:**

Assessment: Causes damage to organs through prolonged or repeated exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant,

R55244 EVENING STONE

Page 16

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

repeated exposure.

C.I. Pigment Black 7:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****Styrene:**

Remarks: This information is not available.

Iron(III)oxide:

Species: Rat, male

Application Route: oral (feed)

Exposure time: 21 d

Number of exposures: daily

Dose: 112,3 - 330,1 mg/100g diet

Group: yes

Method: Repeated Dose Toxicity (subacute study)

GLP: yes

Target Organs: Liver

Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male

Application Route: Inhalation

Exposure time: 2 w

Number of exposures: 6 hours/day, 5 days/week

Dose: 185,2- 195,7 - 210,2 mg/m³

Group: yes

Method: OECD Test Guideline 412

GLP: yes

Remarks: No adverse effect has been observed in chronic toxicity tests.

Application Route: Skin contact

Method: Repeated Dose Toxicity (subacute study)

Remarks: The study is not necessary from a scientific perspective.

C.I. Pigment Black 7:

Species: Rat, female

NOAEL: 52 mg/kg

Application Route: oral (feed)

Exposure time: 1 a - 2 a

Number of exposures: daily

Dose: 2,05 g/kg of chow diet

R55244 EVENING STONE

Page 17

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: No information available.
Remarks: The product is non-toxic.

Species: Rat, male
NOAEL: 0.0011 mg/l
LOAEL: 0.0071 mg/l
Application Route: Inhalation
Exposure time: 13 w
Number of exposures: 6 h per day; 5 d per week
Dose: 1,1 - 7,1 - 52,8 mg/m³
Group: yes
Method: OECD Test Guideline 413
GLP: No information available.

Species: Mouse, male and female
Application Route: Skin contact
Exposure time: 12-18 m
Number of exposures: 3 times per week
Dose: 20% carbon black suspensions
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no
Remarks: The product is non-toxic.

C.I. Pigment White 6:

Species: Rat, male
NOAEL: 24,000 mg/kg
Application Route: oral (gavage)
Exposure time: 29 d
Number of exposures: daily
Dose: 24000 mg/kg
Group: yes
Method: OECD Test Guideline 407
GLP: No information available.

Species: Rat, male and female
NOAEL: 0.01 mg/l
Application Route: Inhalation
Exposure time: 2 a
Number of exposures: 6 hours/day, 5 days/week
Dose: 0,0106 - 0,0507 - 0,250 mg/l
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no

Application Route: Skin contact
Remarks: The study is not necessary from a scientific perspective.

R55244 EVENING STONE

Page 18

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Aspiration toxicity**Components:****Styrene:**

May be fatal if swallowed and enters airways.

Iron(III)oxide:

No aspiration toxicity classification

C.I. Pigment Black 7:

No aspiration toxicity classification

C.I. Pigment White 6:

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Components:****C.I. Pigment White 6:**

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: no data available

Components:**Styrene:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 4.02 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 4.7 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 4.9
mg/l
Exposure time: 72 h

R55244 EVENING STONE

Page 19

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: no data available

Toxicity to microorganisms : EC50 (other bacteria): 500 mg/l
Exposure time: 0.5 h

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

Iron(III)oxide:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): approx. 100,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no data available
Method: Umweltbundesamt, 1984
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae : Exposure time:
Remarks: not reasonable

Toxicity to fish (Chronic toxicity) : Remarks: not reasonable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage):
> 10,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h

R55244 EVENING STONE

Page 20

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Test Type: aquatic
Method: ISO 8192

- Toxicity to soil dwelling organisms : Remarks: The study is not necessary from a scientific perspective.
- Plant toxicity : (other terrestrial plant): Remarks: The study is not necessary from a scientific perspective.
- Sediment toxicity : Remarks: The study is not necessary from a scientific perspective.
- Toxicity to terrestrial organisms : Remarks: The study is not necessary from a scientific perspective.

C.I. Pigment Black 7:

- Toxicity to fish : LC0 (Brachydanio rerio (zebrafish)): 1,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5,600 mg/l
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- NOEC (Daphnia magna (Water flea)): 3,200 mg/l
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to algae : EC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

R55244 EVENING STONE

Page 21

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

NOEC (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not reasonable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable

Toxicity to microorganisms : EC0 (activated sludge, domestic): > 400 mg/l
Exposure time: 3 h
Test Type: static test
Analytical monitoring: no
Method: DEV L 3
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.

Sediment toxicity : Remarks: Not applicable

C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test

R55244 EVENING STONE

Page 22

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Analytical monitoring: no data available
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no data available
Method: OECD Test Guideline 202
GLP: no data available
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Acartia tonsa*): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no data available
Method: ISO 14669 and PARCOM method
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: no data available
Method: ISO 10253
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l
Exposure time: 28 d
Test Type: static test
Analytical monitoring: yes
Method: Other
GLP: No information available.
Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: Not applicable

R55244 EVENING STONE

Page 23

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage):
> 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage): $\geq 1,000$ mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil
NOEC (*Folsomia candida*): 0,1 $\rightarrow \geq 10$ %
Exposure time: 28 d
End point: mortality
Method: ISO 11267
GLP: no
Remarks: By analogy with a product of similar composition
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity : NOEC (*Lactuca sativa* (lettuce)): ≥ 10 %
Exposure time: 20 h
End point: Growth
Analytical monitoring: yes
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition
No effect on the growth was observed.

Sediment toxicity : NOEC (*Hyalella azteca* (Scud)): ≥ 100000 %
Analytical monitoring: no
Sediment: artificial soil
Exposure duration: 28 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition

NOEC: ≥ 14989 mg/kg dry weight (d.w.)
Analytical monitoring: no data available
Sediment: Natural sediment

R55244 EVENING STONE

Page 24

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Exposure duration: 10 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: yes

Toxicity to terrestrial organisms : Remarks: Not applicable

Persistence and degradability**Components:****Styrene:**

Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 70.9 %
Exposure time: 28 d

Iron(III)oxide:

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical removability : Remarks: Inorganic product, cannot be eliminated from the water by biological purification processes.

C.I. Pigment Black 7:

Biodegradability : Remarks: Not applicable

C.I. Pigment White 6:

Biodegradability : Remarks: Not applicable for inorganic compound.

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not tested.

Components:**Styrene:**

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

Iron(III)oxide:

Bioaccumulation : Remarks: Not relevant for inorganic substances

C.I. Pigment Black 7:

Bioaccumulation : Remarks: Not applicable

C.I. Pigment White 6:

R55244 EVENING STONE

Page 25

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 20 - 200
Exposure time: 14 d
Concentration: 0.1 - 1 mg/l
Method: Other
GLP: No information available.
Remarks: Does not accumulate in organisms.

Mobility in soil**Product:**

Distribution among : Remarks: not tested.
environmental compartments

Components:**Styrene:**

Distribution among : Remarks: no data available
environmental compartments

Iron(III)oxide:

Mobility : Remarks: Known distribution to environmental compartments

Distribution among : Remarks: Not applicable
environmental compartments

C.I. Pigment Black 7:

Mobility : Remarks: Known distribution to environmental compartments

Distribution among : Adsorption/Soil
environmental compartments Medium: water - soil
Remarks: Not applicable

C.I. Pigment White 6:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among : Adsorption/Soil
environmental compartments Medium: water - soil
log Koc: 4.61
Method: Other

Other adverse effects**Product:**

Results of PBT and vPvB : Remarks: No information is available as no chemical safety
assessment report (CSR) is required.

Additional ecological : Do not allow to enter ground water, waterways or waste water.
information

R55244 EVENING STONE

Page 26

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Components:**Styrene:**

Environmental fate and pathways : no data available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

Iron(III)oxide:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment Black 7:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment White 6:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

R55244 EVENING STONE

Page 27

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

- Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

TDG	not restricted
IATA	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION

- NPRI Components** : Zinc compounds
Styrene

The components of this product are reported in the following inventories:

- DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -

R55244 EVENING STONE

Page 28

Substance key: 000000661491

Revision Date: 02/22/2017

Version : 1 - 0 / CDN

Date of printing :04/06/2017

Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 02/22/2017

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN