

PVC 8266 003.000% DWT8224 OAK

Page 1

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

SECTION 1. IDENTIFICATION

Identification of the Clariant Plastics & Coatings Canada Inc.

company: 2 Lone Oak Court

Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559

Information of the substance/preparation:

Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 800-424-9300 CHEMTREC, +1 (703)

527-3887 INTERNATIONAL

Trade name: PVC 8266 003.000% DWT8224 OAK

Material number: CV82755063

Chemical family: Colourant preparation

Carrier: PVC

Primary product use: Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation

Carrier: PVC

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Kaolin	1332-58-7	< 0.1
C.I. Pigment Black 7	1333-86-4	0.1 - 0.25
Zinndioctyl-bis(thioglykolsäureisooctylester)	26401-97-8	1 - 2.5
Calcium distearate	1592-23-0	3 - 5
C.I. Pigment White 6	13463-67-7	10 - 20



PVC 8266 003.000% DWT8224 OAK

Page 2

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact : Wash off immediately with plenty of water for at least 15

minutes.

In case of burns apply cold water until pain subsides then

seek medical advice.

Burns must be treated by a physician.

If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of

reground pellets is unlikely.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed : Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Get medical advice/ attention.

Most important symptoms

and effects, both acute and

delayed

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during : In case of fire hazardous decomposition products may be



PVC 8266 003.000% DWT8224 OAK

Page 3

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

firefighting produced such as:

Hydrogen chloride Carbon monoxide Carbon dioxide (CO2) Sulphur oxides Metal oxides

Further information : Combustible material

In the event of fire and/or explosion do not breathe fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not allow run-off from fire fighting to enter drains or water

courses.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for firefighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.

Avoid contact with skin, eyes and clothing.

Wash thoroughly after handling.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent product from entering drains.

Methods and materials for containment and cleaning up

Avoid dust formation.

Take measures to prevent the build up of electrostatic charge. Sweep up and shovel into suitable containers for disposal. Take up uncontaminated material and pass on for further

processing.

After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion

Advice on protection against : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling

Handle in accordance with good industrial hygiene and safety

practice.

Use only with adequate ventilation/personal protection.

For personal protection see section 8. Avoid contact with skin, eyes and clothing.

Use only with adequate ventilation.

When handling hot melts use suitable protective clothing. Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.



PVC 8266 003.000% DWT8224 OAK

Page 4

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.

Protect from moisture.

Keep away from direct sunlight.

Technical : Store in a cool, dry, well-ventilated area. Keep container

measures/Precautions sealed when not in use.

Keep in an area equipped with sprinklers. Minimize dust generation and accumulation.

Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Kaolin	1332-58-7	TWA (Respirable)	2 mg/m3	CA AB OEL
		TWA (Respirable)	2 mg/m3	CA BC OEL
		TWAEV (respirable dust)	5 mg/m3	CA QC OEL
		TWA (Respirable fraction)	2 mg/m3	ACGIH
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m3	CA AB OEL
		TWA (Inhalable)	3 mg/m3	CA BC OEL
		TWAEV	3.5 mg/m3	CA QC OEL
		TWA (Inhalable fraction)	3 mg/m3	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
Calcium distearate	1592-23-0	TWA	10 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
		TWA	10 mg/m3	ACGIH
Zinndioctyl- bis(thioglykolsäureisooctyleste	26401-97-8	TWA	0.1 mg/m3 (Tin)	CA AB OEL



PVC 8266 003.000% DWT8224 OAK

Page 5

Substance key: 000000648803	Revision Date: 06/06/2017
Version: 1 - 0 / CDN	Date of printing :06/06/2017

r)			
	STEL	0.2 mg/m3 (Tin)	CA AB OEL
	TWAEV	0.1 mg/m3 (Tin)	CA QC OEL
	STEV	0.2 mg/m3 (Tin)	CA QC OEL
	TWA	0.1 mg/m3 (Tin)	CA BC OEL
	STEL	0.2 mg/m3 (Tin)	CA BC OEL
	TWA	0.1 mg/m3 (Tin)	CA ON OEL
	TWA	0.1 mg/m3 (Tin)	ACGIH
	STEL	0.2 mg/m3 (Tin)	ACGIH

Engineering measures: Use only in area provided with appropriate exhaust

ventilation.

Provide appropriate exhaust ventilation at machinery and at

places where dust can be generated.

Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.

Use respiratory protective equipment when using this product

at elevated temperatures (see section 8).

Hand protection

Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC

Neoprene gloves When handling hot material, use heat

resistant gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

When handling hot melts use suitable protective clothing.

Hygiene measures : The usual Industrial Hygiene precautions must be taken

during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during

work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules



PVC 8266 003.000% DWT8224 OAK

Page 6

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Colour : brown

Odour : characteristic

Odour Threshold : Not applicable

pH : Not applicable

Melting point : > 70 °C

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Self-ignition : Not applicable

Upper explosion limit : not tested.

Lower explosion limit : not tested.

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : not available

Density : not tested.

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

This property is not applicable for mixtures.

Decomposition temperature : > 200 °C

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : no data available

no data available

Oxidizing properties : not available

Surface tension : Not relevant



PVC 8266 003.000% DWT8224 OAK

Page 7

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Particle size : Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous

reactions

Lithium

Conditions to avoid : To avoid thermal decomposition, do not overheat.

Heating can release hazardous gases.

Keep away from heat, sparks, open flames, and other sources

of ignition.

If small particles are generated during further processing, handling or by other means, may form combustible dust

concentrations in air.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Incompatible materials : Strong oxidizing agents

Strong acids and oxidizing agents Strong acids and strong bases

Hazardous decomposition

products

No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

None known.

Acute toxicity

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Kaolin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

C.I. Pigment Black 7:

Acute oral toxicity : LD50 (Rat, male and female): > 8,000 mg/kg

Method: OECD Test Guideline 401

GLP: no

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l



PVC 8266 003.000% DWT8224 OAK

Page 8

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Exposure time: 4 h Method: Other

GLP: No information available.

Acute dermal toxicity : Remarks: not required

Calcium distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

Method: OECD Test Guideline 423

GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l

Exposure time: 4 h

Method: OECD Test Guideline 403

GLP: yes

Remarks: By analogy with a product of similar composition

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

GLP: yes

Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg

Method: OECD Test Guideline 425

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l

Exposure time: 4 h

Method: OECD Test Guideline 403

GLP: no

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Not applicable

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

Kaolin:

Result: No skin irritation

C.I. Pigment Black 7:

Species: Rabbit

Exposure time: 4 - 24 h

Method: OECD Test Guideline 404



PVC 8266 003.000% DWT8224 OAK

Page 9

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Result: No skin irritation

GLP: no

Calcium distearate:

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Species: Rabbit Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: no

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Components:

Kaolin:

Result: Product dust may be irritating to eyes, skin and respiratory system.

C.I. Pigment Black 7:

Species: rabbit eye Result: No eye irritation

Method: OECD Test Guideline 405

GLP: no

Calcium distearate:

Species: rabbit eye Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Species: rabbit eye Result: non-irritant

Method: OECD Test Guideline 405 GLP: No information available.



PVC 8266 003.000% DWT8224 OAK

Page 10

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Components:

C.I. Pigment Black 7:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

GLP: yes

Calcium distearate:

Test Type: Mouse local lymphnode assay

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429 Result: Does not cause skin sensitisation.

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Respiratory system Exposure routes: Inhalation

Remarks: This information is not available.

C.I. Pigment White 6:

Test Type: Mouse local lymphnode assay

Exposure routes: Skin contact

Species: Mouse

Method: OECD Test Guideline 429

Result: non-sensitizing

GLP: No information available.

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

GLP: yes

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse Method: Other

Result: Does not cause respiratory sensitisation.

GLP: No information available.



PVC 8266 003.000% DWT8224 OAK

Page 11

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Germ cell mutagenicity

Components:

C.I. Pigment Black 7:

Genotoxicity in vitro : Test Type: Ames test

Species: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

: Test Type: Ames test Species: Escherichia coli

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Genotoxicity in vivo : Result: ambiguous

Germ cell mutagenicity -

Assessment

Weight of evidence does not support classification as a germ

cell mutagen.

Calcium distearate:

Genotoxicity in vitro : Test Type: Ames test

Species: Salmonella typhimurium Method: OECD Test Guideline 471

Result: negative

GLP: yes

: Test Type: In vitro gene mutation study in mammalian cells

Species: mouse lymphoma cells Method: OECD Test Guideline 476

Result: negative GLP: yes

Remarks: By analogy with a product of similar composition

: Test Type: Cytogenetic assay

Species: V79 cells (embryonic lung fibroblasts) of the Chinese

hamster

Method: OECD Test Guideline 473

Result: negative GLP: yes

Remarks: By analogy with a product of similar composition

Germ cell mutagenicity -

Assessment

It is concluded that the product is not mutagenic based on

evaluation of several mutagenicity tests.

C.I. Pigment White 6:

Genotoxicity in vitro : Test Type: Ames test

Species: Salmonella typhimurium Concentration: 333 - 5000 µg/plate



PVC 8266 003.000% DWT8224 OAK

Page 12

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Test Type: Ames test Species: Escherichia coli

Concentration: 333 - 5000 µg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse (male and female)

Strain: ICR

Cell type: Erythrocytes

Application Route: oral (gavage) Exposure time: single treatment Dose: 500 - 1000 - 2000 mg/kg Method: OECD Test Guideline 474

Result: negative

GLP: yes

Germ cell mutagenicity -

Assessment

It is concluded that the product is not mutagenic based on

evaluation of several mutagenicity tests.

Carcinogenicity

Components:

C.I. Pigment Black 7:

Carcinogenicity - Assessment

: Not classifiable as a human carcinogen.

Calcium distearate:

Carcinogenicity - Assessment

Not classifiable as a human carcinogen.

C.I. Pigment White 6:

Carcinogenicity - Assessment

: Not classifiable as a human carcinogen.

Reproductive toxicity

Components:

C.I. Pigment Black 7:

Effects on fertility : Remarks: The study is not necessary from a scientific

perspective.

Effects on foetal : Remarks: The study is not necessary from a scientific



PVC 8266 003.000% DWT8224 OAK

Page 13

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

development perspective.

Reproductive toxicity -

Assessment

No reproductive toxicity to be expected. No teratogenic effects to be expected.

Calcium distearate:

Effects on fertility : Species: Rat

Application Route: Oral

General Toxicity - Parent: NOAEL: > 1,000 mg/kg body weight General Toxicity F1: NOAEL: > 1,000 mg/kg body weight

Method: OECD Test Guideline 421

GLP: yes

Effects on foetal

development

Species: Rat

Application Route: Oral

Teratogenicity: NOAEL: > 1,000 mg/kg body weight

Method: OECD Test Guideline 414

GLP: yes

Remarks: By analogy with a product of similar composition

Reproductive toxicity -

Assessment

No reproductive toxicity to be expected. No teratogenic effects to be expected.

C.I. Pigment White 6:

Effects on fertility : Remarks: The study is not necessary from a scientific

perspective.

Effects on foetal development

Remarks: The study is not necessary from a scientific perspective.

Reproductive toxicity -

Assessment

No reproductive toxicity to be expected. No teratogenic effects to be expected.

STOT - single exposure

Components:

C.I. Pigment Black 7:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.



PVC 8266 003.000% DWT8224 OAK

Page 14

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

STOT - repeated exposure

Components:

C.I. Pigment Black 7:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

C.I. Pigment Black 7:

Species: Rat, female NOAEL: 52 mg/kg

Application Route: oral (feed) Exposure time: 1 a - 2 a Number of exposures: daily Dose: 2,05 g/kg of chow diet

Group: yes

Method: Repeated Dose Toxicity (chronic Toxicity)

GLP: No information available. Remarks: The product is non-toxic.

Species: Rat, male NOAEL: 0.0011 mg/l LOAEL: 0.0071 mg/l

Application Route: Inhalation

Exposure time: 13 w

Number of exposures: 6 h per day; 5 d per week

Dose: 1,1 - 7,1 - 52,8 mg/m3

Group: yes

Method: OECD Test Guideline 413 GLP: No information available.

Species: Mouse, male and female Application Route: Skin contact Exposure time: 12-18 m

Number of exposures: 3 times per week Dose: 20% carbon black suspensions

Group: yes

Method: Repeated Dose Toxicity (chronic Toxicity)

GLP: no

Remarks: The product is non-toxic.



PVC 8266 003.000% DWT8224 OAK

Page 15

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Calcium distearate:

Species: Rat

NOAEL: > 2,000 mg/kg Application Route: Oral

Method: OECD Test Guideline 407

GLP: yes

C.I. Pigment White 6:

Species: Rat, male NOAEL: 24,000 mg/kg

Application Route: oral (gavage)

Exposure time: 29 d Number of exposures: daily

Dose: 24000 mg/kg

Group: yes

Method: OECD Test Guideline 407 GLP: No information available.

Species: Rat, male and female

NOAEL: 0.01 mg/l

Application Route: Inhalation

Exposure time: 2 a

Number of exposures: 6 hours/day, 5 days/week

Dose: 0,0106 - 0,0507 - 0,250 mg/l

Group: yes

Method: Repeated Dose Toxicity (chronic Toxicity)

GLP: no

Application Route: Skin contact

Remarks: The study is not necessary from a scientific perspective.

Aspiration toxicity

Components:

C.I. Pigment Black 7:

No aspiration toxicity classification

Calcium distearate:

No aspiration toxicity classification

C.I. Pigment White 6:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).



PVC 8266 003.000% DWT8224 OAK

Page 16

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Further information

Components:

C.I. Pigment White 6:

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: no data available

Components:

Kaolin:

Toxicity to fish : Remarks: no data available

Toxicity to daphnia and other :

aquatic invertebrates

Remarks: no data available

Toxicity to microorganisms : Remarks: no data available

Sediment toxicity : Remarks: Not applicable

C.I. Pigment Black 7:

Toxicity to fish : LC0 (Brachydanio rerio (zebrafish)): 1,000 mg/l

Exposure time: 96 h Test Type: semi-static test Analytical monitoring: no

Method: OECD Test Guideline 203

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5,600 mg/l

Exposure time: 24 h
Test Type: static test
Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

NOEC (Daphnia magna (Water flea)): 3,200 mg/l

Exposure time: 24 h
Test Type: static test
Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: yes



PVC 8266 003.000% DWT8224 OAK

Page 17

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 10,000

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

NOEC (Desmodesmus subspicatus (green algae)): > 10,000

mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to fish (Chronic

toxicity)

Remarks: not reasonable

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

Remarks: not reasonable

Toxicity to microorganisms : EC0 (activated sludge, domestic): > 400 mg/l

Exposure time: 3 h Test Type: static test Analytical monitoring: no

Method: DEV L 3

GLP: no

Remarks: The details of the toxic effect relate to the nominal

concentration.

Sediment toxicity : Remarks: Not applicable

Calcium distearate:

Toxicity to fish : LC50 (Orycias latipes): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test



PVC 8266 003.000% DWT8224 OAK

Page 18

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

ma/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic

toxicity)

Remarks: not required

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.22 mg/l

Exposure time: 21 d Test Type: semi-static test

Method: OECD Test Guideline 211

GLP: yes

Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: By analogy with a product of similar composition

Toxicity to soil dwelling

organisms

Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: no data available

Toxicity to terrestrial

organisms

Remarks: Not applicable

C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l

Exposure time: 96 h Test Type: static test Analytical monitoring: no

Method: EPA GLP: ves

Remarks: The details of the toxic effect relate to the nominal

concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l

Exposure time: 96 h Test Type: static test Analytical monitoring: no

Method: OECD Test Guideline 203



PVC 8266 003.000% DWT8224 OAK

Page 19

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal

concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): >

10.000 ma/l

Exposure time: 96 h
Test Type: semi-static test

Analytical monitoring: no data available Method: OECD Test Guideline 203

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to daphnia and other : aquatic invertebrates

LC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h Test Type: static test

Analytical monitoring: no data available Method: OECD Test Guideline 202

GLP: no data available

Remarks: The details of the toxic effect relate to the nominal

concentration.

LC50 (Acartia tonsa): > 10,000 mg/l

Exposure time: 48 h

Analytical monitoring: no data available Method: ISO 14669 and PARCOM method

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to algae

EC50 (Pseudokirchneriella subcapitata (microalgae)): 61 mg/l

End point: Growth rate Exposure time: 72 h Test Type: static test Analytical monitoring: no

Method: EPA

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal

concentration.

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

End point: Growth rate Exposure time: 72 h

Analytical monitoring: no data available

Method: ISO 10253

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to fish (Chronic

toxicity)

LC50 (Oncorhynchus mykiss (rainbow trout)): 7.31 mg/l

Exposure time: 28 d Test Type: static test



PVC 8266 003.000% DWT8224 OAK

Page 20

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Analytical monitoring: yes

Method: Other

GLP: No information available.

Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

Remarks: Not applicable

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage):

> 1,000 mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

NOEC (activated sludge of a predominantly domestic

sewage): >= 1,000 mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal

concentration.

Toxicity to soil dwelling

organisms

Test Type: artificial soil

NOEC (Folsomia candida): 0,1 ->= 10 %

Exposure time: 28 d End point: mortality Method: ISO 11267

GLP: no

Remarks: By analogy with a product of similar composition This product does not have any known adverse effect on the

soil organisms tested.

Plant toxicity : NOEC (Lactuca sativa (lettuce)): >= 10 %

Exposure time: 20 h
End point: Growth
Analytical monitoring: yes

Method: Other GLP: no

Remarks: By analogy with a product of similar composition

No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalella azteca (Scud)): >= 100000 %

Analytical monitoring: no Sediment: artificial soil Exposure duration: 28 d Nominal / Measured: nominal



PVC 8266 003.000% DWT8224 OAK

Page 21

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Basis for effect: mortality

Method: Other GLP: no

Remarks: By analogy with a product of similar composition

NOEC: >= 14989 mg/kg dry weight (d.w.) Analytical monitoring: no data available

Sediment: Natural sediment Exposure duration: 10 d Nominal / Measured: nominal Basis for effect: mortality

Method: Other GLP: yes

Toxicity to terrestrial

organisms

Remarks: Not applicable

Persistence and degradability

Components:

Kaolin:

Biodegradability : Remarks: The methods for determining biodegradability are

not applicable to inorganic substances.

C.I. Pigment Black 7:

Biodegradability : Remarks: Not applicable

Calcium distearate:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 93 %

Method: OECD Test Guideline 301C

Result: Readily biodegradable.

Biodegradation: 99 %

Method: OECD Test Guideline 301B

C.I. Pigment White 6:

Biodegradability : Remarks: Not applicable for inorganic compound.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Components:

Kaolin:

Bioaccumulation : Remarks: Not applicable



PVC 8266 003.000% DWT8224 OAK

Page 22

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

C.I. Pigment Black 7:

Bioaccumulation : Remarks: Not applicable

Calcium distearate:

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not

expected

C.I. Pigment White 6:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 20 - 200

Exposure time: 14 d Concentration: 0.1 - 1 mg/l

Method: Other

GLP: No information available.

Remarks: Does not accumulate in organisms.

Mobility in soil

Product:

Distribution among : Remarks: not tested.

environmental compartments

Components:

Kaolin:

Distribution among : Remarks: Not applicable

environmental compartments

C.I. Pigment Black 7:

Mobility : Remarks: Known distribution to environmental compartments

Distribution among : environmental compartments

Adsorption/Soil Medium: water - soil Remarks: Not applicable

C.I. Pigment White 6:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments

Adsorption/Soil Medium: water - soil log Koc: 4.61

log Koc: 4.61 Method: Other

Other adverse effects

Product:

Results of PBT and vPvB

assessment

Remarks: No information is available as no chemical safety

report (CSR) is required.



PVC 8266 003.000% DWT8224 OAK

Page 23

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Additional ecological

information

Do not allow to enter ground water, waterways or waste water.

Components:

Kaolin:

Results of PBT and vPvB

assessment

Remarks: Not applicable

Additional ecological

information

no data available

C.I. Pigment Black 7:

Environmental fate and

pathways

not available

Results of PBT and vPvB

assessment

The substance is not identified as a PBT or as a vPvB

substance.

Additional ecological

information

Do not allow to enter ground water, waterways or waste water.

Calcium distearate:

Results of PBT and vPvB

assessment

The substance is not identified as a PBT or as a vPvB

substance.

Additional ecological

information

Do not allow to enter ground water, waterways or waste water.

C.I. Pigment White 6:

Environmental fate and

pathways

: not available

Results of PBT and vPvB

assessment

The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of

Regulation (EC) 1907/2006.

Additional ecological

information

Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of this product in accordance with all applicable local,

state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging

materials must be observed.



PVC 8266 003.000% DWT8224 OAK

Page 24

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

SECTION 14. TRANSPORT INFORMATION

TDG not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Zinc compounds

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 -Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch -Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS -Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic



PVC 8266 003.000% DWT8224 OAK

Page 25

 Substance key: 000000648803
 Revision Date: 06/06/2017

 Version: 1 - 0 / CDN
 Date of printing: 06/06/2017

Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 06/06/2017

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN