

SMARTBATCH-WHITE SB02800097-ZN

Page 1

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

SECTION 1. IDENTIFICATION

Identification of the Avient Colorants Canada Inc.

company: 2 Lone Oak Court

Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559

Information of the substance/preparation:

Product Stewardship

e-mail: SDS.NORAMMB@avient.com

Emergency tel. number: +1 CANUTEC (613) 996-6666

Trade name: SMARTBATCH-WHITE SB02800097-ZN

Material number: SB02800097

Chemical family: Colourant and additive preparation

Class of additive: Light stabilizer

Carrier: ABS

Primary product use: Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant and additive preparation

Class of additive: Light stabilizer

Carrier: ABS

Components

•	Common Name/Synonym	CAS-No.	Concentration (% w/w)
•	Amorphous silicon dioxide	7631-86-9	0.1 - 1
Propylidynetrimethanol	Propylidynetrim ethanol	77-99-6	0.1 - 1



SMARTBATCH-WHITE SB02800097-ZN

Page 2

Substance key: 000001013125	Revision Date: 03/05/2025
Version: 1 - 0 / CDN	Date of printing :03/07/2025

Limestone	Limestone	1317-65-3	0.1 - 1
Aluminium hydroxide	Aluminium hydroxide	21645-51-2	1 - 5
C.I. Pigment White 6	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	30 - 60

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled Move the victim to fresh air.

Give oxygen or artificial respiration if needed. Get immediate medical advice/ attention.

Never give anything by mouth to an unconscious person.

In case of skin contact Wash off immediately with plenty of water for at least 15

In case of burns apply cold water until pain subsides then

seek medical advice.

Burns must be treated by a physician.

If molten polymer contacts the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of

reground pellets is unlikely.

In case of eye contact Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes.

Get medical attention immediately if irritation develops and

persists.

If swallowed Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

Get medical advice/ attention.

Most important symptoms and effects, both acute and

delayed

May cause cancer by inhalation.

May cause damage to organs through prolonged or repeated

exposure.

The possible symptoms known are those derived from the

labelling (see section 2).

No additional symptoms are known.



SMARTBATCH-WHITE SB02800097-ZN

Page 3

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray

Foam

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

In case of fire hazardous decomposition products may be

produced such as:

Styrene

Hydrogen cyanide (hydrocyanic acid)

Acrylonitrile Carbon monoxide Carbon dioxide (CO2)

Metal oxides

Carbon monoxide and carbon dioxide

Take measures to prevent the build up of electrostatic charge.

Dust can form an explosive mixture in air.

Sulphur dioxide

Further information : Combustible material

In the event of fire and/or explosion do not breathe fumes. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Do not allow run-off from fire fighting to enter drains or water

courses.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures Refer to protective measures listed in sections 7 and 8.

Avoid contact with skin, eyes and clothing.

Wash thoroughly after handling.

Environmental precautions : Do not allow contact with soil, surface or ground water.

Prevent product from entering drains.

Methods and materials for : Avoid dust formation.



SMARTBATCH-WHITE SB02800097-ZN

Page 4

Substance key: 000001013125 Revision Date: 03/05/2025 Version: 1-0/CDN Date of printing :03/07/2025

containment and cleaning up Take measures to prevent the build up of electrostatic charge.

> Sweep up and shovel into suitable containers for disposal. Take up uncontaminated material and pass on for further

processing.

After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

fire and explosion

Advice on protection against : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling Handle in accordance with good industrial hygiene and safety

practice.

Use only with adequate ventilation/personal protection.

For personal protection see section 8. Avoid contact with skin, eyes and clothing.

Use only with adequate ventilation.

When handling hot melts use suitable protective clothing. Avoid dust formation. Keep away from sources of ignition.

Lead off electrostatic charges.

Keep container tightly closed in a cool, well-ventilated place. Conditions for safe storage

Protect from moisture.

Keep away from direct sunlight.

Further information on

storage conditions

Store in a cool, dry, well-ventilated area. Keep container

sealed when not in use.

Keep in an area equipped with sprinklers. Minimize dust generation and accumulation.

Materials to avoid not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA	10 mg/m3	ACGIH



SMARTBATCH-WHITE SB02800097-ZN

Page 5

Substance key: 000001013125	Revision Date: 03/05/2025
Version: 1 - 0 / CDN	Date of printing :03/07/2025

			(Titanium dioxide)	
Aluminium hydroxide	21645-51-2	TWAEV	10 mg/m3	CA QC OEL
		(total dust)		
		TWA	1 mg/m3	CA BC OEL
		(Respirable)	(Aluminium)	
		TWA	1 mg/m3	ACGIH
		(Respirable	(Aluminium)	
		particulate		
		matter)		
Amorphous silicon dioxide	7631-86-9	TWA	0.025 mg/m3	CA AB OEL
		(Respirable	(Silica)	
		particulates)		
		TWAEV	6 mg/m3	CA QC OEL
		(respirable		
		dust)		
Limestone	1317-65-3	TWA	10 mg/m3	CA AB OEL
		TWAEV	10 mg/m3	CA QC OEL
		(total dust)		
		TWA (Total	10 mg/m3	CA BC OEL
		dust)		
		TWA	3 mg/m3	CA BC OEL
		(respirable		
		dust fraction)		
		STEL	20 mg/m3	CA BC OEL

Engineering measures

Use only in area provided with appropriate exhaust

ventilation.

Provide appropriate exhaust ventilation at machinery and at

places where dust can be generated.

Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following

manufacturer's recommendations where dust or fume may be

generated.

Use respiratory protective equipment when using this product

at elevated temperatures (see section 8).

Hand protection

Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC

Neoprene gloves When handling hot material, use heat

resistant gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves,

to prevent skin contact.

When handling hot melts use suitable protective clothing.

Hygiene measures : The usual Industrial Hygiene precautions must be taken



SMARTBATCH-WHITE SB02800097-ZN

Page 6

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Granules

Colour : white

Odour : characteristic

Odour Threshold : Not applicable

pH : Not applicable

Melting point : > 90 °C

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Self-ignition : Not applicable

Upper explosion limit / upper

flammability limit

not tested.

Lower explosion limit / Lower

flammability limit

not tested.

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Relative density : not available

Density : not tested.

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

This property is not applicable for mixtures.



SMARTBATCH-WHITE SB02800097-ZN

Page 7

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

Decomposition temperature : To the best of our current knowledge, no thermal

decomposition of the product is expected if it is processed

according to good manufacturing practices. See section 10.4. "Conditions to avoid"

Viscosity

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Explosive properties : no data available

no data available

Oxidizing properties : not available

Surface tension : Not relevant

Particle size : Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : To avoid thermal decomposition, do not overheat.

Heating can release hazardous gases.

Keep away from heat, sparks, open flames, and other sources

of ignition.

If small particles are generated during further processing, handling or by other means, may form combustible dust

concentrations in air.

Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Incompatible materials : Strong acids and oxidizing agents

Strong acids and strong bases

Strong acids

Strong oxidizing agents

Hazardous decomposition

products

No decomposition if used as directed.



SMARTBATCH-WHITE SB02800097-ZN

Page 8

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

None known.

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

Components:

Propylidynetrimethanol:

Acute oral toxicity : LD50 (Rat, male): 14,700 mg/kg

Method: Other

Acute dermal toxicity : LD50 (Rabbit): > 10,000 mg/kg

Method: Other

Skin corrosion/irritation

Not classified due to lack of data.

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Result: non-sensitizing

Germ cell mutagenicity

Not classified due to lack of data.



SMARTBATCH-WHITE SB02800097-ZN

Page 9

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Not classified due to lack of data.

Components:

Propylidynetrimethanol:

Reproductive toxicity -

Assessment

Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of

adverse effects on development, based on animal

experiments.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

May cause damage to organs (Bone, Lungs) through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the

labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish

Remarks: no data available

Components:

Propylidynetrimethanol:

Toxicity to fish : LC50 (Alburnus alburnus (Bleak)): > 1,000 mg/l

Exposure time: 96 h Test Type: static test Method: Other

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 13,000 mg/l

Exposure time: 48 h Test Type: static test Method: Other

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): >

1,000 mg/l



SMARTBATCH-WHITE SB02800097-ZN

Page 10

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

Exposure time: 72 h Method: Other

Toxicity to fish (Chronic

toxicity)

Remarks: not required

Toxicity to daphnia and other :

aquatic invertebrates (Chronic toxicity)

NOEC (Daphnia magna (Water flea)): > 1,000 mg/l

Exposure time: 21 d Test Type: static test Method: Other

C.I. Pigment White 6:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Persistence and degradability

no data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Components:

C.I. Pigment White 6:

Partition coefficient: n-

octanol/water

Remarks: inorganic

Mobility in soil

Product:

Distribution among

environmental compartments

Remarks: not tested.

Other adverse effects

Product:

Results of PBT and vPvB

assessment

Remarks: No information is available as no chemical safety

report (CSR) is required.

Additional ecological

information

: Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of this product in accordance with all applicable local,



SMARTBATCH-WHITE SB02800097-ZN

Page 11

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging

materials must be observed.

SECTION 14. TRANSPORT INFORMATION

SECTION 15. REGULATORY INFORMATION

NPRI Components : Chromium (III) compound

Copper Compound

Styrene

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table

2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA QC OEL : Québec. Regulation respecting occupational health and

safety, Schedule 1, Part 1: Permissible exposure values for

airborne contaminants

ACGIH / TWA : 8-hour, time-weighted average
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA BC OEL / STEL : short-term exposure limit

CA QC OEL / TWAEV : Time-weighted average exposure value

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing



SMARTBATCH-WHITE SB02800097-ZN

Page 12

 Substance key: 000001013125
 Revision Date: 03/05/2025

 Version: 1 - 0 / CDN
 Date of printing: 03/07/2025

Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations: UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 03/05/2025 Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN