# PENN COLOR A WORLD OF COLOR

## MATERIAL SAFETY DATA SHEET

in accordance with ANSI Z400.1-2004

## SECTION 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Id:

63B1993

**Product Name:** 

7467SW CHARCOAL ABS DISP

CAS Number:

Mixture

Application:

FOR INDUSTRIAL USE ONLY!

Supplied By:

Penn Color, Inc. 400 Old Dublin Pike Doylestown, PA 18901

Telephone:

215-997-2221

Facsimilie:

215-822-5801

24 Hour Emergency

Telephone:

Chemtrec: 1-800-424-9300

E-Mail:

msds@penncolor.com

Prepared By:

Regulatory Affairs

#### **SECTION 2. HAZARDS IDENTIFICATION**

Eye Contact:

May cause irritation.

Ingestion:

May be harmful if swallowed.

Inhalation:

May be irritating to the respiratory system.

Skin Contact:

May cause irritation.

## SECTION 3. INFORMATION ON HAZARDOUS INGREDIENTS

#### **Hazardous Components:**

Component:	CAS #:	Weight %:
Styrene	100-42-5	0.1 to < 0.3
Titanium Dioxide	13463-67-7	3 to < 5
Carbon Black	1333-86-4	5 to <10

#### Note:

For more information regarding the hazards of carbon black, please see Section 11.

Product Id: 63B1993 Page 1/10

#### SECTION 4. FIRST AID MEASURES

Eye Contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a physician.

Ingestion

Do not induce vomiting. Never give anything by mouth to an unconscious person.

Consult a physician.

Inhalation:

Remove to fresh air. Consult a physician.

Skin Contact:

Wash affected area.

**Aggravated Conditions:** 

No data available.

## SECTION 5. FIRE FIGHTING MEASURES

Flash Point Method:

Not applicable.

Suitable Extinguishing Media:

Use dry chemical, CO2, water spray or "alcohol" foam.

Specific Hazards:

Keep away from heat and sources of ignition.

**Special Protective Equipment for Firefighters:** 

Wear self-contained breathing apparatus and protective suit.

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:

Follow your internal emergency response plan.

**Environmental Precautions:** 

Follow your internal emergency response plan.

Procedure for Cleaning/Absorption:

Follow your internal emergency response plan.

## SECTION 7. HANDLING AND STORAGE

Handling: Storage: Handle in accordance with good industrial hygiene and safety practice.

Keep in a dry, cool and well-ventilated place.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Information:

Component:	CAS #:	Weight %:	OSHA PEL:	OSHA STEL:	ACGIH TLV:	ACGIH STEL:
Styrene	100-42-5	0.1 to < 0.3	100 ppm TWA	100 ppm 425 mg/m <sup>3</sup>	20 ррт	40 ppm
Titanium Dioxide	13463-67-7	3 to < 5	15 mg/m <sup>3</sup> TWA		10 mg/m <sup>3</sup>	
Carbon Black	1333-86-4	5 to <10	3.5 mg/m <sup>3</sup> TWA		3 mg/m³	

#### Note:

For more information regarding the hazards of carbon black, please see Section 11.

**Engineering Controls:** 

Use only in area provided with appropriate exhaust ventilation.

Respiratory Protection:

In case of insufficient ventilation, wear NIOSH-Approved respiratory equipment.

Gloves Protection:

Wear appropriate protective gloves.

Eyes Protection:

Wear appropriate eye protection.

Product Id: 63B1993

Page 2/10

Skin and Body Protection:

Body protection as necessary to prevent skin contact.

Hygiene Measures:

Handle in accordance with good industrial hygiene and safety practice.

#### HMIS Classification:

1 HEALTH: 1 FLAMMABILITY: 0 REACTIVITY:

PERSONAL PROTECTION:

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

 $\mathbf{X}$ 

Black Color: Solid Physical State:

No data available. pH: No data available. Solubility: No data available. Solubility in Other Solvents: No data available. Partition coefficient (n-octanol/water)

No data available. Bulk Density (g/cc): Not applicable. Specific Gravity:

Not applicable. Boiling Point (° C): Not applicable Freezing Point (° C):

Not applicable. Vapor Pressure: Not applicable. Vapor Density: Not applicable. Evaporation Rate: 0.15

VOC Content (%):

No data available. Flammability (solid, gas): Not applicable. Flash Point Method:

No data available. Oxidising properties

No data available. **Explosive** properties

#### SECTION 10. STABILITY AND REACTIVITY

Stable under recommended storage conditions. Stability:

Will not occur. Polymerization:

Direct heating, dirt, chemical contamination, sunlight, UV or ionizing radiation, Conditions to Avoid:

freezing temperatures.

No data available. Materials to Avoid:

Thermal decomposition and burning may produce carbon monoxide. carbon dioxide, **Hazardous Decomposition** 

nitrogen oxides, and other toxic compounds.

Product Id: 63B1993

Products:

Page 3/10

## SECTION 11. TOXICOLOGICAL INFORMATION

#### **Product Information:**

This product has not undergone any toxicological studies.

Component Information:

Component:	Dose / Concentration:	Exposure Route:	Test Species:	Target Organs:	GHS Classification:
Styrene		Oral LD50	and a second contract of the second contract	eyes CNS skin respiratory system liver reproductiv e system	
Titanium Dioxide				respiratory system	
Carbon Black				eyes respiratory system	

#### Other Information:

Other:

- This product has not been reviewed for carcinogenicity by IARC, NTP or OSHA. However, it contains styrene which is considered hazardous. There is sufficient evidence that styrene oxide, a possible metabolite of styrene is carcinogenic. However, IARC determined that there was insufficient evidence for the carcinogenicity of styrene in humans and that only limited evidence for the carcinogenicity of styrene in experimental animals.. IARC has classified styrene as possibly carcinogenic to humans (Group 2B).
- This product has not been reviewed for carcinogenicity by IARC, NTP, OSHA or ACGIH. It contains titanium dioxide which is not listed as a carcinogen by NTP, OSHA, or ACGIH. However, in 2006, IARC released Monograph Vol. 93 in which it reclassified titanium dioxide from not classifiable as to its carcinogenicity to humans (Group 3) to possibly carcinogenic to humans (Group 2B). The reclassification was based on two studies in which rats were exposed to extremely high concentrations of titanium dioxide pigment powders in a closed chamber for extended periods of time.
- It is important to note that the results of epidemiology studies which evaluated more than 20,000 titanium dioxide industry workers in Europe and the US did NOT suggest a carcinogenic effect from titanium dioxide dust on the human lung or mortality from other chronic diseases including respiratory diseases not associated with titanium dioxide dust. Based upon the results of these studies, the pigment manufacturer(s) conclude that TiO2 will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace. For additional information, see Section 15.
- This product has not been reviewed for carcinogenicity by IARC, NTP or OSHA. It contains carbon black, which is considered hazardous, and for which exposure limits have been established. IARC classifies carbon black as a category 28 carcinogen (known animal carcinogen, possible human carcinogen) based on inhalation studies with animals. At this time neither NTP nor OSHA has classified carbon black as a carcinogen. All of the hazards attributed to carbon black relate to inhalation of respirable size particles when it is in its powdered form. Our products, in the form provided (liquid, paste, or pellets), do not contain carbon black in a powder form, and it is not expected that carbon black particles of respirable size would be generated during normal use of this product. For additional information, see Section 15.

#### SECTION 12. ECOLOGICAL INFORMATION

#### **Product Information:**

#### **Ecotoxicological Information:**

This product has not undergone any ecotoxicological studies.

#### **Chemical Fate Information:**

This product has not undergone any chemical fate studies.

Product Id: 63B1993 Page 5/10

## SECTION 12. ECOLOGICAL INFORMATION

No ecological data is available for components of this product.

SE	CT	16	1	] 1	3	5	P		S	A	1			1	5	) 🗔	R	Α	Т	I	()	1	•	•
. 7	A. I	ич.	יוי	ŧi	l . 7 .	 ヒレノ	1	√./	'	. 3		•	◡.	, 7	L .	 , r		L.A. B.	Д.		v		1 -	v

Waste Disposal:

Dispose of in accordance with all federal, state, and local regulations.

EEC Waste Code:

Not determined.

Origin:

Not determined.

## SECTION 14. TRANSPORT INFORMATION

USDOT:

Status:

Not regulated.

ICAO / JATA:

Status:

Not regulated.

IMO:

Status:

Not regulated.

## SECTION 15. REGULATORY INFORMATION

#### International Regulatory Rules:

Component Information:

Component:	IARC - International Agency for Research on Cancer:
Styrene	Monograph 82 [2002]
	Monograph 60 [1994]
Titanium Dioxide	Monograph 93 [2010]
• • • • • • • • • • • • • • • • • • • •	Monograph 47 [1989]
Carbon Black	Monograph 93 [2010]
	Monograph 65 [1996]

#### Note:

For more information regarding the hazards of carbon black, please see Section 11.

Product Id: 63B1993

#### U.S. Regulatory Rules:

Component Information:

Component:	SARA - Section 313:	SARA Section 313 - Analyte Breakout:	Designated Generic Categories Certain Glycol Ethers:
 Styrene	= 0.1 % de minimis		
,	concentration		

Component Information:

Component:	RA - Section 302 Extremely	Hazardous Substances &	DOT Reportable Quantity:	NTP - Known and Anticipated Carcinogens:
Styrene		1000 lb 454 kg	1000 lb 454 kg	Reasonably Anticipated To Be A Human Carcinogen

#### **State Regulatory Rules:**

Component Information:

Component:	California Propostion 65	Massachusetts Right to Know List:	New Jersey Right to Know List:	Pennsylvania Right to Know List:	Pennsylvania RTK - Special Hazardous Substances:
Styrene		Carcinogen Extraordinarily hazardous	1748	Environmental hazard	
Titanium Dioxide	See Note 2	Present	1861	Present	
Carbon Black	See Note 1	Present	0342	Present	

#### Note:

1.) The listing of carbon black in the CA PROP 65 REGULATION specifically pertains to airborne, unbound, carbon black particles of respirable size, meaning that all three criteria must be met before carbon black would be considered a carcinogen according to the requirements of CA PROP 65. Our products, in the form provided (liquid, paste or pellets), do not contain carbon black in a powder form, and it is not expected that carbon black particles of respirable size would be generated during normal use of this product. For additional information, see Section 11.

#### Canadian Regulatory Rules:

Component Information:

Component:	WHMIS Hazard Class:
Styrene	B2 D2A
Titanium Dioxide	D2A
Carbon Black	D2A

Product Id: 63B1993

N	0	ŧ	e	:

For more information regarding the hazards of carbon black, please see Section 11.

#### Inventories:

There are many reasons that a chemical preparation may not be compliant with a particular chemical inventory. If the preparation is not compliant with a national chemical inventory shown below or the national chemical inventory of interest is not shown, please contact Regulatory Affairs for information regarding your specific need.

Canada:

All of the ingredients are listed on or compliant with the

DSL Inventory.

Europe:

All of the ingredients are listed on or compliant with the

**EINECS Inventory.** 

Note:

For additional European Regulatory information, please

request an European SDS.

**United States:** 

All of the ingredients are listed on or compliant with the

TSCA Inventory.

#### SECTION 16: OTHER INFORMATION

Origination:

19-Nov-2008

Last Regulatory Review:

26-Feb-2015

Print Date:

26-Feb-2015

**Revision Number:** 

N/A

Revision:

This data sheet contains changes from the previous version in section(s):

None.

Important Note:

This information is supplied and offered in good faith based on data available to us that we believe to be true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications!

Product Id: 63B1993

Page 8/10

#### SECTION 16: OTHER INFORMATION

Additional Advice:

No data available.

**Environmental Program** 

Definitions:

CSG - The Council of State Governments

SARA - Superfund Ammendments and Reauthorization Act

TPCH - The Toxics in Packaging Clearinghouse

WHMIS - Workplace Hazardous Materials Information System

**Inventory Definitions:** 

DSL - Canadian Domestic Substances List

NDSL - Canadian Non-Domestic Substances List

EINECS - European Inventory of Existing Chemical Substances ELINCS - European List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act

Occupational Exposure

**Definitions:** 

ACGIH - American Conference of Governmental Industrial Hygenists.

CNS - Central Nervous System

GI - Gastrointestinal

NIOSH - National Institute for Occupational Safety and Health - United States OEL - Occupational Exposure Limits - France, Germany, Poland, Sweden

OSHA - Occupational Safety and Health Administration PEL - Permissible Exposure Limit - United States

STEL - Short Term Exposure Limit - United Kingdom and United States

TLV - Threshold Limit Value - United States

TWA - Time Weighted Average - United Kingdom and United States

**Toxicity Definitions:** 

LC50 - A LC50 is a calculated concentration of a substance in an air for a specified length of time, which is expected to cause the death of 50% of an entire defined experimental animal population. It is determined from the exposure to the substance of a significant number from that population.

LD50 - A LD50 is defined as the calculated dose of a substance in an exposure, other than inhalation for a specified length of time, which is expected to cause the death of 50% of an entire defined experimental animal population. It is determined from the exposure to the substance by any route (other than inhalation) of a significant number from that population.

**Transportation Definitions:** 

EmS - Emergency Response Procedures for Ships Carrying Dangerous Goods - IMO

IATA - International Air Transport Association ICAO - International Civil Aviation Organization IMDG - International Maritime Dangerous Goods IMO - International Maritime Organization MFAG - Medical First Aid Guide- IMO

N.O.S. - Not Otherwise Specified

RQ - Reportable Quantity UN - United Nations

USDOT - United States Department of Transportation

Page 9/10

Product Id: 63B1993

## **SECTION 16: OTHER INFORMATION**

## Weight and Measurement Definitions:

cc - cubic centimeter m³ - Cubic meters °C - Degrees Celsius

g - Grams
h - Hour
Hr - Hour
kg - Kilograms
L - Liter
m - Meter
μL - Microliters
mg - Milligram

mPa.s - Millipascal seconds ppb - Parts per billion ppm - Parts per million % - Percentage

% - Percentage Ib - Pounds

mL - milliliters

rpm - revolutions per minute

#### Miscellaneous Definitions:

CAS - Chemical Abstract System ESIS - European chemical Substances Information System

NJTS - New Jersey Trade Secret

**End of Safety Data Sheet**