

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 1

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

## SECTION 1. IDENTIFICATION

<b>Identification of the company:</b>	Clariant Plastics & Coatings Canada Inc. 2 Lone Oak Court Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559
	<b>Information of the substance/preparation:</b> Product Stewardship, +1-704-331-7710 e-mail: SDS.NORAMMB@Clariant.com
	<b>Emergency tel. number:</b> +1 CANUTEC (613) 996-6666

**Trade name:** **PVC RIGID 004.000% BLUE 7621S**

**Material number:** CV53754610

**Chemical family:** Colourant preparation  
Carrier: PVC

**Primary product use:** Additive for plastic material processing

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

### GHS label elements

Not a hazardous substance or mixture.

### Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation  
Carrier: PVC

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, (1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)methyl derivs.	68411-06-3	0.1 - 1
Aluminium oxide	1344-28-1	0.1 - 1
C.I. Pigment Blue 15:1	147-14-8	1 - 5
C.I. Pigment Black 7	1333-86-4	1 - 5
Di-n-octyltin-bis-(2-ethylhexylthioglycolate)	15571-58-1	1 - 5

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 2

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

C.I. Pigment White 6	13463-67-7	5 - 10
Polyvinyl chloride	9002-86-2	30 - 60

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

## SECTION 4. FIRST AID MEASURES

- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
In case of burns apply cold water until pain subsides then seek medical advice.  
Burns must be treated by a physician.  
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

## SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO2)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 3

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Hydrogen chloride  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.  
Sulphur oxides
- Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Take up uncontaminated material and pass on for further processing.  
After cleaning, flush away traces with water.

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 4

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
When handling hot melts use suitable protective clothing.  
Avoid dust formation. Keep away from sources of ignition.  
Lead off electrostatic charges.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture.  
Keep away from direct sunlight.

Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Keep in an area equipped with sprinklers.  
Minimize dust generation and accumulation.

Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Blue 15:1	147-14-8	TWA	1 mg/m3 (Copper)	NIOSH REL
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, (1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)methyl derivs.	68411-06-3	TWA	1 mg/m3 (Copper)	NIOSH REL
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m3	CA AB OEL
		TWA (Inhalable)	3 mg/m3	CA BC OEL
		TWAEV	3.5 mg/m3	CA QC OEL
		TWA (Inhalable particulate matter)	3 mg/m3	ACGIH
Aluminium oxide	1344-28-1	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3 (Aluminium)	CA QC OEL
		TWA (Respirable)	1 mg/m3 (Aluminium)	CA BC OEL
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH
Polyvinyl chloride	9002-86-2	TWA (Respirable)	1 mg/m3	CA BC OEL

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 5

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

		TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA (Respirable particulate matter)	1 mg/m3	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL

**Engineering measures** : Use only in area provided with appropriate exhaust ventilation.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.  
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

## Personal protective equipment

**Respiratory protection** : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.  
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

**Hand protection**  
**Remarks** : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.  
When handling hot melts use suitable protective clothing.

**Hygiene measures** : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : Granules

**Colour** : blue

# SAFETY DATA SHEET



## PVC RIGID 004.000% BLUE 7621S

Page 6

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Odour	: characteristic
Odour Threshold	: Not applicable
pH	: Not applicable
Melting point	: > 70 °C
Boiling point	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: not determined
Self-ignition	: Not applicable
Upper explosion limit / upper flammability limit	: not tested.
Lower explosion limit / Lower flammability limit	: not tested.
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: not available
Density	: not tested.
Solubility(ies) Water solubility	: insoluble
Partition coefficient: n-octanol/water	: This property is not applicable for mixtures.
Decomposition temperature	: > 200 °C
Viscosity Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: no data available no data available
Oxidizing properties	: not available
Surface tension	: Not relevant

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 7

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Particle size : Product specific

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : Lithium

Conditions to avoid : To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Incompatible materials : none  
None.  
Strong oxidizing agents

Hazardous decomposition products : Stable under recommended storage conditions. When handled and stored appropriately, no dangerous decomposition products are known. The product does not contain any chemical groups which suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g. No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

None known.

### Acute toxicity

#### Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **C.I. Pigment Blue 15:1:**

Acute oral toxicity : LD50 (Rat, male and female): > 6,400 mg/kg  
Method: OECD Test Guideline 401

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 8

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

GLP: no

Acute inhalation toxicity : Remarks: no data available

Acute dermal toxicity : LD50 (Rat, male): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: no

Acute toxicity (other routes of administration) : LD50 (Mouse, male and female): > 2,000 mg/kg  
Application Route: Intraperitoneal injection  
Method: internal test  
Test substance: other TS  
GLP: no

## **C.I. Pigment Black 7:**

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no  
Remarks: No significant adverse effects were reported

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: No information available.  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: not required

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Acute oral toxicity : LD50 (Rat, male and female): 2,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : Remarks: Not applicable

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

## **C.I. Pigment White 6:**

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no  
Assessment: The substance or mixture has no acute



# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 9

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: not required

## **Polyvinyl chloride:**

Acute oral toxicity : Remarks: Not relevant

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: Not relevant

## **Skin corrosion/irritation**

### **Product:**

Result: No skin irritation

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Species: Rabbit  
Exposure time: 20 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

#### **C.I. Pigment Black 7:**

Species: Rabbit  
Exposure time: 4 - 24 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

#### **C.I. Pigment White 6:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

## **Polyvinyl chloride:**

Remarks: This information is not available.

## **Serious eye damage/eye irritation**

### **Product:**

Result: No eye irritation

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 10

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

## **Components:**

### **C.I. Pigment Blue 15:1:**

Species: Rabbit  
Result: No eye irritation  
Exposure time: 24 h  
Method: OECD Test Guideline 405  
GLP: no

### **C.I. Pigment Black 7:**

Species: Rabbit  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: no

### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Species: rabbit eye  
Result: non-irritant  
Exposure time: 96 h  
Method: OECD Test Guideline 405  
GLP: yes

### **C.I. Pigment White 6:**

Species: rabbit eye  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: No information available.

### **Polyvinyl chloride:**

Remarks: This information is not available.

## **Respiratory or skin sensitisation**

### **Product:**

Result: non-sensitizing

## **Components:**

### **C.I. Pigment Blue 15:1:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Dermal  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.  
GLP: yes

Test Type: Maximisation Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 11

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Result: Not a skin sensitizer.  
GLP: yes

## **C.I. Pigment Black 7:**

Test Type: Buehler Test  
Exposure routes: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Test Type: Guinea pig maximization test  
Exposure routes: Skin contact  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: May cause sensitisation by skin contact.  
GLP: yes

## **C.I. Pigment White 6:**

Test Type: Local lymph node assay (LLNA)  
Exposure routes: Dermal  
Species: Mouse  
Method: OECD Test Guideline 429  
Result: Not a skin sensitizer.  
GLP: No information available.

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Does not cause respiratory sensitisation.  
GLP: No information available.

## **Polyvinyl chloride:**

Exposure routes: Skin contact  
Result: not known

## **Germ cell mutagenicity**

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Genotoxicity in vitro : Test Type: Ames test

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 12

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Test system: Salmonella typhimurium  
Concentration: 20 - 10000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: no

Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 25 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: No information available.

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster cells  
Concentration: 750 - 3000 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: Other  
Result: negative  
GLP: No information available.

Test Type: In vitro mammalian cell gene mutation test  
Test system: rat hepatocytes  
Method: OECD Test Guideline 482  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: in vivo assay  
Species: Mouse (male and female)  
Strain: C57BL/6 x DBA/2  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 484  
Result: negative  
GLP: No information available.

Test Type: Micronucleus test  
Species: Hamster (male and female)  
Cell type: Bone marrow cells  
Application Route: oral (gavage)  
Exposure time: 48 h  
Dose: 1250 - 2500 - 5000 mg/kg  
Method: Other  
Result: negative  
GLP: No information available.

Germ cell mutagenicity - Assessment : In vivo tests did not show mutagenic effects, In vitro tests did not show mutagenic effects

## **C.I. Pigment Black 7:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 13

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells  
Test system: Rodent cell line  
Metabolic activation: without  
Method: OECD Test Guideline 476  
Result: positive  
GLP: No information available.

Test Type: Micronucleus test  
Test system: Chinese hamster ovary cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 0,006 - 100 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 150 - 12150 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: no

Genotoxicity in vivo : Test Type: Chromosome Aberration Test  
Species: Mouse (male and female)  
Cell type: Bone marrow cells  
Application Route: oral (gavage)  
Exposure time: 30 h  
Dose: 2250 - 4500 - 9000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: No information available.  
Test substance: other TS

Test Type: Chromosome Aberration Test  
Species: Mouse (male and female)  
Strain: CD1

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 14

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Cell type: Bone marrow cells  
Application Route: oral (gavage)  
Exposure time: 72 h  
Dose: 2250 - 4500 - 9000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: No information available.  
Test substance: other TS

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

## **C.I. Pigment White 6:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: ICR  
Cell type: Erythrocytes  
Application Route: oral (gavage)  
Exposure time: single treatment  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

## **Polyvinyl chloride:**

Genotoxicity in vitro : Remarks: Not applicable

Germ cell mutagenicity - Assessment : No information available.

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 15

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

## **Carcinogenicity**

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Carcinogenicity - : No information available.  
Assessment

#### **C.I. Pigment Black 7:**

Remarks: Carbon Black should not be classified for carcinogenicity according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals. Human health studies show that exposure to carbon black does not increase the risk of carcinogenicity. Studies in laboratory animals show that lung tumors are induced in rats as a result of repeated exposure to inert, poorly soluble particles like carbon black and other poorly soluble particles. Rat tumors are a result of a secondary non-genotoxic mechanism associated with the phenomenon of lung overload. This is a species-specific mechanism that has questionable relevance for classification in humans. Thus a carcinogenicity classification for Carbon Black is not warranted.

Carcinogenicity - : Not classifiable as a human carcinogen.  
Assessment

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Carcinogenicity - : No information available.  
Assessment

#### **C.I. Pigment White 6:**

Carcinogenicity - : Not classifiable as a human carcinogen.  
Assessment

#### **Polyvinyl chloride:**

Carcinogenicity - : No information available.  
Assessment

## **Reproductive toxicity**

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Effects on fertility : Test Type: One generation study  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Dose: 0, 40, 200, 1000 mg/kg bw/day  
Duration of Single Treatment: > 46 d  
General Toxicity - Parent: NOAEL: 1,000 mg/kg body weight  
General Toxicity F1: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Effects on foetal development : Test Type: reproductive and developmental toxicity study  
Species: Rat, male and female  
Strain: Sprague-Dawley

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 16

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Application Route: oral (gavage)  
Dose: 40, 200, 1000 mg/kg bw/day  
Duration of Single Treatment: > 46 d  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Teratogenicity: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

## **C.I. Pigment Black 7:**

Effects on foetal development : Test Type: Pre-natal  
Species: Rabbit, male and female  
Strain: New Zealand white  
Application Route: Inhalation  
Dose: 10% diesel exhaust emission  
Duration of Single Treatment: 12 d  
Method: OECD Test Guideline 414  
Result: No effects on fertility and early embryonic development were detected.  
GLP: no  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: oral (feed)  
Dose: 20 - 60 -200 ppm  
General Toxicity - Parent: NOAEL: ca. 1.6 mg/kg body weight  
General Toxicity F1: NOAEL: 1.6 mg/kg body weight  
Method: OECD Test Guideline 416  
GLP: yes  
Remarks: By analogy with a product of similar composition

Effects on foetal development : Species: Rabbit  
Strain: New Zealand white  
Application Route: oral (gavage)  
Dose: 4 - 20 - 80 mg/kg  
General Toxicity Maternal: NOAEL: 20 mg/kg body weight  
Teratogenicity: NOAEL: 80 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.  
Classification as "teratogenic" is not justifiable.



# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 17

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

## **C.I. Pigment White 6:**

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: No significant adverse effects were reported

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
Did not show teratogenic effects in animal experiments.

## **Polyvinyl chloride:**

Effects on fertility : Remarks: This information is not available.

Effects on foetal development : Remarks: This information is not available.

Reproductive toxicity - Assessment : No information available.  
No information available.

## **STOT - single exposure**

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

#### **C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 18

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

**Polyvinyl chloride:**

Remarks: no data available

**STOT - repeated exposure**

**Components:**

**C.I. Pigment Blue 15:1:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Assessment: Causes damage to organs through prolonged or repeated exposure.

**C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Polyvinyl chloride:**

Remarks: no data available

**Repeated dose toxicity**

**Components:**

**C.I. Pigment Blue 15:1:**

Species: Rat, male and female  
NOAEL: ca. 4500 mg/kg bw/day  
Application Route: oral (feed)  
Exposure time: 90 d  
Number of exposures: daily  
Dose: 0, 0.3, 0.6, 1.25, 2.5 and 5 %  
Group: yes  
Method: OECD Test Guideline 408  
GLP: no

**C.I. Pigment Black 7:**

Species: Rat, female  
NOAEL: 52 mg/kg bw/day  
Application Route: oral (feed)  
Exposure time: 1 a - 2 a  
Number of exposures: daily  
Dose: 2,05 g/kg of chow diet  
Group: yes  
Method: Other  
GLP: No information available.

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 19

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male  
NOAEL: 0.0011 mg/l  
LOAEL: 0.0071 mg/l  
Application Route: Inhalation  
Test atmosphere: dust/mist  
Exposure time: 13 w  
Number of exposures: 6 h per day; 5 d per week  
Dose: 1,1 - 7,1 - 52,8 mg/m<sup>3</sup>  
Group: yes  
Method: Other  
GLP: No information available.

Species: Mouse, male and female  
Application Route: Skin contact  
Exposure time: 12-18 m  
Number of exposures: 3 times per week  
Dose: 20% carbon black suspensions  
Group: yes  
Method: Other  
GLP: no  
Remarks: No adverse effect has been observed in chronic toxicity tests.

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Species: Rat, male and female  
NOAEL: 0.5 mg/kg  
Application Route: oral (feed)  
Exposure time: 90 d  
Number of exposures: daily  
Dose: 10-25-50-100-250-500-1000 ppm  
Group: yes  
Method: OECD Test Guideline 408  
GLP: no

## **C.I. Pigment White 6:**

Species: Rat, male  
NOEL: > 24000 mg/kg bw/day  
Application Route: oral (gavage)  
Exposure time: 29 d  
Number of exposures: daily  
Dose: 24000 mg/kg  
Group: yes  
Method: OECD Test Guideline 407  
GLP: No information available.

Species: Rat, male and female  
NOAEL: 0.01 mg/l  
Application Route: Inhalation  
Exposure time: 2 a  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 0,0106 - 0,0507 - 0,250 mg/l  
Group: yes

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 20

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Method: Repeated Dose Toxicity (chronic Toxicity)  
GLP: no

**Polyvinyl chloride:**

Remarks: This information is not available.

**Aspiration toxicity**

**Components:**

**C.I. Pigment Blue 15:1:**

No aspiration toxicity classification

**C.I. Pigment Black 7:**

No aspiration toxicity classification

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

No aspiration toxicity classification

**C.I. Pigment White 6:**

No aspiration toxicity classification

**Polyvinyl chloride:**

No aspiration toxicity classification

**Experience with human exposure**

**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

**Further information**

**Components:**

**C.I. Pigment Blue 15:1:**

Test Type: adsorption

Remarks: Not applicable

**C.I. Pigment White 6:**

Remarks: Lung damage possible.

---

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product:**

Toxicity to fish :

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 21

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Remarks: no data available

## Components:

### **C.I. Pigment Blue 15:1:**

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: By analogy with a product of similar composition  
The details of the toxic effect relate to the nominal concentration.
- Toxicity to fish (Chronic toxicity) : Remarks: not required
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: no  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Test Type: artificial soil  
LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg  
Exposure time: 14 d  
End point: mortality  
Method: OECD Test Guideline 207

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 22

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

GLP: yes

Test Type: artificial soil  
NOEC (Eisenia fetida (earthworms)):  $\geq 1,000$  mg/kg  
Exposure time: 14 d  
End point: mortality  
Method: OECD Test Guideline 207  
GLP: yes

Sediment toxicity : NOEC (Lumbriculus variegatus (Worm)): 1000 mg/kg dry weight (d.w.)  
Analytical monitoring: no  
Sediment: artificial soil  
Exposure duration: 28 d  
Basis for effect: mortality  
Method: OECD 225  
GLP: yes

## **C.I. Pigment Black 7:**

Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1,000 mg/l  
End point: mortality  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)):  $> 5,600$  mg/l  
End point: Immobilization  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)):  $> 10,000$  mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 23

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC0 (activated sludge): > 400 mg/l  
End point: Bacteria toxicity (growth inhibition)  
Exposure time: 3 h  
Test Type: static test  
Method: DIN 38412  
GLP: no

Toxicity to soil dwelling organisms : Test Type: Other  
Method: Other  
GLP: No information available.  
Remarks: This product does not have any known adverse effect on the soil organisms tested.

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 24 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.17 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.17 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: Directive 87/302/EEC, part C, p. 89  
GLP: yes

NOEC (Desmodesmus subspicatus (green algae)): 0.04 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : Remarks: not required

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 24

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.286 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Analytical monitoring: no  
Method: Directive 87/302/EEC, part C, p. 118  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Remarks: Not applicable
- Plant toxicity : Remarks: Not applicable
- Sediment toxicity : Remarks: Not applicable
- Toxicity to terrestrial organisms : Remarks: Not applicable

## **C.I. Pigment White 6:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.
- LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l  
Exposure time: 96 h



# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 25

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Test Type: semi-static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 202  
GLP: no data available  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Acartia tonsa*): > 10,000 mg/l  
Exposure time: 48 h  
Analytical monitoring: no data available  
Method: ISO 14669 and PARCOM method  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Analytical monitoring: no data available  
Method: ISO 10253  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l  
Exposure time: 28 d  
Test Type: static test  
Analytical monitoring: yes  
Method: Other  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 26

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage):  $\geq 1,000$  mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil  
NOEC (*Folsomia candida*): 0,1  $\rightarrow \geq 10$  %  
Exposure time: 28 d  
End point: mortality  
Method: ISO 11267  
GLP: no  
Remarks: By analogy with a product of similar composition  
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity : NOEC:  $\geq 10$  %  
Exposure time: 20 h  
End point: Growth  
Species: *Lactuca sativa* (lettuce)  
Analytical monitoring: yes  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition  
No effect on the growth was observed.

Sediment toxicity : NOEC (*Hyalella azteca* (Scud)):  $\geq 100000$  %  
Analytical monitoring: no  
Sediment: artificial soil  
Exposure duration: 28 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition

NOEC:  $\geq 14989$  mg/kg dry weight (d.w.)  
Analytical monitoring: no data available  
Sediment: Natural sediment  
Exposure duration: 10 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 27

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

GLP: yes

## Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## Polyvinyl chloride:

Toxicity to fish : no toxicity, except ingestion  
Remarks: Not applicable

Toxicity to daphnia and other aquatic invertebrates : Remarks: Not applicable

Toxicity to algae/aquatic plants : Remarks: Not applicable

Toxicity to fish (Chronic toxicity) : no toxicity, except ingestion  
Remarks: Not applicable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: Not applicable

Toxicity to microorganisms : Remarks: Not applicable

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : no toxicity, except ingestion  
Remarks: Not applicable

## Persistence and degradability

### Components:

#### **C.I. Pigment Blue 15:1:**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 107 mg/l  
Biochemical Oxygen Demand (BOD)  
Result: Not biodegradable  
Biodegradation: < 1 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: no

Physico-chemical removability : Remarks: Not readily biodegradable.

Stability in water : Remarks: Not applicable

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 28

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Photodegradation : Test Type: air  
Sensitiser: OH  
Concentration: 50,000 1/cm<sup>3</sup>  
Rate constant: 8.525E-11 cm<sup>3</sup>/s  
Method: other (calculated)  
GLP: no

## **C.I. Pigment Black 7:**

Biodegradability : Remarks: Not applicable

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 50 mg/l  
Biochemical Oxygen Demand (BOD)  
Result: Not readily biodegradable.  
Biodegradation: 30 - 40 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

## **C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

## **Polyvinyl chloride:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The polymer is too large to be bioavailable.  
Not applicable due to insolubility in water. This product does not come into contact with the effluent when it is used for its purpose, otherwise it can be removed by filtration operations.

## **Bioaccumulative potential**

### **Product:**

Bioaccumulation : Remarks: not tested.

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

#### **C.I. Pigment Black 7:**

Bioaccumulation : Remarks: Not applicable

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 29

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 99 - 1,294  
Exposure time: 30 d  
Concentration: DOT: 0,25 - 2,5 µg/l  
Method: OECD Guide-line 305 B  
GLP: yes

## **C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 20 - 200  
Exposure time: 14 d  
Concentration: 0.1 - 1 mg/l  
Method: Other  
GLP: No information available.  
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

## **Polyvinyl chloride:**

Bioaccumulation : Remarks: Not applicable

## **Mobility in soil**

### **Product:**

Distribution among environmental compartments : Remarks: not tested.

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Distribution among environmental compartments : adsorption  
Medium: Soil  
Remarks: Not expected to adsorb on soil.

#### **C.I. Pigment Black 7:**

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
Remarks: Not applicable

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Distribution among environmental compartments : Remarks: Not applicable

#### **C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 4.61

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 30

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

Method: Other

## **Polyvinyl chloride:**

Distribution among environmental compartments : Remarks: The product is insoluble and sinks in water.

## **Other adverse effects**

### **Product:**

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

### **Components:**

#### **C.I. Pigment Blue 15:1:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

#### **C.I. Pigment Black 7:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

#### **C.I. Pigment White 6:**

Environmental fate and pathways : not available

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 31

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

- Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).
- Additional ecological information : Do not allow to enter ground water, waterways or waste water.
- Polyvinyl chloride:**
- Environmental fate and pathways : no data available
- Results of PBT and vPvB assessment : Remarks: Not applicable
- Additional ecological information : Has not been tested due to insolubility in water.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

---

## SECTION 14. TRANSPORT INFORMATION

---

## SECTION 15. REGULATORY INFORMATION

- NPRI Components** : C.I. Pigment Blue 15:1  
Copper, [29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-,  
(1,3-dihydro-1,3-dioxo-2H-isoindol-2-yl)methyl derivs.

**The components of this product are reported in the following inventories:**

- DSL : All components of this product are on the Canadian DSL

### Canadian lists

No substances are subject to a Significant New Activity Notification.

---

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 32

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA	:	Time-weighted average exposure value
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/21/2020  
Date format : mm/dd/yyyy



# SAFETY DATA SHEET



**PVC RIGID 004.000% BLUE 7621S**

Page 33

---

Substance key: 000000648681

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :12/16/2020

---

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN