

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 1

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## SECTION 1. IDENTIFICATION

**Identification of the company:**

Avient Colorants Canada Inc.  
2 Lone Oak Court  
Toronto, Ontario M9C 5R9,  
Telephone No.: +1 416-847-7000

**Information of the substance/preparation:**

Product Stewardship  
e-mail: SDS.NORAMMB@avient.com

**Emergency tel. number:** 1-800-424-9300 (CHEMTREC)

**Trade name:**

**RENOL-SQUASH CV22800018-ZN**

**Material number:**

CV22800018

**Chemical family:**

Colourant preparation  
Carrier: PVC

**Primary product use:**

Additive for plastic material processing

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation  
Carrier: PVC

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Black 28	68186-91-4	0.1 - 1
Aluminium oxide	1344-28-1	0.1 - 1
C.I. Pigment Brown 24	68186-90-3	1 - 5
Calcium distearate	1592-23-0	1 - 5
Di-n-octyltin-bis-(2-ethylhexylthioglycolate)	15571-58-1	1 - 5
C.I. Pigment White 6	13463-67-7	10 - 30
Polyvinyl chloride	9002-86-2	30 - 60

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 2

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

## SECTION 4. FIRST AID MEASURES

- |   |   |   |
|---|---|---|
| If inhaled  | : | Move the victim to fresh air.<br>Give oxygen or artificial respiration if needed.<br>Get immediate medical advice/ attention.<br>Never give anything by mouth to an unconscious person.   |
| In case of skin contact                                     | : | Wash off immediately with plenty of water for at least 15 minutes.<br>In case of burns apply cold water until pain subsides then seek medical advice.<br>Burns must be treated by a physician.<br>If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely. |
| In case of eye contact                                      | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.<br>Get medical attention immediately if irritation develops and persists.  |
| If swallowed  | : | Rinse mouth.<br>Do NOT induce vomiting.<br>Never give anything by mouth to an unconscious person.<br>Get medical advice/ attention.   |
| Most important symptoms and effects, both acute and delayed | : | The possible symptoms known are those derived from the labelling (see section 2).<br>No additional symptoms are known.  |
| Notes to physician  | : | Treat symptomatically.  |

## SECTION 5. FIREFIGHTING MEASURES

- |                                      |   |   |
|--------------------------------------|---|---|
| Suitable extinguishing media         | : | Water spray<br>Foam<br>Carbon dioxide (CO2)<br>Dry chemical               |
| Unsuitable extinguishing media       | : | High volume water jet   |
| Specific hazards during firefighting | : | In case of fire hazardous decomposition products may be produced such as: |

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 3

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Hydrogen chloride  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur dioxide

Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static spark or flame initiation.

Metal oxides

- Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Take up uncontaminated material and pass on for further processing.  
After cleaning, flush away traces with water.

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 4

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
When handling hot melts use suitable protective clothing.  
Avoid dust formation. Keep away from sources of ignition.  
Lead off electrostatic charges.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture.  
Keep away from direct sunlight.

Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Keep in an area equipped with sprinklers.  
Minimize dust generation and accumulation.

Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Brown 24	68186-90-3	TWA	0.5 mg/m3 (antimony)	CA AB OEL
		TWAEV	0.5 mg/m3 (antimony)	CA QC OEL
		TWA	0.5 mg/m3 (antimony)	CA BC OEL
		TWA	0.5 mg/m3 (antimony)	ACGIH
C.I. Pigment Black 28	68186-91-4	TWA	1 mg/m3 (Copper)	NIOSH REL
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
Aluminium oxide	1344-28-1	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3 (Aluminium)	CA QC OEL
		TWA (Respirable)	1 mg/m3 (Aluminium)	CA BC OEL
		TWA (Respirable particulate)	1 mg/m3 (Aluminium)	ACGIH

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 5

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

		matter)		
Calcium distearate	1592-23-0	TWA	10 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
Polyvinyl chloride	9002-86-2	TWA (Respirable)	1 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
		TWA (Respirable particulate matter)	1 mg/m3	ACGIH

**Engineering measures** : Use only in area provided with appropriate exhaust ventilation.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.  
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

## Personal protective equipment

**Respiratory protection** : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.  
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

**Hand protection**  
**Remarks** : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.  
When handling hot melts use suitable protective clothing.

**Hygiene measures** : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET



## RENOL-SQUASH CV22800018-ZN

Page 6

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Appearance	:	Granules
Colour	:	orange
Odour	:	characteristic
Odour Threshold	:	Not applicable
pH	:	Not applicable
Melting point	:	> 70 °C
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	> 200 °C
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 7

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

no data available

Oxidizing properties : not available

Surface tension : Not relevant

Particle size : Product specific

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable

Possibility of hazardous reactions : Lithium

Conditions to avoid : To avoid thermal decomposition, do not overheat.  
Heating can release hazardous gases.  
Keep away from heat, sparks, open flames, and other sources of ignition.  
If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Incompatible materials : None.  
Strong acids and oxidizing agents  
Strong acids and strong bases

Hazardous decomposition products : No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

None known.

### Acute toxicity

#### Product:

Acute inhalation toxicity : Acute toxicity estimate: 19.09 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 8

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## **Components:**

### **Aluminium oxide:**

- Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: No information available.
- Acute inhalation toxicity : LC50 (Rat, male and female): > 2.3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity
- Acute dermal toxicity : Remarks: Not applicable

### **C.I. Pigment Brown 24:**

- Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: BASF test  
GLP: no
- Acute inhalation toxicity : Remarks: Not applicable
- Acute dermal toxicity : Remarks: Not applicable

### **Calcium distearate:**

- Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
GLP: yes
- Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes  
Remarks: By analogy with a product of similar composition

### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

- Acute oral toxicity : LD50 (Rat, male and female): 2,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes
- Acute inhalation toxicity : Remarks: Not applicable
- Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

### **C.I. Pigment White 6:**

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no



# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 9

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: not required

**Polyvinyl chloride:**

Acute oral toxicity : Remarks: Not relevant

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: Not relevant

**Skin corrosion/irritation**

**Product:**

Result: No skin irritation

**Components:**

**Aluminium oxide:**

Species: Rabbit  
Exposure time: 24 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: No information available.

**C.I. Pigment Brown 24:**

Species: Rabbit  
Exposure time: 24 h  
Method: Draize Test  
Result: No skin irritation  
GLP: no

**Calcium distearate:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes  
Remarks: By analogy with a product of similar composition

**C.I. Pigment White 6:**

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 10

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

**Polyvinyl chloride:**

Remarks: This information is not available.

**Serious eye damage/eye irritation**

**Product:**

Result: No eye irritation

**Components:**

**Aluminium oxide:**

Result: Mild eye irritation

**C.I. Pigment Brown 24:**

Species: rabbit eye  
Result: slight irritation  
Method: FDA guideline  
GLP: no

**Calcium distearate:**

Species: rabbit eye  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: yes  
Remarks: By analogy with a product of similar composition

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Species: rabbit eye  
Result: non-irritant  
Exposure time: 96 h  
Method: OECD Test Guideline 405  
GLP: yes

**C.I. Pigment White 6:**

Species: rabbit eye  
Result: No eye irritation  
Method: OECD Test Guideline 405  
GLP: No information available.

**Polyvinyl chloride:**

Remarks: This information is not available.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 11

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## **Respiratory or skin sensitisation**

### **Product:**

Result: non-sensitizing

### **Components:**

#### **Aluminium oxide:**

Test Type: Draize Test

Exposure routes: Dermal

Species: Guinea pig

Method: Draize Test

Result: Not a skin sensitizer.

GLP: no

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Not a skin sensitizer.

GLP: no

#### **C.I. Pigment Brown 24:**

Remarks: Not applicable

#### **Calcium distearate:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Respiratory system

Exposure routes: Inhalation

Remarks: This information is not available.

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Test Type: Guinea pig maximization test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: May cause sensitisation by skin contact.

GLP: yes

#### **C.I. Pigment White 6:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 12

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Result: Not a skin sensitizer.  
GLP: No information available.

Test Type: Buehler Test  
Exposure routes: Dermal  
Species: Guinea pig  
Method: OECD Test Guideline 406  
Result: Not a skin sensitizer.  
GLP: yes

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Does not cause respiratory sensitisation.  
GLP: No information available.

## **Polyvinyl chloride:**

Exposure routes: Skin contact  
Result: not known

## **Germ cell mutagenicity**

### **Components:**

#### **Aluminium oxide:**

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 6,1 - 780 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Chromosome Aberration Test  
Species: Rat (female)  
Strain: wistar  
Cell type: Bone marrow  
Application Route: oral (gavage)  
Exposure time: Single exposure  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 475  
Result: positive  
GLP: No information available.

Test Type: Micronucleus test  
Species: Rat (female)  
Strain: wistar  
Cell type: Bone marrow  
Application Route: oral (gavage)  
Exposure time: Single exposure  
Dose: 500 - 1000 - 2000 mg/kg

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 13

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Method: OECD Test Guideline 474

Result: positive

GLP: No information available.

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**C.I. Pigment Brown 24:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 100 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 2,5 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Concentration: 0,5 - 900 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 3,13 - 100 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

**Calcium distearate:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Method: OECD Test Guideline 476

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 14

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Test Type: Cytogenetic assay  
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster  
Method: OECD Test Guideline 473  
Result: negative  
GLP: yes  
Remarks: By analogy with a product of similar composition

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Genotoxicity in vitro : Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 0,006 - 100 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 150 - 12150 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: no

Genotoxicity in vivo : Test Type: Chromosome Aberration Test  
Species: Mouse (male and female)  
Cell type: Bone marrow cells  
Application Route: oral (gavage)  
Exposure time: 30 h  
Dose: 2250 - 4500 - 9000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: No information available.  
Test substance: other TS

Test Type: Chromosome Aberration Test  
Species: Mouse (male and female)  
Strain: CD1  
Cell type: Bone marrow cells  
Application Route: oral (gavage)  
Exposure time: 72 h  
Dose: 2250 - 4500 - 9000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: No information available.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 15

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Test substance: other TS

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

## **C.I. Pigment White 6:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: ICR  
Cell type: Erythrocytes  
Application Route: oral (gavage)  
Exposure time: single treatment  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

## **Polyvinyl chloride:**

Genotoxicity in vitro : Remarks: Not applicable

Germ cell mutagenicity - Assessment : No information available.

## **Carcinogenicity**

### **Components:**

#### **Aluminium oxide:**

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

#### **C.I. Pigment Brown 24:**

Carcinogenicity - : Not classifiable as a human carcinogen.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 16

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## Assessment

### **Calcium distearate:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Carcinogenicity - Assessment : No information available.

### **C.I. Pigment White 6:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

### **Polyvinyl chloride:**

Carcinogenicity - Assessment : No information available.

## **Reproductive toxicity**

### **Components:**

#### **Aluminium oxide:**

Effects on fertility : Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: Drinking water  
Dose: 57 - 189 - 567 mg/kg  
General Toxicity - Parent: NOAEL: ca. 567 mg/kg body weight  
General Toxicity F1: NOAEL: ca. 57 mg/kg body weight  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Effects on foetal development : Species: Rat  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 126 - 251 - 503 mg/kg  
Frequency of Treatment: 2 daily  
General Toxicity Maternal: NOAEL: > 100 mg/kg body weight  
Teratogenicity: NOAEL: 503 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
No teratogenic effects to be expected.

#### **C.I. Pigment Brown 24:**

Effects on fertility : Test Type: One generation study



# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 17

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Dose: 250 - 500 - 1000 mg/kg  
General Toxicity - Parent: NOAEL:  $\geq$  1,000 mg/kg body weight  
General Toxicity F1: NOAEL:  $\geq$  1,000 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: yes

Effects on foetal development : Species: Rat  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Dose: 250 - 500 - 1000 mg/kg  
General Toxicity Maternal: NOAEL:  $\geq$  1,000 mg/kg body weight  
Teratogenicity: NOAEL:  $\geq$  1,000 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: yes

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.  
No teratogenic effects to be expected.

## **Calcium distearate:**

Effects on fertility : Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL:  $>$  1,000 mg/kg body weight  
General Toxicity F1: NOAEL:  $>$  1,000 mg/kg body weight  
Method: OECD Test Guideline 421  
GLP: yes

Effects on foetal development : Species: Rat  
Application Route: Oral  
Teratogenicity: NOAEL:  $>$  1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.  
No teratogenic effects to be expected.

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: oral (feed)  
Dose: 20 - 60 -200 ppm  
General Toxicity - Parent: NOAEL: ca. 1.6 mg/kg body weight  
General Toxicity F1: NOAEL: 1.6 mg/kg body weight  
Method: OECD Test Guideline 416  
GLP: yes  
Remarks: By analogy with a product of similar composition

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 18

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Effects on foetal development : Species: Rabbit  
Strain: New Zealand white  
Application Route: oral (gavage)  
Dose: 4 - 20 - 80 mg/kg  
General Toxicity Maternal: NOAEL: 20 mg/kg body weight  
Teratogenicity: NOAEL: 80 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.  
Classification as "teratogenic" is not justifiable.

## **C.I. Pigment White 6:**

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: No significant adverse effects were reported

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.  
Did not show teratogenic effects in animal experiments.

## **Polyvinyl chloride:**

Effects on fertility : Remarks: This information is not available.

Effects on foetal development : Remarks: This information is not available.

Reproductive toxicity - Assessment : No information available.  
No information available.

## **STOT - single exposure**

### **Components:**

#### **Aluminium oxide:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 19

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

**C.I. Pigment Brown 24:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Calcium distearate:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Polyvinyl chloride:**

Remarks: no data available

**STOT - repeated exposure**

**Components:**

**Aluminium oxide:**

Target Organs: Lungs

Assessment: The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

**C.I. Pigment Brown 24:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Calcium distearate:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Assessment: Causes damage to organs through prolonged or repeated exposure.

**C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Polyvinyl chloride:**

Remarks: no data available

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 20

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## **Repeated dose toxicity**

### **Components:**

#### **Aluminium oxide:**

Species: Rat, male and female

NOAEL: 57 mg/kg

Application Route: Drinking water

Exposure time: 1 a

Number of exposures: continuously

Dose: 57 - 189 - 567 mg/kg

Group: yes

Method: OECD Test Guideline 426

GLP: yes

Remarks: By analogy with a product of similar composition

Species: Rat

LOAEL: 0.070 mg/l

Application Route: Inhalation

Exposure time: 6 m

Number of exposures: 6 hr/day; 5 days a week

Dose: 15-30-50-70-100 mg Al/m3

Method: OECD Test Guideline 413

GLP: No information available.

Application Route: Skin contact

Remarks: The study is not necessary from a scientific perspective.

#### **C.I. Pigment Brown 24:**

Species: Rat, male and female

NOAEL: 500 mg/kg

Application Route: oral (feed)

Exposure time: 90 d

Number of exposures: daily

Dose: 0,5 - 5 - 50 - 500 mg/kg

Group: yes

Method: OECD Test Guideline 408

GLP: No information available.

Application Route: Inhalation

Remarks: not tested.

Application Route: Skin contact

Remarks: not tested.

#### **Calcium distearate:**

Species: Rat

NOAEL: > 2,000 mg/kg

Application Route: Oral

Method: OECD Test Guideline 407

GLP: yes

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 21

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Species: Rat, male and female  
NOAEL: 0.5 mg/kg  
Application Route: oral (feed)  
Exposure time: 90 d  
Number of exposures: daily  
Dose: 10-25-50-100-250-500-1000 ppm  
Group: yes  
Method: OECD Test Guideline 408  
GLP: no

**C.I. Pigment White 6:**

Species: Rat, male  
NOEL: > 24000 mg/kg bw/day  
Application Route: oral (gavage)  
Exposure time: 29 d  
Number of exposures: daily  
Dose: 24000 mg/kg  
Group: yes  
Method: OECD Test Guideline 407  
GLP: No information available.

Species: Rat, male and female  
NOAEL: 0.01 mg/l  
Application Route: Inhalation  
Exposure time: 2 a  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 0,0106 - 0,0507 - 0,250 mg/l  
Group: yes  
Method: Repeated Dose Toxicity (chronic Toxicity)  
GLP: no

**Polyvinyl chloride:**

Remarks: This information is not available.

**Aspiration toxicity**

**Components:**

**Aluminium oxide:**

No aspiration toxicity classification

**C.I. Pigment Brown 24:**

No aspiration toxicity classification

**Calcium distearate:**

No aspiration toxicity classification

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

No aspiration toxicity classification

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 22

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

**C.I. Pigment White 6:**

No aspiration toxicity classification

**Polyvinyl chloride:**

No aspiration toxicity classification

**Experience with human exposure**

**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

**Further information**

**Components:**

**C.I. Pigment White 6:**

Remarks: Lung damage possible.

---

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

**Product:**

Toxicity to fish :  
Remarks: no data available

**Components:**

**Aluminium oxide:**

Toxicity to fish : NOEC (Salmo trutta (brown trout)): > 0.072 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : NOEC (Daphnia magna (Water flea)): > 0.071 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.052 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 23

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Method: OECD Test Guideline 201

GLP: yes

EC50 (Pseudokirchneriella subcapitata (green algae)): 1.05 mg/l

End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Remarks: By analogy with a product of similar composition

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 56.48 mg/l  
Exposure time: 7 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: Other  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.076 mg/l  
End point: Reproduction rate  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : Remarks: Not applicable

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

## Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## C.I. Pigment Brown 24:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: DIN 38412 T.15

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 24

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

GLP: no

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 202

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth rate

Exposure time: 72 h

Test Type: static test

Analytical monitoring: no

Method: OECD Test Guideline 201

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 0.5 h

Test Type: aquatic

Analytical monitoring: no

Method: DIN 38412 T.27

GLP: no

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

## Calcium distearate:

Toxicity to fish : LC50 (Oryzias latipes): > 100 mg/l  
Exposure time: 96 h



# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 25

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
GLP: yes

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: OECD Test Guideline 201  
GLP: yes

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.22 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Method: OECD Test Guideline 211  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: By analogy with a product of similar composition

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: no data available

Toxicity to terrestrial organisms : Remarks: Not applicable

## **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 24 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 203  
GLP: yes

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 26

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.17 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 202  
GLP: yes
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 0.17 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: Directive 87/302/EEC, part C, p. 89  
GLP: yes
- NOEC (Desmodesmus subspicatus (green algae)): 0.04 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 201  
GLP: yes
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to fish (Chronic toxicity) : Remarks: not required
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.286 mg/l  
Exposure time: 21 d  
Test Type: semi-static test  
Analytical monitoring: yes  
Method: OECD Test Guideline 211  
GLP: yes
- M-Factor (Chronic aquatic toxicity) : 1
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Analytical monitoring: no  
Method: Directive 87/302/EEC, part C, p. 118  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Remarks: Not applicable
- Plant toxicity : Remarks: Not applicable

# SAFETY DATA SHEET



RENOL-SQUASH CV22800018-ZN

Page 27

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

## C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 202  
GLP: no data available  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Acartia tonsa): > 10,000 mg/l  
Exposure time: 48 h  
Analytical monitoring: no data available  
Method: ISO 14669 and PARCOM method  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 61 mg/l  
End point: Growth rate

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 28

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Analytical monitoring: no data available  
Method: ISO 10253  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.31 mg/l  
Exposure time: 28 d  
Test Type: static test  
Analytical monitoring: yes  
Method: Other  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage):  $\geq$  1,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil  
NOEC (Folsomia candida): 0,1  $\rightarrow$  10 %  
Exposure time: 28 d  
End point: mortality  
Method: ISO 11267  
GLP: no  
Remarks: By analogy with a product of similar composition  
This product does not have any known adverse effect on the soil organisms tested.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 29

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Plant toxicity : NOEC:  $\geq 10$  %  
Exposure time: 20 h  
End point: Growth  
Species: Lactuca sativa (lettuce)  
Analytical monitoring: yes  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition  
No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalella azteca (Scud)):  $\geq 100000$  %  
Analytical monitoring: no  
Sediment: artificial soil  
Exposure duration: 28 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition

NOEC:  $\geq 14989$  mg/kg dry weight (d.w.)  
Analytical monitoring: no data available  
Sediment: Natural sediment  
Exposure duration: 10 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other  
GLP: yes

## Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

## Polyvinyl chloride:

Toxicity to fish : no toxicity, except ingestion  
Remarks: Not applicable

Toxicity to daphnia and other aquatic invertebrates : Remarks: Not applicable

Toxicity to algae/aquatic plants : Remarks: Not applicable

Toxicity to fish (Chronic toxicity) : no toxicity, except ingestion  
Remarks: Not applicable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: Not applicable

Toxicity to microorganisms : Remarks: Not applicable

Toxicity to soil dwelling : Remarks: Not applicable

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 30

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

organisms

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : no toxicity, except ingestion  
Remarks: Not applicable

## **Persistence and degradability**

### **Components:**

#### **Aluminium oxide:**

Biodegradability : Remarks: Not applicable

#### **C.I. Pigment Brown 24:**

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical removability : Remarks: Inorganic product, cannot be eliminated from the water by biological purification processes.

#### **Calcium distearate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 93 %  
Method: OECD Test Guideline 301C

Result: Readily biodegradable.  
Biodegradation: 99 %  
Method: OECD Test Guideline 301B

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Biodegradability : aerobic  
Inoculum: activated sludge  
Concentration: 50 mg/l  
Biochemical Oxygen Demand (BOD)  
Result: Not readily biodegradable.  
Biodegradation: 30 - 40 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F  
GLP: yes

#### **C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

#### **Polyvinyl chloride:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: The polymer is too large to be bioavailable.  
Not applicable due to insolubility in water. This product does not come into contact with the effluent when it is used for its

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 31

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

purpose, otherwise it can be removed by filtration operations.

## Bioaccumulative potential

### Product:

Bioaccumulation : Remarks: not tested.

### Components:

#### **Aluminium oxide:**

Bioaccumulation : Remarks: Not applicable

#### **C.I. Pigment Brown 24:**

Bioaccumulation : Remarks: Not relevant for inorganic substances

#### **Calcium distearate:**

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

#### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 99 - 1,294  
Exposure time: 30 d  
Concentration: DOT: 0,25 - 2,5 µg/l  
Method: OECD Guide-line 305 B  
GLP: yes

#### **C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 20 - 200  
Exposure time: 14 d  
Concentration: 0.1 - 1 mg/l  
Method: Other  
GLP: No information available.  
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

#### **Polyvinyl chloride:**

Bioaccumulation : Remarks: Not applicable

## Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: not tested.

# SAFETY DATA SHEET



RENOL-SQUASH CV22800018-ZN

Page 32

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## **Components:**

### **Aluminium oxide:**

Distribution among environmental compartments : Remarks: Not applicable

### **C.I. Pigment Brown 24:**

Distribution among environmental compartments : Remarks: Not applicable

### **Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Distribution among environmental compartments : Remarks: Not applicable

### **C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 4.61  
Method: Other

### **Polyvinyl chloride:**

Distribution among environmental compartments : Remarks: The product is insoluble and sinks in water.

## **Other adverse effects**

### **Product:**

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

## **Components:**

### **Aluminium oxide:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : Remarks: Not applicable

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

### **C.I. Pigment Brown 24:**

Environmental fate and pathways : not available



# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 33

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Calcium distearate:**

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Di-n-octyltin-bis-(2-ethylhexylthioglycolate):**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**C.I. Pigment White 6:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Polyvinyl chloride:**

Environmental fate and pathways : no data available

Results of PBT and vPvB assessment : Remarks: Not applicable

Additional ecological information : Has not been tested due to insolubility in water.

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 34

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

- Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

## SECTION 14. TRANSPORT INFORMATION

<b>TDG</b>	not restricted
<b>IATA</b>	not restricted
<b>IMDG</b>	not restricted

## SECTION 15. REGULATORY INFORMATION

- NPRI Components** : Chromium (III) compound  
Antimony compounds  
Copper Compound

### The components of this product are reported in the following inventories:

- DSL : All components of this product are on the Canadian DSL

### Canadian lists

No substances are subject to a Significant New Activity Notification.

## SECTION 16. OTHER INFORMATION

### Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)
- CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
- CA BC OEL : Canada. British Columbia OEL
- CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
- NIOSH REL : USA. NIOSH Recommended Exposure Limits
- ACGIH / TWA : 8-hour, time-weighted average
- CA AB OEL / TWA : 8-hour Occupational exposure limit
- CA BC OEL / TWA : 8-hour time weighted average
- CA QC OEL / TWAEV : Time-weighted average exposure value
- NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

# SAFETY DATA SHEET



**RENOL-SQUASH CV22800018-ZN**

Page 35

Substance key: 000000746845

Revision Date: 09/21/2020

Version : 1 - 1 / CDN

Date of printing :05/02/2023

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/21/2020  
Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN