

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

SECTION 1. IDENTIFICATION**Identification of the company:**

Clariant Plastics and Coatings
Canada Inc.
2 Lone Oak Court
Toronto, Ontario M9C 5R9,
Telephone No.: +1 416-847-7000

Information of the substance/preparation:

BU Masterbatches
Product Stewardship, +1-704-331-7710
e-mail: SDS.NORAM@clariant.com

Emergency tel. number: 800-424-9300 (CHEMTREC)**Trade name:****DC RVC-544 001.000% ANTIQUE WHITE DC****Material number:**

EM82765609

Chemical family:

Colourant preparation
Carrier: -

Primary product use:

Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION**GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation
Carrier: -

Components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Brown 24	68186-90-3	1 - 5
Calcium carbonate	471-34-1	1 - 5
Calcium distearate	1592-23-0	10 - 30
C.I. Pigment White 6	13463-67-7	80 - 100

Any concentration shown as a range is due to batch variation.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

SECTION 4. FIRST AID MEASURES

- If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Wash off with soap and water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon oxides
Hydrogen chloride
Hydrogen fluoride
Nitrogen oxides (NO_x)
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Carbon dioxide (CO₂)
Carbon monoxide
Sulphur oxides
Metal oxides

- Further information : Combustible material
In the event of fire and/or explosion do not breathe fumes.
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Clean contaminated surface thoroughly.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Ensure all equipment is electrically grounded before beginning transfer operations.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Use only non-sparking tools.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
Protect from moisture.
Keep away from direct sunlight.

Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
Keep in an area equipped with sprinklers.
Minimize dust generation and accumulation.

Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
C.I. Pigment Brown 24	68186-90-3	TWA	0.5 mg/m ³ (antimony)	CA AB OEL
		TWAEV	0.5 mg/m ³ (antimony)	CA QC OEL
		TWA	0.5 mg/m ³ (antimony)	CA BC OEL
		TWA	0.5 mg/m ³ (antimony)	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m ³	CA BC OEL
		TWAEV (total dust)	10 mg/m ³	CA QC OEL
Calcium distearate	1592-23-0	TWA	10 mg/m ³	CA AB OEL
		TWA	10 mg/m ³	CA BC OEL
		TWA (Inhalable fraction)	10 mg/m ³	ACGIH
		TWA (Respirable fraction)	3 mg/m ³	ACGIH
Calcium carbonate	471-34-1	TWAEV (total dust)	10 mg/m ³	CA QC OEL

Engineering measures : Use only in area provided with appropriate exhaust ventilation.
Provide appropriate exhaust ventilation at machinery and at

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

places where dust can be generated.

Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : If dusty conditions exist, use NIOSH approved respirator with high efficiency (p-100) filter media.

Hand protection

Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : powder

Colour : brown

Odour : characteristic

Odour Threshold : Not applicable

pH : Not applicable

Melting point : Not applicable

Boiling point : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : not determined

Self-ignition : Not applicable

Upper explosion limit / upper flammability limit : not tested.

Lower explosion limit / Lower flammability limit : not tested.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies) Water solubility	:	not determined
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant
Particle size	:	Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

DC RVC-544 001.000% ANTIQUE WHITE DC

Page 7

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

released into the atmosphere in sufficient concentration.
ignition
Keep away from heat.
Keep away from open flames, hot surfaces and sources of
ignition.

Incompatible materials : Strong oxidizing agents
Oxidizing agents
Strong acids and oxidizing agents

Hazardous decomposition products : When used and handled as intended, none.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Eye contact
Skin contact

Acute toxicity**Components:****C.I. Pigment Brown 24:**

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg
Method: BASF test
GLP: no

Acute inhalation toxicity : Remarks: Not applicable

Acute dermal toxicity : Remarks: Not applicable

Calcium distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403
GLP: yes
Remarks: By analogy with a product of similar composition

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: not required

Skin corrosion/irritation**Product:**

Result: No skin irritation

Components:**C.I. Pigment Brown 24:**

Species: Rabbit
Exposure time: 24 h
Method: Draize Test
Result: No skin irritation
GLP: no

Calcium distearate:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes
Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Components:**C.I. Pigment Brown 24:**

Species: rabbit eye
Result: slight irritation
Method: FDA guideline
GLP: no

Calcium distearate:

Species: rabbit eye
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: yes
Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Species: rabbit eye
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: No information available.

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

Components:**C.I. Pigment Brown 24:**

Remarks: Not applicable

Calcium distearate:

Test Type: Local lymph node assay (LLNA)
Exposure routes: Dermal
Species: Mouse
Method: OECD Test Guideline 429
Result: Not a skin sensitizer.
GLP: yes
Remarks: By analogy with a product of similar composition

Test Type: Respiratory system
Exposure routes: Inhalation
Remarks: This information is not available.

C.I. Pigment White 6:

Test Type: Local lymph node assay (LLNA)
Exposure routes: Dermal
Species: Mouse
Method: OECD Test Guideline 429
Result: Not a skin sensitizer.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

GLP: No information available.

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Does not cause respiratory sensitisation.

GLP: No information available.

Germ cell mutagenicity**Components:****C.I. Pigment Brown 24:**

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Concentration: 100 - 5000 µg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Ames test

Test system: Escherichia coli

Concentration: 2,5 - 5000 µg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Concentration: 0,5 - 900 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 487

Result: negative

GLP: yes

Test Type: In vitro gene mutation study in mammalian cells

Test system: mouse lymphoma cells

Concentration: 3,13 - 100 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Germ cell mutagenicity -

: It is concluded that the product is not mutagenic based on

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Assessment

evaluation of several mutagenicity tests.

Calcium distearate:

Genotoxicity in vitro

- : Test Type: Ames test
Test system: Salmonella typhimurium
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Test Type: In vitro gene mutation study in mammalian cells
Test system: mouse lymphoma cells
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition
- Test Type: Cytogenetic assay
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Germ cell mutagenicity -
Assessment

- : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

C.I. Pigment White 6:

Genotoxicity in vitro

- : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes
- Test Type: Ames test
Test system: Escherichia coli
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo

- : Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Erythrocytes
Application Route: oral (gavage)
Exposure time: single treatment
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Carcinogenicity**Components:****C.I. Pigment Brown 24:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Calcium distearate:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

C.I. Pigment White 6:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity**Components:****C.I. Pigment Brown 24:**

Effects on fertility : Test Type: One generation study
Species: Rat, male and female
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 250 - 500 - 1000 mg/kg
General Toxicity - Parent: NOAEL: \geq 1,000 mg/kg body weight
General Toxicity F1: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes

Effects on foetal development : Species: Rat
Strain: Sprague-Dawley
Application Route: oral (gavage)
Dose: 250 - 500 - 1000 mg/kg
General Toxicity Maternal: NOAEL: \geq 1,000 mg/kg body weight
Teratogenicity: NOAEL: \geq 1,000 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

Calcium distearate:

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: > 1,000 mg/kg body weight
General Toxicity F1: NOAEL: > 1,000 mg/kg body weight
Method: OECD Test Guideline 421
GLP: yes

Effects on foetal development : Species: Rat
Application Route: Oral
Teratogenicity: NOAEL: > 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

C.I. Pigment White 6:

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Strain: wistar
Application Route: oral (gavage)
Dose: 100, 300, 1000 mg/kg bw
Duration of Single Treatment: 14 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: No significant adverse effects were reported

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility,
or on development, based on animal experiments.
Did not show teratogenic effects in animal experiments.

STOT - single exposure**Components:****C.I. Pigment Brown 24:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure**Components:****C.I. Pigment Brown 24:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****C.I. Pigment Brown 24:**

Species: Rat, male and female

NOAEL: 500 mg/kg

Application Route: oral (feed)

Exposure time: 90 d

Number of exposures: daily

Dose: 0,5 - 5 - 50 - 500 mg/kg

Group: yes

Method: OECD Test Guideline 408

GLP: No information available.

Application Route: Inhalation

Remarks: not tested.

Application Route: Skin contact

Remarks: not tested.

Calcium distearate:

Species: Rat

NOAEL: > 2,000 mg/kg

Application Route: Oral

Method: OECD Test Guideline 407

GLP: yes

C.I. Pigment White 6:

Species: Rat, male

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

NOEL: > 24000 mg/kg bw/day
Application Route: oral (gavage)
Exposure time: 29 d
Number of exposures: daily
Dose: 24000 mg/kg
Group: yes
Method: OECD Test Guideline 407
GLP: No information available.

Species: Rat, male and female
NOAEL: 0.01 mg/l
Application Route: Inhalation
Exposure time: 2 a
Number of exposures: 6 hours/day, 5 days/week
Dose: 0,0106 - 0,0507 - 0,250 mg/l
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no

Aspiration toxicity**Components:****C.I. Pigment Brown 24:**

No aspiration toxicity classification

Calcium distearate:

No aspiration toxicity classification

C.I. Pigment White 6:

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Components:****C.I. Pigment White 6:**

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Remarks: no data available

Components:**C.I. Pigment Brown 24:**

- Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: DIN 38412 T.15
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to fish (Chronic toxicity) : Remarks: not required
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required
- Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 0.5 h
Test Type: aquatic
Analytical monitoring: no
Method: DIN 38412 T.27
GLP: no
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to soil dwelling organisms : Remarks: Not applicable

DC RVC-544 001.000% ANTIQUE WHITE DC

Page 17

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

Calcium distearate:

Toxicity to fish : LC50 (*Oryzias latipes*): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): > 0.22 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: By analogy with a product of similar composition

Toxicity to soil dwelling organisms : Remarks: Not applicable

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: no data available

Toxicity to terrestrial : Remarks: Not applicable

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

organisms

C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no data available
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no data available
Method: OECD Test Guideline 202
GLP: no data available
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Acartia tonsa): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no data available
Method: ISO 14669 and PARCOM method
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 61 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Method: EPA

GLP: No information available.

Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Analytical monitoring: no data available

Method: ISO 10253

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.31 mg/l
Exposure time: 28 d
Test Type: static test
Analytical monitoring: yes
Method: Other
GLP: No information available.
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage): $\geq 1,000$ mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h

Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil
NOEC (Folsomia candida): 0,1 \rightarrow ≥ 10 %
Exposure time: 28 d
End point: mortality
Method: ISO 11267
GLP: no
Remarks: By analogy with a product of similar composition
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity : NOEC: ≥ 10 %

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Exposure time: 20 h
End point: Growth
Species: Lactuca sativa (lettuce)
Analytical monitoring: yes
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition
No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalella azteca (Scud)): ≥ 100000 %
Analytical monitoring: no
Sediment: artificial soil
Exposure duration: 28 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition

NOEC: ≥ 14989 mg/kg dry weight (d.w.)
Analytical monitoring: no data available
Sediment: Natural sediment
Exposure duration: 10 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: yes

Persistence and degradability**Components:****C.I. Pigment Brown 24:**

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical removability : Remarks: Inorganic product, cannot be eliminated from the water by biological purification processes.

Calcium distearate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 93 %
Method: OECD Test Guideline 301C

Result: Readily biodegradable.
Biodegradation: 99 %
Method: OECD Test Guideline 301B

C.I. Pigment White 6:

Biodegradability : Remarks: Not applicable for inorganic compound.

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Bioaccumulative potential**Product:**

Bioaccumulation : Remarks: not tested.

Components:**C.I. Pigment Brown 24:**

Bioaccumulation : Remarks: Not relevant for inorganic substances

Calcium distearate:

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

C.I. Pigment White 6:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 20 - 200
Exposure time: 14 d
Concentration: 0.1 - 1 mg/l
Method: Other
GLP: No information available.
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: not tested.

Components:**C.I. Pigment Brown 24:**

Distribution among environmental compartments : Remarks: Not applicable

C.I. Pigment White 6:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil
Medium: water - soil
log Koc: 4.61
Method: Other

Other adverse effects**Product:**

Results of PBT and vPvB : Remarks: No information is available as no chemical safety

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

assessment report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Components:**C.I. Pigment Brown 24:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Calcium distearate:

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment White 6:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

TDG	not restricted
IATA	not restricted
IMDG	not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Chromium (III) compound
Antimony compounds

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	: Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	: Canada. British Columbia OEL
CA QC OEL	: Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	: 8-hour, time-weighted average
CA AB OEL / TWA	: 8-hour Occupational exposure limit
CA BC OEL / TWA	: 8-hour time weighted average
CA QC OEL / TWAEV	: Time-weighted average exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican

Substance key: 000000793635

Revision Date: 05/09/2019

Version : 1 - 0 / CDN

Date of printing :05/09/2019

Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/09/2019

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN