

SAFETY DATA SHEET



LQ ABS 001.000% LT. YELLOW BC 41001 LC

Page 1

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

SECTION 1. IDENTIFICATION

Identification of the company:

MB, West Chicago
4000 Monroe Road
Charlotte, NC, 28205
Telephone No.: +1 704-331-7000

Information of the substance/preparation:

BU Masterbatches
Product Stewardship +1-704-331-7710

Emergency tel. number: +1 800-424-9300(CHEMTREC)

Trade name: LQ ABS 001.000% LT. YELLOW BC 41001 LC

Material number: FZ12687726

Chemical family: Colourant preparation

Primary product use: Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

No particular hazards known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation

Components

Chemical name	CAS-No.	Concentration (% w/w)
Zinc distearate	557-05-1	1 - 5
Silica, amorphous, fumed, crystalline free	112945-52-5	1 - 5
C.I. Pigment Yellow 53	8007-18-9	30 - 60

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

- Never give anything by mouth to an unconscious person.
- In case of skin contact : Remove contaminated clothing and shoes.
Wash off immediately with plenty of water for at least 15 minutes.
Wash off with soap and water.
Get medical attention if irritation develops and persists.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Aspiration hazard if swallowed - can enter lungs and cause damage.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide
Carbon dioxide (CO₂)
Emits toxic fumes under fire conditions. This product presents no unusual fire or explosion hazards while sealed in a shipping container. During usage, if a dust cloud is generated, organic powders have the potential to be explosive with static spark or flame initiation.
- Nitrogen oxides (NO_x)
Metal oxides
Carbon oxides
Silicon oxides
Formaldehyde

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

- Further information : Combustible material
In the event of fire and/or explosion do not breathe fumes.
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Prevent product from entering drains.
Non-sparking tools should be used.
Take measures to prevent the build up of electrostatic charge.
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
Keep away from heat, sparks and open flames. Store in proper container and keep container closed when not in use.
- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
Protect from moisture.
Keep away from direct sunlight.
- Further information on : Store in a cool, dry, well-ventilated area. Keep container

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

storage conditions

sealed when not in use.
 Store away from flammable or combustible materials.
 Keep in an area equipped with sprinklers.
 Keep from freezing.

Materials to avoid

: not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Zinc distearate	557-05-1	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	10 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0
		TWA (Inhalable fraction)	10 mg/m3	ACGIH
		TWA (Respirable fraction)	3 mg/m3	ACGIH
Silica, amorphous, fumed, crystalline free	112945-52-5	TWA (Dust)	20 Million particles per cubic foot (Silica)	OSHA Z-3
		TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
C.I. Pigment Yellow 53	8007-18-9	TWA	0.5 mg/m3 (antimony)	OSHA Z-1
		TWA	0.5 mg/m3 (antimony)	ACGIH
		TWA	0.5 mg/m3 (antimony)	OSHA P0
		TWA	0.5 mg/m3 (antimony)	NIOSH REL
		TWA	0.015 mg/m3 (Nickel)	NIOSH REL

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

Engineering measures : Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Respiratory protection is not required under normal use. Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust, mist, or spray mist may be generated.

Hand protection
Remarks : Nitrile rubber gloves.

Eye protection : Safety glasses with side-shields

Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : yellow

Odour : characteristic

Odour Threshold : Not applicable

pH : not tested.

Melting point : Not applicable

Boiling point : not determined

Flash point : not tested.

Evaporation rate : not tested.

Flammability (solid, gas) : Not applicable

Self-ignition : not tested.

Upper explosion limit / upper flammability limit : not tested.

Lower explosion limit / Lower flammability limit : not tested.

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

Vapour pressure	: not tested.
Relative vapour density	: Not applicable
Relative density	: not available
Density	: not tested.
Solubility(ies) Water solubility	: not determined
Partition coefficient: n-octanol/water	: This property is not applicable for mixtures.
Decomposition temperature	: To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	: not tested.
Viscosity, kinematic	: not tested.
Explosive properties	: no data available no data available
Oxidizing properties	: not available
Surface tension	: not tested.
Particle size	: Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Keep away from heat, sparks, open flames, and other sources of ignition.
Incompatible materials	: None. Peroxides Strong acids and oxidizing agents Strong acids and strong bases Strong oxidizing agents

LQ ABS 001.000% LT. YELLOW BC 41001 LC

Page 7

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

Hazardous decomposition : No decomposition if stored and applied as directed.
products

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation

Eye contact

Skin contact

Skin corrosion/irritation**Product:**

Result: No skin irritation

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

Carcinogenicity**IARC** Listed**OSHA** Listed**NTP** Listed**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the
labelling (see section 2).

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: no data available

Persistence and degradability

no data available

SAFETY DATA SHEET



LQ ABS 001.000% LT. YELLOW BC 41001 LC

Page 8

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: not tested.

Other adverse effects

Product:

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

DOT not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 311/312 Hazards : No SARA Hazards

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

Zinc distearate 557-05-1 3 %

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

Nickel compounds	Not Assigned	58.6 %
Antimony compounds	7440-36-0	58.6 %

Clean Water Act

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307, Contains no known priority pollutants at concentrations greater than 0.1%, Zinc, antimony, Nickel

The components of this product are reported in the following inventories:

TSCA : On TSCA Inventory, All components are compliant with the TSCA Inventory Notification (Active) rule.

TSCA list

TSCA - 5(a) Significant New Use Rule List of Chemicals: No substances are subject to a Significant New Use Rule.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D): No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION**Further information****Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
OSHA Z-3	: USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average
OSHA Z-3 / TWA	: 8-hour time weighted average

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide;

Substance key: 000000793634

Revision Date: 05/09/2019

Version : 1 - 0 / USA

Date of printing :05/09/2019

GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 05/09/2019

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

US / EN