

**LQ ABS & PVC 000.500% CLEAR BASE LC**

Page 1

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

**SECTION 1. IDENTIFICATION****Identification of the company:**

Clariant Plastics & Coating USA LLC  
4000 Monroe Road  
Charlotte, NC, 28205  
Telephone No.: +1 704 331 7000

**Information of the substance/preparation:**

Product Stewardship, +1-704-331-7710  
e-mail: SDS.NORAM@clariant.com

**Emergency tel. number:** +1 800-424-9300 CHEMTREC, +1 (703) 527-3887 INTERNATIONAL

**Trade name:****LQ ABS & PVC 000.500% CLEAR BASE LC****Material number:**

FZA0687344

**Chemical family:**

Additive preparation  
Class of additive: Other

**Primary product use:**

Additive for plastic material processing

**SECTION 2. HAZARDS IDENTIFICATION****GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Hazards Not Otherwise Classified:  
No particular hazards known.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature

: Additive preparation  
Class of additive: Other

**Components**

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) or by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17).

**SECTION 4. FIRST AID MEASURES**

If inhaled

: Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.

## LQ ABS &amp; PVC 000.500% CLEAR BASE LC

Page 2

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

- Never give anything by mouth to an unconscious person.
- In case of skin contact : Remove contaminated clothing and shoes.  
Wash off immediately with plenty of water for at least 15 minutes.  
Wash off with soap and water.  
Get medical attention if irritation develops and persists.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Aspiration hazard if swallowed - can enter lungs and cause damage.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Carbon oxides
- Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

**LQ ABS & PVC 000.500% CLEAR BASE LC**

Page 3

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Prevent product from entering drains.  
Non-sparking tools should be used.  
Take measures to prevent the build up of electrostatic charge.  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Clean contaminated surface thoroughly.

---

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
Keep away from heat, sparks and open flames. Store in proper container and keep container closed when not in use.
- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture.  
Keep away from direct sunlight.
- Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Store away from flammable or combustible materials.  
Keep in an area equipped with sprinklers.  
Keep from freezing.
- Materials to avoid : not required

## LQ ABS &amp; PVC 000.500% CLEAR BASE LC

Page 4

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

no data available

**Engineering measures** : Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

**Personal protective equipment**

**Respiratory protection** : Respiratory protection is not required under normal use. Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust, mist, or spray mist may be generated.

**Hand protection**  
**Remarks** : Nitrile rubber gloves.

**Eye protection** : Safety glasses with side-shields

**Skin and body protection** : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.

**Hygiene measures** : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : Liquid

**Colour** : characteristic

**Odour** : characteristic

**Odour Threshold** : Not applicable

**pH** : not tested.

**Melting point** : Not applicable

**Boiling point** : not determined

**Flash point** : not tested.

**Evaporation rate** : not tested.

**Flammability (solid, gas)** : Not applicable

**Self-ignition** : not tested.

## LQ ABS &amp; PVC 000.500% CLEAR BASE LC

Page 5

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

|  |   |  |
|--|---|--|
| Upper explosion limit / upper flammability limit | : | not tested.  |
| Lower explosion limit / Lower flammability limit | : | not tested.  |
| Vapour pressure                                  | : | not tested.  |
| Relative vapour density                          | : | Not applicable   |
| Relative density                                 | : | not available  |
| Density  | : | approx. 0.92 g/cm <sup>3</sup><br>Value determined from data on raw material.  |
| Solubility(ies)<br>Water solubility              | : | not determined   |
| Partition coefficient: n-octanol/water           | : | This property is not applicable for mixtures.  |
| Decomposition temperature                        | : | To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices.<br>See section 10.4. "Conditions to avoid" |
| Viscosity<br>Viscosity, dynamic                  | : | not tested.  |
| Viscosity, kinematic                             | : | not tested.  |
| Explosive properties                             | : | no data available<br>no data available   |
| Oxidizing properties                             | : | not available  |
| Surface tension                                  | : | not tested.  |
| Particle size                                    | : | Product specific   |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | No dangerous reaction known under conditions of normal use.              |
| Chemical stability                 | : | Stable   |
| Possibility of hazardous reactions | : | No dangerous reaction known under conditions of normal use.              |
| Conditions to avoid                | : | Keep away from heat, sparks, open flames, and other sources of ignition. |

## LQ ABS &amp; PVC 000.500% CLEAR BASE LC

Page 6

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : No decomposition if used as directed.

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Inhalation  
Eye contact  
Skin contact

**Skin corrosion/irritation****Product:**

Result: No skin irritation

**Serious eye damage/eye irritation****Product:**

Result: No eye irritation

**Respiratory or skin sensitisation****Product:**

Result: non-sensitizing

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish :  
Remarks: no data available

**Persistence and degradability**

no data available

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: not tested.

**Mobility in soil****Product:**

## LQ ABS &amp; PVC 000.500% CLEAR BASE LC

Page 7

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

Distribution among  
environmental compartments : Remarks: not tested.

**Other adverse effects****Product:**

Results of PBT and vPvB  
assessment : Remarks: No information is available as no chemical safety  
report (CSR) is required.

Additional ecological  
information : Do not allow to enter ground water, waterways or waste water.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local,  
state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging  
materials must be observed.

---

**SECTION 14. TRANSPORT INFORMATION**

**TDG** not restricted

**IATA** not restricted

**IMDG** not restricted

---

**SECTION 15. REGULATORY INFORMATION****The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

---

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response

Substance key: 000000792555

Revision Date: 05/02/2019

Version : 1 - 0 / CDN

Date of printing :05/02/2019

Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/02/2019

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN