

## RENOL-PUMPKIN SB24800009-ZN

Page 1

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

## SECTION 1. IDENTIFICATION

**Identification of the company:**

Clariant Plastics & Coatings Canada Inc.  
2 Lone Oak Court  
Toronto, Ontario, M9C 5R9  
Telephone No.: +1 514-832-2559

**Information of the substance/preparation:**

BU Masterbatches  
Product Stewardship, +1-704-331-7710  
e-mail: SDS.NORAM@clariant.com

**Emergency tel. number:** +1 CANUTEC (613) 996-6666**Trade name:****RENOL-PUMPKIN SB24800009-ZN****Material number:**

SB24800009

**Chemical family:**

Colourant preparation  
Carrier: ABS

**Primary product use:**

Additive for plastic material processing

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation  
Carrier: ABS

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Calcium carbonate	471-34-1	0.1 - 1
N,N'-Ethylenedi(stearamide)	110-30-5	1 - 5
C.I. Pigment White 6	13463-67-7	1 - 5
C.I. Pigment Brown 24	68186-90-3	10 - 30

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not

## RENOL-PUMPKIN SB24800009-ZN

Page 2

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing : 10/11/2019

GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

---

**SECTION 4. FIRST AID MEASURES**

- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
In case of burns apply cold water until pain subsides then seek medical advice.  
Burns must be treated by a physician.  
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

---

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Styrene  
Hydrogen cyanide (hydrocyanic acid)

## RENOL-PUMPKIN SB24800009-ZN

Page 3

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Acrylonitrile  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Take measures to prevent the build up of electrostatic charge.  
Dust can form an explosive mixture in air.  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides

- Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Take up uncontaminated material and pass on for further processing.  
After cleaning, flush away traces with water.

**SECTION 7. HANDLING AND STORAGE**

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.

## RENOL-PUMPKIN SB24800009-ZN

Page 4

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

When handling hot melts use suitable protective clothing.  
 Avoid dust formation. Keep away from sources of ignition.  
 Lead off electrostatic charges.

- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
 Protect from moisture.  
 Keep away from direct sunlight.
- Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
 Keep in an area equipped with sprinklers.  
 Minimize dust generation and accumulation.
- Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N'-Ethylenedi(stearamide)	110-30-5	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable fraction)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable fraction)	3 mg/m <sup>3</sup>	ACGIH
C.I. Pigment Brown 24	68186-90-3	TWA	0.5 mg/m <sup>3</sup> (antimony)	CA AB OEL
		TWAEV	0.5 mg/m <sup>3</sup> (antimony)	CA QC OEL
		TWA	0.5 mg/m <sup>3</sup> (antimony)	CA BC OEL
		TWA	0.5 mg/m <sup>3</sup> (antimony)	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Total dust)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL
Calcium carbonate	471-34-1	TWAEV (total dust)	10 mg/m <sup>3</sup>	CA QC OEL

Engineering measures : Use only in area provided with appropriate exhaust

## RENOL-PUMPKIN SB24800009-ZN

Page 5

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

ventilation.

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

**Personal protective equipment**

- Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.  
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).
- Hand protection  
Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.
- Eye protection : Safety glasses with side-shields
- Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.  
When handling hot melts use suitable protective clothing.
- Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : Granules
- Colour : orange
- Odour : characteristic
- Odour Threshold : Not applicable
- pH : Not applicable
- Melting point : > 90 °C
- Boiling point : Not applicable
- Flash point : Not applicable
- Evaporation rate : Not applicable

## RENOL-PUMPKIN SB24800009-ZN

Page 6

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant
Particle size	:	Product specific

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous	:	No dangerous reaction known under conditions of normal use.

## RENOL-PUMPKIN SB24800009-ZN

Page 7

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

## reactions

- Conditions to avoid : To avoid thermal decomposition, do not overheat.  
Heating can release hazardous gases.  
Keep away from heat, sparks, open flames, and other sources of ignition.  
If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Keep away from heat and sources of ignition.
- Incompatible materials : no data available  
Oxidizing agents  
Strong oxidizing agents  
Strong acids and oxidizing agents  
Strong acids and strong bases
- Hazardous decomposition products : No hazardous decomposition products if stored and handled as prescribed

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

None known.

**Acute toxicity****Product:**

- Acute dermal toxicity : Acute toxicity estimate: 2,942 mg/kg  
Method: Calculation method

**Components:****N,N'-Ethylenedi(stearamide):**

- Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403
- Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**C.I. Pigment White 6:**

- Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg  
Method: OECD Test Guideline 425  
GLP: no

## RENOL-PUMPKIN SB24800009-ZN

Page 8

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: no  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: not required

**C.I. Pigment Brown 24:**

Acute oral toxicity : LD50 (Rat, male and female): > 10,000 mg/kg  
Method: BASF test  
GLP: no

Acute inhalation toxicity : Remarks: Not applicable

Acute dermal toxicity : Remarks: Not applicable

**Skin corrosion/irritation****Product:**

Result: No skin irritation

**Components:****N,N'-Ethylenedi(stearamide):**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**C.I. Pigment White 6:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

**C.I. Pigment Brown 24:**

Species: Rabbit  
Exposure time: 24 h  
Method: Draize Test  
Result: No skin irritation  
GLP: no



## RENOL-PUMPKIN SB24800009-ZN

Page 9

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

**Serious eye damage/eye irritation****Product:**

Result: No eye irritation

**Components:****N,N'-Ethylenedi(stearamide):**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

**C.I. Pigment White 6:**

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: No information available.

**C.I. Pigment Brown 24:**

Species: rabbit eye

Result: slight irritation

Method: FDA guideline

GLP: no

**Respiratory or skin sensitisation****Product:**

Result: non-sensitizing

**Components:****N,N'-Ethylenedi(stearamide):**

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

**C.I. Pigment White 6:**

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: No information available.

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

## RENOL-PUMPKIN SB24800009-ZN

Page 10

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Test Type: Respiratory system  
Exposure routes: inhalation (dust/mist/fume)  
Species: Mouse  
Method: Other  
Result: Does not cause respiratory sensitisation.  
GLP: No information available.

**C.I. Pigment Brown 24:**

Remarks: Not applicable

**Germ cell mutagenicity****Components:****N,N'-Ethylenedi(stearamide):**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Mammalian cell gene mutation assay  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**C.I. Pigment White 6:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 333 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

## RENOL-PUMPKIN SB24800009-ZN

Page 11

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

GLP: yes

## Genotoxicity in vivo

: Test Type: Micronucleus test  
Species: Mouse (male and female)  
Strain: ICR  
Cell type: Erythrocytes  
Application Route: oral (gavage)  
Exposure time: single treatment  
Dose: 500 - 1000 - 2000 mg/kg  
Method: OECD Test Guideline 474  
Result: negative  
GLP: yes

Germ cell mutagenicity -  
Assessment

: In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

**C.I. Pigment Brown 24:**

## Genotoxicity in vitro

: Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 100 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Concentration: 2,5 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Concentration: 0,5 - 900 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 487  
Result: negative  
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells  
Test system: mouse lymphoma cells  
Concentration: 3,13 - 100 µg/ml  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative  
GLP: yes

Germ cell mutagenicity -  
Assessment

: It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

## RENOL-PUMPKIN SB24800009-ZN

Page 12

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

**Carcinogenicity****Components:****N,N'-Ethylenedi(stearamide):**

Carcinogenicity -  
Assessment : No information available.

**C.I. Pigment White 6:**

Carcinogenicity -  
Assessment : Not classifiable as a human carcinogen.

**C.I. Pigment Brown 24:**

Carcinogenicity -  
Assessment : Not classifiable as a human carcinogen.

**Reproductive toxicity****Components:****N,N'-Ethylenedi(stearamide):**

Effects on foetal  
development : Test Type: Pre-natal  
Species: Rat  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL:  $\geq$  1,000 mg/kg body  
weight  
Method: OECD Test Guideline 414

Reproductive toxicity -  
Assessment : No evidence of adverse effects on sexual function and fertility,  
or on development, based on animal experiments.

**C.I. Pigment White 6:**

Effects on fertility : Remarks: no data available

Effects on foetal  
development : Test Type: Pre-natal  
Species: Rat, female  
Strain: wistar  
Application Route: oral (gavage)  
Dose: 100, 300, 1000 mg/kg bw  
Duration of Single Treatment: 14 d  
Frequency of Treatment: 1 daily  
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight  
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight  
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight  
Method: OECD Test Guideline 414  
GLP: yes  
Remarks: No significant adverse effects were reported

Reproductive toxicity -  
Assessment : No evidence of adverse effects on sexual function and fertility,  
or on development, based on animal experiments.  
Did not show teratogenic effects in animal experiments.

## RENOL-PUMPKIN SB24800009-ZN

Page 13

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

**C.I. Pigment Brown 24:**

Effects on fertility : Test Type: One generation study  
Species: Rat, male and female  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Dose: 250 - 500 - 1000 mg/kg  
General Toxicity - Parent: NOAEL:  $\geq$  1,000 mg/kg body weight  
General Toxicity F1: NOAEL:  $\geq$  1,000 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: yes

Effects on foetal development : Species: Rat  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Dose: 250 - 500 - 1000 mg/kg  
General Toxicity Maternal: NOAEL:  $\geq$  1,000 mg/kg body weight  
Teratogenicity: NOAEL:  $\geq$  1,000 mg/kg body weight  
Method: OECD Test Guideline 422  
GLP: yes

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.  
No teratogenic effects to be expected.

**STOT - single exposure****Components:****N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**C.I. Pigment Brown 24:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure****Components:****N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

**C.I. Pigment White 6:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**C.I. Pigment Brown 24:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****N,N'-Ethylenedi(stearamide):**

Species: Rat, male and female

NOEL:  $\geq$  1000 mg/kg bw/day

Application Route: oral (gavage)

Method: OECD Test Guideline 408

**C.I. Pigment White 6:**

Species: Rat, male

NOEL:  $>$  24000 mg/kg bw/day

Application Route: oral (gavage)

Exposure time: 29 d

Number of exposures: daily

Dose: 24000 mg/kg

Group: yes

Method: OECD Test Guideline 407

GLP: No information available.

Species: Rat, male and female

NOAEL: 0.01 mg/l

Application Route: Inhalation

Exposure time: 2 a

Number of exposures: 6 hours/day, 5 days/week

Dose: 0,0106 - 0,0507 - 0,250 mg/l

Group: yes

Method: Repeated Dose Toxicity (chronic Toxicity)

GLP: no

**C.I. Pigment Brown 24:**

Species: Rat, male and female

NOAEL: 500 mg/kg

Application Route: oral (feed)

Exposure time: 90 d

Number of exposures: daily

Dose: 0,5 - 5 - 50 - 500 mg/kg

Group: yes

Method: OECD Test Guideline 408

GLP: No information available.

Application Route: Inhalation

## RENOL-PUMPKIN SB24800009-ZN

Page 15

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Remarks: not tested.

Application Route: Skin contact

Remarks: not tested.

**Aspiration toxicity****Components:****N,N'-Ethylenedi(stearamide):**

no data available

**C.I. Pigment White 6:**

No aspiration toxicity classification

**C.I. Pigment Brown 24:**

No aspiration toxicity classification

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

**Further information****Components:****C.I. Pigment White 6:**

Remarks: Lung damage possible.

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish : Remarks: no data available

**Components:****N,N'-Ethylenedi(stearamide):**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.027 mg/l  
End point: mortality  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0022 mg/l  
aquatic invertebrates  
Exposure time: 48 h  
Test Type: semi-static test

## RENOL-PUMPKIN SB24800009-ZN

Page 16

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

	Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (algae)): 0.053 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to fish (Chronic toxicity)	: Remarks: no data available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC50 (Daphnia magna (Water flea)): 0.0056 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility
Toxicity to microorganisms	: EC50 (activated sludge): > 1,000 mg/l Exposure time: 3 h Test Type: static test Method: OECD Test Guideline 209
Toxicity to soil dwelling organisms	: NOEC (Eisenia fetida (earthworms)): >= 1,000 mg/kg Exposure time: 56 d Method: OECD Test Guideline 222
Sediment toxicity	: NOEC: >= 1000 mg/kg dry weight (d.w.) Test Type: static test Sediment: Artificial sediment Exposure duration: 28 d Method: OECD Test Guideline 218
<b>C.I. Pigment White 6:</b>	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: EPA GLP: yes Remarks: The details of the toxic effect relate to the nominal concentration.  LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 203 GLP: No information available. Remarks: The details of the toxic effect relate to the nominal concentration.  LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l Exposure time: 96 h



## RENOL-PUMPKIN SB24800009-ZN

Page 17

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing : 10/11/2019

Test Type: semi-static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (*Daphnia magna* (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: OECD Test Guideline 202  
GLP: no data available  
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (*Acartia tonsa*): > 10,000 mg/l  
Exposure time: 48 h  
Analytical monitoring: no data available  
Method: ISO 14669 and PARCOM method  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): 61 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: EPA  
GLP: No information available.  
Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (*Skeletonema costatum* (marine diatom)): > 10,000 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Analytical monitoring: no data available  
Method: ISO 10253  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 7.31 mg/l  
Exposure time: 28 d  
Test Type: static test  
Analytical monitoring: yes  
Method: Other  
GLP: No information available.  
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l

## RENOL-PUMPKIN SB24800009-ZN

Page 18

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage):  $\geq 1,000$  mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 3 h  
Test Type: aquatic  
Method: OECD Test Guideline 209  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil  
NOEC (*Folsomia candida*): 0,1  $\rightarrow \geq 10$  %  
Exposure time: 28 d  
End point: mortality  
Method: ISO 11267  
GLP: no  
Remarks: By analogy with a product of similar composition  
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity : NOEC:  $\geq 10$  %  
Exposure time: 20 h  
End point: Growth  
Species: *Lactuca sativa* (lettuce)  
Analytical monitoring: yes  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition  
No effect on the growth was observed.

Sediment toxicity : NOEC (*Hyalella azteca* (Scud)):  $\geq 100000$  %  
Analytical monitoring: no  
Sediment: artificial soil  
Exposure duration: 28 d  
Nominal / Measured: nominal  
Basis for effect: mortality  
Method: Other  
GLP: no  
Remarks: By analogy with a product of similar composition

NOEC:  $\geq 14989$  mg/kg dry weight (d.w.)  
Analytical monitoring: no data available  
Sediment: Natural sediment  
Exposure duration: 10 d  
Nominal / Measured: nominal

## RENOL-PUMPKIN SB24800009-ZN

Page 19

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Basis for effect: mortality  
Method: Other  
GLP: yes

**C.I. Pigment Brown 24:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no  
Method: DIN 38412 T.15  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not required

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 10,000 mg/l  
End point: Bacteria toxicity (respiration inhibition)  
Exposure time: 0.5 h  
Test Type: aquatic  
Analytical monitoring: no  
Method: DIN 38412 T.27  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Remarks: Not applicable

## RENOL-PUMPKIN SB24800009-ZN

Page 20

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Plant toxicity : Remarks: Not applicable

Sediment toxicity : Remarks: Not applicable

Toxicity to terrestrial organisms : Remarks: Not applicable

**Persistence and degradability****Components:****N,N'-Ethylenedi(stearamide):**

Biodegradability : aerobic  
Inoculum: activated sludge  
Carbon dioxide (CO<sub>2</sub>)  
Result: Not readily biodegradable.  
Biodegradation: 5.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**C.I. Pigment White 6:**

Biodegradability : Remarks: Not applicable for inorganic compound.

**C.I. Pigment Brown 24:**

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical removability : Remarks: Inorganic product, cannot be eliminated from the water by biological purification processes.

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: not tested.

**Components:****N,N'-Ethylenedi(stearamide):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

**C.I. Pigment White 6:**

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)  
Bioconcentration factor (BCF): 20 - 200  
Exposure time: 14 d  
Concentration: 0.1 - 1 mg/l  
Method: Other  
GLP: No information available.  
Remarks: Does not accumulate in organisms.

## RENOL-PUMPKIN SB24800009-ZN

Page 21

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Partition coefficient: n-  
octanol/water : Remarks: inorganic

**C.I. Pigment Brown 24:**

Bioaccumulation : Remarks: Not relevant for inorganic substances

**Mobility in soil****Product:**

Distribution among  
environmental compartments : Remarks: not tested.

**Components:****N,N'-Ethylenedi(stearamide):**

Distribution among  
environmental compartments : log Koc: 8.6 - 8.91  
Method: calculated

**C.I. Pigment White 6:**

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among  
environmental compartments : Adsorption/Soil  
Medium: water - soil  
log Koc: 4.61  
Method: Other

**C.I. Pigment Brown 24:**

Distribution among  
environmental compartments : Remarks: Not applicable

**Other adverse effects****Product:**

Results of PBT and vPvB  
assessment : Remarks: No information is available as no chemical safety  
report (CSR) is required.

Additional ecological  
information : Do not allow to enter ground water, waterways or waste water.

**Components:****N,N'-Ethylenedi(stearamide):**

Results of PBT and vPvB  
assessment : The substance is not identified as a PBT or as a vPvB  
substance.

**C.I. Pigment White 6:**

Environmental fate and  
pathways : not available

## RENOL-PUMPKIN SB24800009-ZN

Page 22

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**C.I. Pigment Brown 24:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

**SECTION 14. TRANSPORT INFORMATION**

**TDG** not restricted

**IATA** not restricted

**IMDG** not restricted

**SECTION 15. REGULATORY INFORMATION**

**NPRI Components** : Chromium (III) compound  
Antimony compounds

**The components of this product are reported in the following inventories:**

**DSL** : All components of this product are on the Canadian DSL

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWA	:	Time-weighted average exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 08/28/2019

---

Substance key: 000000808395

Revision Date: 08/28/2019

Version : 1 - 0 / CDN

Date of printing :10/11/2019

---

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN