

EVA 003.000% RUBY RED

Page 1

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

SECTION 1. IDENTIFICATION

Identification of the company:

Clariant Plastics & Coatings Canada Inc.
2 Lone Oak Court
Toronto, Ontario, M9C 5R9
Telephone No.: +1 514-832-2559

Information of the substance/preparation:

BU Masterbatches
Product Stewardship, +1-704-331-7710
e-mail: SDS.NORAM@clariant.com

Emergency tel. number: +1 CANUTEC (613) 996-6666**Trade name:****EVA 003.000% RUBY RED****Material number:**

PR33754410

Chemical family:

Colourant preparation
Carrier: crosslinked PE

Primary product use:

Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation
Carrier: crosslinked PE

Components

Chemical name	CAS-No.	Concentration (% w/w)
C.I. Pigment Black 7	1333-86-4	0.1 - 1
Vinyl acetate	108-05-4	0.1 - 1
C.I. Pigment White 6	13463-67-7	1 - 5
C.I. Pigment Red 122	980-26-7	5 - 10
Iron(III)oxide	1309-37-1	10 - 30

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

17)., The hazardous ingredients of this product are encapsulated, therefore the material is not GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- | | | |
|---|---|---|
| If inhaled | : | Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person. |
| In case of skin contact | : | Wash off immediately with plenty of water for at least 15 minutes.
In case of burns apply cold water until pain subsides then seek medical advice.
Burns must be treated by a physician.
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely. |
| In case of eye contact | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Get medical attention immediately if irritation develops and persists. |
| If swallowed | : | Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention. |
| Most important symptoms and effects, both acute and delayed | : | The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known. |
| Notes to physician | : | Treat symptomatically. |

SECTION 5. FIREFIGHTING MEASURES

- | | | |
|--------------------------------------|---|--|
| Suitable extinguishing media | : | Water spray
Foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | High volume water jet |
| Specific hazards during firefighting | : | In case of fire hazardous decomposition products may be produced such as:
Carbon monoxide |

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Carbon dioxide (CO₂)
Nitrogen oxides (NO_x)
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

Metal oxides
Sulphur oxides

Further information : Combustible material
In the event of fire and/or explosion do not breathe fumes.
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.

Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent product from entering drains.

Methods and materials for containment and cleaning up : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Take up uncontaminated material and pass on for further processing.
After cleaning, flush away traces with water.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

When handling hot melts use suitable protective clothing.
 Avoid dust formation. Keep away from sources of ignition.
 Lead off electrostatic charges.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
 Protect from moisture.
 Keep away from direct sunlight.

Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
 Keep in an area equipped with sprinklers.
 Minimize dust generation and accumulation.

Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Iron(III)oxide	1309-37-1	TWA (Respirable)	5 mg/m ³	CA AB OEL
		TWA (Fumes)	5 mg/m ³ (Iron)	CA BC OEL
		TWA (Dust)	5 mg/m ³ (Iron)	CA BC OEL
		STEL (Fumes)	10 mg/m ³ (Iron)	CA BC OEL
		TWAEV (fume and dust)	5 mg/m ³ (Iron)	CA QC OEL
		TWA (Respirable particulate matter)	5 mg/m ³	ACGIH
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m ³	CA AB OEL
		TWA (Inhalable)	3 mg/m ³	CA BC OEL
		TWAEV	3.5 mg/m ³	CA QC OEL
		TWA (Inhalable particulate matter)	3 mg/m ³	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m ³	CA AB OEL
		TWA (Total dust)	10 mg/m ³	CA BC OEL
		TWA (respirable)	3 mg/m ³	CA BC OEL

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

		dust fraction)		
		TWAEV (total dust)	10 mg/m3	CA QC OEL
Vinyl acetate	108-05-4	TWA	10 ppm 35 mg/m3	CA AB OEL
		STEL	15 ppm 53 mg/m3	CA AB OEL
		TWA	10 ppm	CA BC OEL
		STEL	15 ppm	CA BC OEL
		TWAEV	10 ppm 35 mg/m3	CA QC OEL
		STEV	15 ppm 53 mg/m3	CA QC OEL
		TWA	10 ppm	ACGIH
		STEL	15 ppm	ACGIH

Engineering measures : Use only in area provided with appropriate exhaust ventilation.
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).

Hand protection
Remarks

: Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.

Eye protection

: Safety glasses with side-shields

Skin and body protection

: Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
When handling hot melts use suitable protective clothing.

Hygiene measures

: The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

: Granules

Colour

: red

SAFETY DATA SHEET



EVA 003.000% RUBY RED

Page 6

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

Odour	:	characteristic
Odour Threshold	:	Not applicable
pH	:	Not applicable
Melting point	:	Not applicable
Boiling point	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Oxidizing properties	: not available
Surface tension	: Not relevant
Particle size	: Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials	: none Strong oxidizing agents Halogenated hydrocarbons
Hazardous decomposition products	: Stable under recommended storage conditions. No hazardous decomposition products if stored and handled as prescribed

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

None known.

Acute toxicity**Product:**

Acute dermal toxicity	: Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
-----------------------	--

Components:**C.I. Pigment Black 7:**

Acute oral toxicity	: LD50 (Rat, male and female): > 10,000 mg/kg Method: OECD Test Guideline 401
---------------------	--

EVA 003.000% RUBY RED

Page 8

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

GLP: no

Remarks: No significant adverse effects were reported

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: No information available.
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Remarks: not required

C.I. Pigment White 6:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: not required

C.I. Pigment Red 122:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes
Assessment: The substance or mixture has no acute oral toxicity
Remarks: No significant adverse effects were reported

Acute inhalation toxicity : LC0 (Rat, male and female): 3.055 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: yes
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: By analogy with a product of similar composition

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Iron(III)oxide:

- Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg
Method: Other
GLP: No information available.
- Acute inhalation toxicity : LC0 (Rat, male): > 0.21 mg/l
Exposure time: 14 d
Method: OECD Test Guideline 412
GLP: yes
- Acute dermal toxicity : Remarks: no data available
- Acute toxicity (other routes of administration) : LD50 (Rat): 5,550 mg/kg
Application Route: Intraperitoneal injection

Skin corrosion/irritation**Product:**

Result: No skin irritation

Components:**C.I. Pigment Black 7:**

Species: Rabbit
Exposure time: 4 - 24 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

C.I. Pigment White 6:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: no

C.I. Pigment Red 122:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Iron(III)oxide:

Species: Rabbit
Exposure time: 4 h
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Serious eye damage/eye irritation**Product:**

Result: No eye irritation

Components:**C.I. Pigment Black 7:**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: no

C.I. Pigment White 6:

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: No information available.

C.I. Pigment Red 122:

Species: Rabbit

Result: No eye irritation

Exposure time: 72 h

Method: OECD Test Guideline 405

GLP: yes

Iron(III)oxide:

Species: rabbit eye

Result: No eye irritation

Exposure time: 192 h

Method: OECD Test Guideline 405

GLP: yes

Respiratory or skin sensitisation**Product:**

Result: non-sensitizing

Components:**C.I. Pigment Black 7:**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

C.I. Pigment White 6:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: No information available.

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Does not cause respiratory sensitisation.

GLP: No information available.

C.I. Pigment Red 122:

Test Type: Maximisation Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: yes

Iron(III)oxide:

Test Type: Maurer optimisation test

Exposure routes: Skin contact

Species: Guinea pig

Method: Other

Result: Not a skin sensitizer.

GLP: No information available.

Germ cell mutagenicity**Components:****C.I. Pigment Black 7:**

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: Rodent cell line
Metabolic activation: without
Method: OECD Test Guideline 476
Result: positive
GLP: No information available.

Test Type: Micronucleus test
Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 487
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

C.I. Pigment White 6:

Genotoxicity in vitro : Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: Escherichia coli
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Erythrocytes
Application Route: oral (gavage)
Exposure time: single treatment
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

C.I. Pigment Red 122:

Genotoxicity in vitro

: Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 3 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test
Test system: Escherichia coli
Concentration: 3 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: In vitro gene mutation study in mammalian cells
Test system: Chinese hamster lung cells
Concentration: 2 - 20 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes

Test Type: Chromosome aberration test in vitro
Test system: Chinese hamster lung cells
Concentration: 0,31 - 200 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo

: Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: NMRI
Cell type: Bone marrow cells
Application Route: oral (gavage)
Exposure time: single administration
Dose: 2500 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity -
Assessment

: In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

Iron(III)oxide:

Genotoxicity in vitro

: Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 8 - 5000 µg/plate

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: No information available.
Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6 - 36 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 476
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro
Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster
Concentration: 6,25 - 25 µg/ml
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 473
Result: negative
GLP: yes
Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat (male)
Strain: Sprague-Dawley
Application Route: oral (gavage)
Exposure time: 24 h
Dose: 3,75 mg/kg
Method: Other
Result: negative
GLP: No information available.

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

Carcinogenicity**Components:****C.I. Pigment Black 7:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

C.I. Pigment White 6:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

C.I. Pigment Red 122:

Carcinogenicity - : No information available.
Assessment

Iron(III)oxide:

Species: Rat, (male and female)
Application Route: oral (gavage)
Exposure time: 798 d
Dose: 10 - 40 mg/kg
Group: yes
Frequency of Treatment: every other week
Method: Other
GLP: No information available.
Remarks: Based on available data, the classification criteria are not met.

Species: Rat, (male and female)
Application Route: Intraperitoneal injection
Exposure time: 790 - 914 d
Dose: 200 mg/kg
Group: yes
Frequency of Treatment: 3 injections; every 8 weeks
Method: Other
GLP: No information available.
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity - : Carcinogenicity classification not possible from current data.
Assessment

Reproductive toxicity**Components:****C.I. Pigment Black 7:**

Effects on foetal : Test Type: Pre-natal
development : Species: Rabbit, male and female
Strain: New Zealand white
Application Route: Inhalation
Dose: 10% diesel exhaust emission
Duration of Single Treatment: 12 d
Method: OECD Test Guideline 414
Result: No effects on fertility and early embryonic
development were detected.
GLP: no
Remarks: By analogy with a product of similar composition

Reproductive toxicity - : No evidence of adverse effects on sexual function and fertility,
Assessment : or on development, based on animal experiments.

C.I. Pigment White 6:

Effects on fertility : Remarks: no data available

Effects on foetal : Test Type: Pre-natal

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

development

Species: Rat, female
Strain: wistar
Application Route: oral (gavage)
Dose: 100, 300, 1000 mg/kg bw
Duration of Single Treatment: 14 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: No significant adverse effects were reported

Reproductive toxicity -
Assessment

: No evidence of adverse effects on sexual function and fertility,
or on development, based on animal experiments.
Did not show teratogenic effects in animal experiments.

C.I. Pigment Red 122:Reproductive toxicity -
Assessment

: No information available.

Iron(III)oxide:

Effects on fertility

: Remarks: Not applicable

Effects on foetal
development

: Remarks: Not applicable

Reproductive toxicity -
Assessment

: No reproductive toxicity to be expected.
No teratogenic effects to be expected.

STOT - single exposure**Components:****C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment Red 122:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

STOT - repeated exposure**Components:****C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment Red 122:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Iron(III)oxide:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity**Components:****C.I. Pigment Black 7:**

Species: Rat, female

NOAEL: 52 mg/kg bw/day

Application Route: oral (feed)

Exposure time: 1 a - 2 a

Number of exposures: daily

Dose: 2,05 g/kg of chow diet

Group: yes

Method: Other

GLP: No information available.

Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male

NOAEL: 0.0011 mg/l

LOAEL: 0.0071 mg/l

Application Route: Inhalation

Test atmosphere: dust/mist

Exposure time: 13 w

Number of exposures: 6 h per day; 5 d per week

Dose: 1,1 - 7,1 - 52,8 mg/m³

Group: yes

Method: Other

GLP: No information available.

Species: Mouse, male and female

Application Route: Skin contact

Exposure time: 12-18 m

Number of exposures: 3 times per week

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Dose: 20% carbon black suspensions

Group: yes

Method: Other

GLP: no

Remarks: No adverse effect has been observed in chronic toxicity tests.

C.I. Pigment White 6:

Species: Rat, male

NOEL: > 24000 mg/kg bw/day

Application Route: oral (gavage)

Exposure time: 29 d

Number of exposures: daily

Dose: 24000 mg/kg

Group: yes

Method: OECD Test Guideline 407

GLP: No information available.

Species: Rat, male and female

NOAEL: 0.01 mg/l

Application Route: Inhalation

Exposure time: 2 a

Number of exposures: 6 hours/day, 5 days/week

Dose: 0,0106 - 0,0507 - 0,250 mg/l

Group: yes

Method: Repeated Dose Toxicity (chronic Toxicity)

GLP: no

C.I. Pigment Red 122:

Species: Rat, male and female

NOAEL: 1000 mg/kg bw/day

Application Route: oral (gavage)

Exposure time: 91 d

Number of exposures: Once a day

Dose: 0, 50, 200, 1000 mg/kg

Group: yes

Method: OECD Test Guideline 408

GLP: yes

Iron(III)oxide:

Species: Rat, male

Application Route: oral (feed)

Exposure time: 21 d

Number of exposures: daily

Dose: 112,3 - 330,1 mg/100g diet

Group: yes

Method: Repeated Dose Toxicity (subacute study)

GLP: yes

Target Organs: Liver

Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

Application Route: Inhalation
Exposure time: 2 w
Number of exposures: 6 hours/day, 5 days/week
Dose: 185,2- 195,7 - 210,2 mg/m³
Group: yes
Method: OECD Test Guideline 412
GLP: yes
Remarks: No adverse effect has been observed in chronic toxicity tests.

Application Route: Skin contact
Method: Repeated Dose Toxicity (subacute study)
Remarks: The study is not necessary from a scientific perspective.

Aspiration toxicity**Components:****C.I. Pigment Black 7:**

No aspiration toxicity classification

C.I. Pigment White 6:

No aspiration toxicity classification

C.I. Pigment Red 122:

No aspiration toxicity classification

Iron(III)oxide:

No aspiration toxicity classification

Experience with human exposure**Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information**Components:****C.I. Pigment White 6:**

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish :
Remarks: no data available

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Components:**C.I. Pigment Black 7:**

- Toxicity to fish : LC0 (Danio rerio (zebra fish)): 1,000 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5,600 mg/l
End point: Immobilization
Exposure time: 24 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 201
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to fish (Chronic toxicity) : Remarks: not required
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not required
- Toxicity to microorganisms : EC0 (activated sludge): > 400 mg/l
End point: Bacteria toxicity (growth inhibition)
Exposure time: 3 h
Test Type: static test
Method: DIN 38412
GLP: no
- Toxicity to soil dwelling organisms : Test Type: Other
Method: Other
GLP: No information available.
Remarks: This product does not have any known adverse effect on the soil organisms tested.

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

C.I. Pigment White 6:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 1,000 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no data available
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no data available
Method: OECD Test Guideline 202
GLP: no data available
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Acartia tonsa): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no data available
Method: ISO 14669 and PARCOM method
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 61 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: No information available.

EVA 003.000% RUBY RED

Page 22

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Remarks: The details of the toxic effect relate to the nominal concentration.

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l

End point: Growth rate

Exposure time: 72 h

Analytical monitoring: no data available

Method: ISO 10253

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.31 mg/l
Exposure time: 28 d
Test Type: static test
Analytical monitoring: yes
Method: Other
GLP: No information available.
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage):
> 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage): \geq 1,000 mg/l

End point: Bacteria toxicity (respiration inhibition)

Exposure time: 3 h

Test Type: aquatic

Method: OECD Test Guideline 209

GLP: yes

Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil
NOEC (Folsomia candida): 0,1 \rightarrow \geq 10 %
Exposure time: 28 d
End point: mortality
Method: ISO 11267
GLP: no
Remarks: By analogy with a product of similar composition
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity : NOEC: \geq 10 %
Exposure time: 20 h
End point: Growth

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

Species: Lactuca sativa (lettuce)
Analytical monitoring: yes
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition
No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalella azteca (Scud)): ≥ 100000 %
Analytical monitoring: no
Sediment: artificial soil
Exposure duration: 28 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition

NOEC: ≥ 14989 mg/kg dry weight (d.w.)
Analytical monitoring: no data available
Sediment: Natural sediment
Exposure duration: 10 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

C.I. Pigment Red 122:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.

NOEC (Danio rerio (zebra fish)): 100 mg/l
End point: mortality
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: yes
Remarks: By analogy with a product of similar composition
The details of the toxic effect relate to the nominal concentration.

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (Daphnia magna (Water flea)): 100 mg/l
End point: Immobilization
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 202
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes
Remarks: No toxicity at the limit of solubility
The details of the toxic effect relate to the nominal concentration.

NOEC (Desmodesmus subspicatus (green algae)): 10 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: yes
Method: OECD Test Guideline 201
GLP: yes
Remarks: No toxicity at the limit of solubility
The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): >= 10 mg/l
End point: Other
Exposure time: 28 d
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 215
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

LOEC (Danio rerio (zebra fish)): > 10 mg/l

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

- End point: Other
Exposure time: 28 d
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 215
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.02 mg/l
End point: Reproduction rate
Exposure time: 21 d
Test Type: semi-static test
Analytical monitoring: no
Method: OECD Test Guideline 211
GLP: yes
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : NOEC (activated sludge): > 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Analytical monitoring: no
Method: OECD Test Guideline 209
GLP: yes
- Toxicity to soil dwelling organisms : Test Type: artificial soil
LC50 (Eisenia fetida (earthworms)): > 1,000 mg/kg
Exposure time: 14 d
End point: mortality
Method: OECD Test Guideline 207
GLP: yes
Remarks: By analogy with a product of similar composition
- Test Type: artificial soil
NOEC (Eisenia fetida (earthworms)): 1,000 mg/kg
Exposure time: 14 d
End point: mortality
Method: OECD Test Guideline 207
GLP: yes
Remarks: By analogy with a product of similar composition
- Sediment toxicity : NOEC (Lumbriculus variegatus (Worm)): 993 mg/kg dry weight (d.w.)
Analytical monitoring: no
Solvent: yes
Duration: 28 d
Sediment: Artificial sediment
Basis for effect: mortality
Method: OECD 225
GLP: yes

Iron(III)oxide:

EVA 003.000% RUBY RED

Page 26

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): approx. 100,000 mg/l Exposure time: 96 h Test Type: static test Analytical monitoring: no data available Method: Umweltbundesamt, 1984 GLP: no Remarks: The details of the toxic effect relate to the nominal concentration.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test Type: static test Analytical monitoring: no Method: OECD Test Guideline 202 GLP: yes Remarks: The details of the toxic effect relate to the nominal concentration.
Toxicity to algae/aquatic plants	: Remarks: no data available
Toxicity to fish (Chronic toxicity)	: Remarks: not reasonable
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: not reasonable
Toxicity to microorganisms	: EC50 (activated sludge of a predominantly domestic sewage): > 10,000 mg/l End point: Bacteria toxicity (respiration inhibition) Exposure time: 3 h Test Type: aquatic Method: ISO 8192 GLP: no
Toxicity to soil dwelling organisms	: Remarks: The study is not necessary from a scientific perspective.
Plant toxicity	: Remarks: The study is not necessary from a scientific perspective.
Sediment toxicity	: Remarks: The study is not necessary from a scientific perspective.
Toxicity to terrestrial organisms	: Remarks: The study is not necessary from a scientific perspective.

Persistence and degradability**Components:****C.I. Pigment Black 7:**

Biodegradability : Remarks: Not applicable

EVA 003.000% RUBY RED

Page 27

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

C.I. Pigment White 6:

Biodegradability : Remarks: Not applicable for inorganic compound.

C.I. Pigment Red 122:

Biodegradability : aerobic
Inoculum: activated sludge
Concentration: 40 mg/l
Biochemical Oxygen Demand (BOD)
Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
GLP: yes

Physico-chemical
removability : Remarks: Not readily biodegradable.**Iron(III)oxide:**

Biodegradability : Remarks: Not applicable for inorganic compound.

Physico-chemical
removability : Remarks: Not applicable**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: not tested.

Components:**C.I. Pigment Black 7:**

Bioaccumulation : Remarks: Not applicable

C.I. Pigment White 6:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 20 - 200
Exposure time: 14 d
Concentration: 0.1 - 1 mg/l
Method: Other
GLP: No information available.
Remarks: Does not accumulate in organisms.

Partition coefficient: n-
octanol/water : Remarks: inorganic**C.I. Pigment Red 122:**

Bioaccumulation : Remarks: Low potential for bioaccumulation (log Pow < 3).

EVA 003.000% RUBY RED

Page 28

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

Partition coefficient: n-octanol/water : log Pow: 2.2 (24 °C)
pH: 7
Method: Other
GLP: no data available
Remarks: Calculated on the basis of measured solubilities in water at pH 7 and in n-octanol.

Iron(III)oxide:

Bioaccumulation : Remarks: Does not accumulate in organisms.

Mobility in soil**Product:**

Distribution among environmental compartments : Remarks: not tested.

Components:**C.I. Pigment Black 7:**

Distribution among environmental compartments : Adsorption/Soil
Medium: water - soil
Remarks: Not applicable

C.I. Pigment White 6:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil
Medium: water - soil
log Koc: 4.61
Method: Other

C.I. Pigment Red 122:

Distribution among environmental compartments : adsorption
Medium: Soil
Remarks: Not expected to adsorb on soil.

Iron(III)oxide:

Mobility : Remarks: Known distribution to environmental compartments

Distribution among environmental compartments : Remarks: Not applicable

Other adverse effects**Product:**

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological : Do not allow to enter ground water, waterways or waste water.

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing : 11/20/2019

information

Components:**C.I. Pigment Black 7:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment White 6:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment Red 122:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : The product should not be allowed to enter drains, water courses or the soil.

Iron(III)oxide:

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local,

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

TDG not restricted
IATA not restricted
IMDG not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Vinyl acetate

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL : Canada. British Columbia OEL
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
CA AB OEL / TWA : 8-hour Occupational exposure limit
CA AB OEL / STEL : 15-minute occupational exposure limit
CA BC OEL / TWA : 8-hour time weighted average
CA BC OEL / STEL : short-term exposure limit
CA QC OEL / TWAEV : Time-weighted average exposure value
CA QC OEL / STEV : Short-term exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer;

Substance key: 000000649953

Revision Date: 11/20/2019

Version : 1 - 0 / CDN

Date of printing :11/20/2019

IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 11/20/2019

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN