

## RENOL-NUBIAN BROWN-ZN

Page 1

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

## SECTION 1. IDENTIFICATION

**Identification of the company:**

Clariant Plastics & Coatings Canada Inc.  
2 Lone Oak Court  
Toronto, Ontario, M9C 5R9  
Telephone No.: +1 514-832-2559

**Information of the substance/preparation:**

BU Masterbatches  
Product Stewardship, +1-704-331-7710  
e-mail: SDS.NORAM@clariant.com

**Emergency tel. number:** +1 CANUTEC (613) 996-6666**Trade name:****RENOL-NUBIAN BROWN-ZN****Material number:**

SB84800021

**Chemical family:**

Colourant preparation  
Carrier: ABS

**Primary product use:**

Additive for plastic material processing

## SECTION 2. HAZARDS IDENTIFICATION

**GHS classification in accordance with the Hazardous Products Regulations**

Not a hazardous substance or mixture.

**GHS label elements**

Not a hazardous substance or mixture.

**Other hazards**

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: Colourant preparation  
Carrier: ABS

**Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
N,N'-Ethylenedi(stearamide)	110-30-5	1 - 2.5
C.I. Pigment Black 7	1333-86-4	1 - 2.5
Iron(III)oxide	1309-37-1	7 - 10

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200) and by the Canadian WHMIS 2015 Hazardous Products Regulations (SOR/2015-17)., The hazardous ingredients of this product are encapsulated, therefore the material is not

## RENOL-NUBIAN BROWN-ZN

Page 2

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

GHS classified for health and environmental hazards as exposure is not expected., Any concentration shown as a range is due to batch variation.

**SECTION 4. FIRST AID MEASURES**

- If inhaled : Move the victim to fresh air.  
Give oxygen or artificial respiration if needed.  
Get immediate medical advice/ attention.  
Never give anything by mouth to an unconscious person.
- In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.  
In case of burns apply cold water until pain subsides then seek medical advice.  
Burns must be treated by a physician.  
If molten polymer contact the skin, cool rapidly with cold water. Do not attempt to peel polymer from skin. Obtain medical attention for thermal burn. Skin absorption of reground pellets is unlikely.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.  
Do NOT induce vomiting.  
Never give anything by mouth to an unconscious person.  
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).  
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

**SECTION 5. FIREFIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:  
Styrene  
Hydrogen cyanide (hydrocyanic acid)

## RENOL-NUBIAN BROWN-ZN

Page 3

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Acrylonitrile  
Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Take measures to prevent the build up of electrostatic charge.  
Dust can form an explosive mixture in air.  
Metal oxides  
Sulphur oxides

Further information : Combustible material  
In the event of fire and/or explosion do not breathe fumes.  
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion  
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not allow run-off from fire fighting to enter drains or water courses.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly after handling.

Environmental precautions : Do not allow contact with soil, surface or ground water.  
Prevent product from entering drains.

Methods and materials for containment and cleaning up : Avoid dust formation.  
Take measures to prevent the build up of electrostatic charge.  
Sweep up and shovel into suitable containers for disposal.  
Take up uncontaminated material and pass on for further processing.  
After cleaning, flush away traces with water.

---

**SECTION 7. HANDLING AND STORAGE**

Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.

Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.  
Use only with adequate ventilation/personal protection.  
For personal protection see section 8.  
Avoid contact with skin, eyes and clothing.  
Use only with adequate ventilation.  
When handling hot melts use suitable protective clothing.  
Avoid dust formation. Keep away from sources of ignition.

## RENOL-NUBIAN BROWN-ZN

Page 4

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Lead off electrostatic charges.

Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.  
Protect from moisture.  
Keep away from direct sunlight.

Technical measures/Precautions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.  
Keep in an area equipped with sprinklers.  
Minimize dust generation and accumulation.

Materials to avoid : not required

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
N,N'-Ethylenedi(stearamide)	110-30-5	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWA	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable fraction)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable fraction)	3 mg/m <sup>3</sup>	ACGIH
Iron(III)oxide	1309-37-1	TWA (Respirable)	5 mg/m <sup>3</sup>	CA AB OEL
		TWA (Fumes)	5 mg/m <sup>3</sup> (Iron)	CA BC OEL
		TWA (Dust)	5 mg/m <sup>3</sup> (Iron)	CA BC OEL
		STEL (Fumes)	10 mg/m <sup>3</sup> (Iron)	CA BC OEL
		TWAEV (fume and dust)	5 mg/m <sup>3</sup> (Iron)	CA QC OEL
		TWA (Respirable fraction)	5 mg/m <sup>3</sup>	ACGIH
C.I. Pigment Black 7	1333-86-4	TWA	3.5 mg/m <sup>3</sup>	CA AB OEL
		TWA (Inhalable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV	3.5 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable fraction)	3 mg/m <sup>3</sup>	ACGIH

## RENOL-NUBIAN BROWN-ZN

Page 5

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

- Engineering measures** : Use only in area provided with appropriate exhaust ventilation.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.  
Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.
- Personal protective equipment**
- Respiratory protection : Use NIOSH/MSHA approved respirators following manufacturer's recommendations where dust or fume may be generated.  
Use respiratory protective equipment when using this product at elevated temperatures (see section 8).
- Hand protection  
Remarks : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves When handling hot material, use heat resistant gloves.
- Eye protection : Safety glasses with side-shields
- Skin and body protection : Wear protective clothing, including long sleeves and gloves, to prevent skin contact.  
When handling hot melts use suitable protective clothing.
- Hygiene measures : The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

- Appearance : Granules
- Colour : brown
- Odour : characteristic
- Odour Threshold : Not applicable
- pH : Not applicable
- Melting point : > 90 °C
- Boiling point : Not applicable
- Flash point : Not applicable
- Evaporation rate : Not applicable

## RENOL-NUBIAN BROWN-ZN

Page 6

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Flammability (solid, gas)	:	not determined
Self-ignition	:	Not applicable
Upper explosion limit / upper flammability limit	:	not tested.
Lower explosion limit / Lower flammability limit	:	not tested.
Vapour pressure	:	Not applicable
Relative vapour density	:	Not applicable
Relative density	:	not available
Density	:	not tested.
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	This property is not applicable for mixtures.
Decomposition temperature	:	To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Explosive properties	:	no data available no data available
Oxidizing properties	:	not available
Surface tension	:	Not relevant
Particle size	:	Product specific

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable
Possibility of hazardous reactions	:	No dangerous reaction known under conditions of normal use.

## RENOL-NUBIAN BROWN-ZN

Page 7

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Conditions to avoid	: To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Keep away from heat and sources of ignition.
Incompatible materials	: no data available Strong oxidizing agents Strong acids and oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: No hazardous decomposition products if stored and handled as prescribed

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

None known.

**Acute toxicity****Product:**

Acute dermal toxicity : Acute toxicity estimate: 2,979 mg/kg  
Method: Calculation method

**Components:****N,N'-Ethylenedi(stearamide):**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): > 6.3 mg/l  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**C.I. Pigment Black 7:**

Acute oral toxicity : LD50 (Rat, male and female): > 8,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: no

Acute inhalation toxicity : LC0 (Rat): > 0.0046 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

## RENOL-NUBIAN BROWN-ZN

Page 8

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Method: Other  
GLP: No information available.

Acute dermal toxicity : Remarks: not required

**Iron(III)oxide:**

Acute oral toxicity : LD50 (Rat, male): > 10,000 mg/kg  
Method: Other  
GLP: No information available.

Acute inhalation toxicity : LC0 (Rat, male): > 0.21 mg/l  
Exposure time: 14 d  
Method: OECD Test Guideline 412  
GLP: yes

Acute dermal toxicity : Remarks: no data available

Acute toxicity (other routes of administration) : LD50 (Rat): 5,550 mg/kg  
Application Route: Intraperitoneal injection

**Skin corrosion/irritation****Product:**

Result: No skin irritation

**Components:****N,N'-Ethylenedi(stearamide):**

Species: Rabbit  
Method: OECD Test Guideline 404  
Result: No skin irritation

**C.I. Pigment Black 7:**

Species: Rabbit  
Exposure time: 4 - 24 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: no

**Iron(III)oxide:**

Species: Rabbit  
Exposure time: 4 h  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

**Serious eye damage/eye irritation****Product:**

Result: No eye irritation



## RENOL-NUBIAN BROWN-ZN

Page 9

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

**Components:****N,N'-Ethylenedi(stearamide):**

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

**C.I. Pigment Black 7:**

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: no

**Iron(III)oxide:**

Species: rabbit eye

Result: No eye irritation

Exposure time: 192 h

Method: OECD Test Guideline 405

GLP: yes

**Respiratory or skin sensitisation****Product:**

Result: non-sensitizing

**Components:****N,N'-Ethylenedi(stearamide):**

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

**C.I. Pigment Black 7:**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: non-sensitizing

GLP: yes

**Iron(III)oxide:**

Test Type: Maurer optimisation test

Exposure routes: Skin contact

Species: Guinea pig

Method: Other

Result: Not a skin sensitizer.

GLP: No information available.

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

**Germ cell mutagenicity****Components:****N,N'-Ethylenedi(stearamide):**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 473  
Result: negative

Test Type: Mammalian cell gene mutation assay  
Test system: mouse lymphoma cells  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

Germ cell mutagenicity - Assessment : In vitro tests did not show mutagenic effects

**C.I. Pigment Black 7:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Test Type: Ames test  
Test system: Escherichia coli  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative  
GLP: yes

Genotoxicity in vivo : Result: ambiguous

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

**Iron(III)oxide:**

Genotoxicity in vitro : Test Type: Ames test  
Test system: Salmonella typhimurium  
Concentration: 8 - 5000 µg/plate  
Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 471  
Result: negative

## RENOL-NUBIAN BROWN-ZN

Page 11

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

GLP: No information available.

Remarks: By analogy with a product of similar composition

Test Type: HGPRT assay

Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster

Concentration: 6 - 36 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Chromosome aberration test in vitro

Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster

Concentration: 6,25 - 25 µg/ml

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Rat (male)  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
Exposure time: 24 h  
Dose: 3,75 mg/kg  
Method: Other  
Result: negative  
GLP: No information available.

Germ cell mutagenicity - Assessment : It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

**Carcinogenicity****Components:****N,N'-Ethylenedi(stearamide):**

Carcinogenicity - Assessment : No information available.

**C.I. Pigment Black 7:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

**Iron(III)oxide:**

Species: Rat, (male and female)

Application Route: oral (gavage)

Exposure time: 798 d

## RENOL-NUBIAN BROWN-ZN

Page 12

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Dose: 10 - 40 mg/kg  
Group: yes  
Frequency of Treatment: every other week  
Method: Other  
GLP: No information available.  
Remarks: Based on available data, the classification criteria are not met.

Species: Rat, (male and female)  
Application Route: Intraperitoneal injection  
Exposure time: 790 - 914 d  
Dose: 200 mg/kg  
Group: yes  
Frequency of Treatment: 3 injections; every 8 weeks  
Method: Other  
GLP: No information available.  
Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity - : Carcinogenicity classification not possible from current data.  
Assessment

**Reproductive toxicity****Components:****N,N'-Ethylenedi(stearamide):**

Effects on foetal : Test Type: Pre-natal  
development : Species: Rat  
Strain: Sprague-Dawley  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: >= 1,000 mg/kg body  
weight  
Method: OECD Test Guideline 414

Reproductive toxicity - : No evidence of adverse effects on sexual function and fertility,  
Assessment or on development, based on animal experiments.

**C.I. Pigment Black 7:**

Effects on fertility : Remarks: The study is not necessary from a scientific  
perspective.

Effects on foetal : Remarks: The study is not necessary from a scientific  
development perspective.

Reproductive toxicity - : No reproductive toxicity to be expected.  
Assessment No teratogenic effects to be expected.

**Iron(III)oxide:**

Effects on fertility : Remarks: Not applicable

Effects on foetal : Remarks: Not applicable  
development

## RENOL-NUBIAN BROWN-ZN

Page 13

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Reproductive toxicity - : No reproductive toxicity to be expected.  
Assessment No teratogenic effects to be expected.

**STOT - single exposure****Components:****N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**Iron(III)oxide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

**STOT - repeated exposure****Components:****N,N'-Ethylenedi(stearamide):**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**C.I. Pigment Black 7:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Iron(III)oxide:**

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

**Repeated dose toxicity****Components:****N,N'-Ethylenedi(stearamide):**

Species: Rat, male and female  
NOEL: >= 1000 mg/kg bw/day  
Application Route: oral (gavage)  
Method: OECD Test Guideline 408

**C.I. Pigment Black 7:**

Species: Rat, female  
NOAEL: 52 mg/kg  
Application Route: oral (feed)  
Exposure time: 1 a - 2 a

## RENOL-NUBIAN BROWN-ZN

Page 14

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Number of exposures: daily  
Dose: 2,05 g/kg of chow diet  
Group: yes  
Method: Repeated Dose Toxicity (chronic Toxicity)  
GLP: No information available.  
Remarks: The product is non-toxic.

Species: Rat, male  
NOAEL: 0.0011 mg/l  
LOAEL: 0.0071 mg/l  
Application Route: Inhalation  
Exposure time: 13 w  
Number of exposures: 6 h per day; 5 d per week  
Dose: 1,1 - 7,1 - 52,8 mg/m<sup>3</sup>  
Group: yes  
Method: OECD Test Guideline 413  
GLP: No information available.

Species: Mouse, male and female  
Application Route: Skin contact  
Exposure time: 12-18 m  
Number of exposures: 3 times per week  
Dose: 20% carbon black suspensions  
Group: yes  
Method: Repeated Dose Toxicity (chronic Toxicity)  
GLP: no  
Remarks: The product is non-toxic.

**Iron(III)oxide:**

Species: Rat, male  
Application Route: oral (feed)  
Exposure time: 21 d  
Number of exposures: daily  
Dose: 112,3 - 330,1 mg/100g diet  
Group: yes  
Method: Repeated Dose Toxicity (subacute study)  
GLP: yes  
Target Organs: Liver  
Remarks: No adverse effect has been observed in chronic toxicity tests.

Species: Rat, male  
Application Route: Inhalation  
Exposure time: 2 w  
Number of exposures: 6 hours/day, 5 days/week  
Dose: 185,2- 195,7 - 210,2 mg/m<sup>3</sup>  
Group: yes  
Method: OECD Test Guideline 412  
GLP: yes  
Remarks: No adverse effect has been observed in chronic toxicity tests.

Application Route: Skin contact  
Method: Repeated Dose Toxicity (subacute study)  
Remarks: The study is not necessary from a scientific perspective.

## RENOL-NUBIAN BROWN-ZN

Page 15

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

**Aspiration toxicity****Components:****N,N'-Ethylenedi(stearamide):**

no data available

**C.I. Pigment Black 7:**

No aspiration toxicity classification

**Iron(III)oxide:**

No aspiration toxicity classification

**Experience with human exposure****Product:**

General Information : The possible symptoms known are those derived from the labelling (see section 2).

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:**

Toxicity to fish :  
Remarks: no data available

**Components:****N,N'-Ethylenedi(stearamide):**

Toxicity to fish : LC50 (Oryzias latipes (Orange-red killifish)): 0.027 mg/l  
End point: mortality  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0022 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (algae)): 0.053 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : Remarks: no data available

## RENOL-NUBIAN BROWN-ZN

Page 16

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC50 (*Daphnia magna* (Water flea)): 0.0056 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l  
Exposure time: 3 h  
Test Type: static test  
Method: OECD Test Guideline 209
- Toxicity to soil dwelling organisms : NOEC (*Eisenia fetida* (earthworms)): >= 1,000 mg/kg  
Exposure time: 56 d  
Method: OECD Test Guideline 222
- Sediment toxicity : NOEC: >= 1000 mg/kg dry weight (d.w.)  
Test Type: static test  
Sediment: Artificial sediment  
Exposure duration: 28 d  
Method: OECD Test Guideline 218
- C.I. Pigment Black 7:**
- Toxicity to fish : LC0 (*Brachydanio rerio* (zebrafish)): 1,000 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Analytical monitoring: no  
Method: OECD Test Guideline 203  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 5,600 mg/l  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- NOEC (*Daphnia magna* (Water flea)): 3,200 mg/l  
Exposure time: 24 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.
- Toxicity to algae : EC50 (*Desmodesmus subspicatus* (green algae)): > 10,000 mg/l  
End point: Growth rate  
Exposure time: 72 h



## RENOL-NUBIAN BROWN-ZN

Page 17

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (Desmodesmus subspicatus (green algae)): > 10,000 mg/l

End point: Growth rate  
Exposure time: 72 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 201  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : Remarks: not reasonable

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Remarks: not reasonable

Toxicity to microorganisms : EC0 (activated sludge, domestic): > 400 mg/l  
Exposure time: 3 h  
Test Type: static test  
Analytical monitoring: no  
Method: DEV L 3  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

Sediment toxicity : Remarks: Not applicable

**Iron(III)oxide:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): approx. 100,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Analytical monitoring: no data available  
Method: Umweltbundesamt, 1984  
GLP: no  
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Test Type: static test  
Analytical monitoring: no  
Method: OECD Test Guideline 202  
GLP: yes  
Remarks: The details of the toxic effect relate to the nominal

## RENOL-NUBIAN BROWN-ZN

Page 18

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

	concentration.
Toxicity to algae	: Exposure time: Remarks: no data available
Toxicity to fish (Chronic toxicity)	: Remarks: not reasonable
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Remarks: not reasonable
Toxicity to microorganisms	: EC50 (activated sludge of a predominantly domestic sewage): > 10,000 mg/l End point: Bacteria toxicity (respiration inhibition) Exposure time: 3 h Test Type: aquatic Method: ISO 8192
Toxicity to soil dwelling organisms	: Remarks: The study is not necessary from a scientific perspective.
Plant toxicity	: Remarks: The study is not necessary from a scientific perspective.
Sediment toxicity	: Remarks: The study is not necessary from a scientific perspective.
Toxicity to terrestrial organisms	: Remarks: The study is not necessary from a scientific perspective.

**Persistence and degradability****Components:****N,N'-Ethylenedi(stearamide):**

Biodegradability	: aerobic Inoculum: activated sludge Carbon dioxide (CO <sub>2</sub> ) Result: Not readily biodegradable. Biodegradation: 5.5 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	--

**C.I. Pigment Black 7:**

Biodegradability	: Remarks: Not applicable
------------------	---------------------------

**Iron(III)oxide:**

Biodegradability	: Remarks: Not applicable for inorganic compound.
Physico-chemical removability	: Remarks: Not applicable

## RENOL-NUBIAN BROWN-ZN

Page 19

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

**Bioaccumulative potential****Product:**

Bioaccumulation : Remarks: not tested.

**Components:****N,N'-Ethylenedi(stearamide):**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : Remarks: Not applicable

**C.I. Pigment Black 7:**

Bioaccumulation : Remarks: Not applicable

**Iron(III)oxide:**

Bioaccumulation : Remarks: Does not accumulate in organisms.

**Mobility in soil****Product:**

Distribution among environmental compartments : Remarks: not tested.

**Components:****N,N'-Ethylenedi(stearamide):**Distribution among environmental compartments : log Koc: 8.6 - 8.91  
Method: calculated**C.I. Pigment Black 7:**

Mobility : Remarks: Known distribution to environmental compartments

Distribution among environmental compartments : Adsorption/Soil  
Medium: water - soil  
Remarks: Not applicable**Iron(III)oxide:**

Mobility : Remarks: Known distribution to environmental compartments

Distribution among environmental compartments : Remarks: Not applicable

**Other adverse effects****Product:**

Results of PBT and vPvB : Remarks: No information is available as no chemical safety

## RENOL-NUBIAN BROWN-ZN

Page 20

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

assessment report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Components:****N,N'-Ethylenedi(stearamide):**

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

**C.I. Pigment Black 7:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

**Iron(III)oxide:**

Environmental fate and pathways : not available

Results of PBT and vPvB assessment : The substance is inorganic, thus a PBT and vPvB criteria assessment is not applicable according to Annex XIII of Regulation (EC) 1907/2006.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

---

**SECTION 14. TRANSPORT INFORMATION**

**TDG** not restricted

**IATA** not restricted

## RENOL-NUBIAN BROWN-ZN

Page 21

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

IMDG

not restricted

**SECTION 15. REGULATORY INFORMATION****NPRI Components** : Zinc compounds**The components of this product are reported in the following inventories:**

DSL : All components of this product are on the Canadian DSL

**Canadian lists**

No substances are subject to a Significant New Activity Notification.

**SECTION 16. OTHER INFORMATION****Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants  
ACGIH / TWA : 8-hour, time-weighted average  
CA AB OEL / TWA : 8-hour Occupational exposure limit  
CA BC OEL / TWA : 8-hour time weighted average  
CA BC OEL / STEL : short-term exposure limit  
CA QC OEL / TWA EV : Time-weighted average exposure value

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure

## RENOL-NUBIAN BROWN-ZN

Page 22

Substance key: 000000740744

Revision Date: 05/04/2018

Version : 1 - 0 / CDN

Date of printing :06/15/2018

Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 05/04/2018

This information corresponds to the present state of our knowledge and is intended as a general description of our products and their possible applications. Clariant makes no warranties, express or implied, as to the information's accuracy, adequacy, sufficiency or freedom from defect and assumes no liability in connection with any use of this information. Any user of this product is responsible for determining the suitability of Clariant's products for its particular application. NO EXPRESS OR IMPLIED WARRANTY IS MADE OF THE MERCHANTABILITY, SUITABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE OF ANY PRODUCT OR SERVICE. Nothing included in this information waives any of Clariant's General Terms and Conditions of Sale, which control unless it agrees otherwise in writing. Any existing intellectual/industrial property rights must be observed. Due to possible changes in our products and applicable national and international regulations and laws, the status of our products could change. Material Safety Data Sheets providing safety precautions, that should be observed when handling or storing Clariant products, are available upon request and are provided in compliance with applicable law. You should obtain and review the applicable Material Safety Data Sheet information before handling any of these products. For additional information, please contact Clariant.

CA / EN