

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 1

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

SECTION 1. IDENTIFICATION

Identification of the company:	Avient Colorants Canada Inc. 2 Lone Oak Court Toronto, Ontario, M9C 5R9 Telephone No.: +1 514-832-2559
	Information of the substance/preparation: Product Stewardship e-mail: SDS.NORAMMB@avient.com
	Emergency tel. number: +1 CANUTEC (613) 996-6666

Trade name: DC KBD-100375 001.000% RED DC

Material number: EM33754483

Synonyms: OM33754483

Chemical family: Colourant preparation
Carrier: -

Primary product use: Additive for plastic material processing

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Combustible dust

Carcinogenicity (Inhalation) : Category 1A

Specific target organ toxicity : Category 1 (Lungs)
- repeated exposure
(Inhalation)

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : May form combustible dust concentrations in air.
H350 May cause cancer by inhalation.
H372 Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 2

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Other hazards

Hazards Not Otherwise Classified:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature : Colourant preparation
Carrier: -

Components

Chemical name	CAS-No.	Concentration (% w/w)
Aluminium oxide	1344-28-1	0.1 - 1
Crystalline silica, quartz	14808-60-7	1 - 5
C.I. Pigment Black 28	68186-91-4	1 - 5
Calcium distearate	1592-23-0	5 - 10
C.I. Pigment White 6	13463-67-7	5 - 10
Limestone	1317-65-3	10 - 30

Any concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

General advice : Ensure that the First Aid Personnel are aware of the product involved, and take precautions to protect themselves (e.g. wear personal protection equipment).
Get medical advice/ attention if you feel unwell.

If inhaled : Move the victim to fresh air.
Give oxygen or artificial respiration if needed.
Get immediate medical advice/ attention.
Never give anything by mouth to an unconscious person.

In case of skin contact : Wash off immediately with plenty of water for at least 15 minutes.
Wash off with soap and water.
Get medical attention if irritation develops and persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 3

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

- for at least 15 minutes.
Get medical attention immediately if irritation develops and persists.
- If swallowed : Rinse mouth.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Get medical advice/ attention.
- Most important symptoms and effects, both acute and delayed : The possible symptoms known are those derived from the labelling (see section 2).
No additional symptoms are known.
- Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : In case of fire hazardous decomposition products may be produced such as:
Carbon dioxide (CO₂)
Carbon monoxide
Nitrogen oxides (NO_x)
Hydrogen chloride
Metal oxides
- Further information : Combustible material
In the event of fire and/or explosion do not breathe fumes.
During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion
Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Do not allow run-off from fire fighting to enter drains or water courses.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, : Refer to protective measures listed in sections 7 and 8.

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 4

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

- protective equipment and emergency procedures : Avoid contact with skin, eyes and clothing.
Wash thoroughly after handling.
- Environmental precautions : Do not allow contact with soil, surface or ground water.
Prevent product from entering drains.
- Methods and materials for containment and cleaning up : Non-sparking tools should be used.
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Sweep up and shovel into suitable containers for disposal.
Clean contaminated surface thoroughly.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Take measures to prevent the build up of electrostatic charge.
- Advice on safe handling : Handle in accordance with good industrial hygiene and safety practice.
Use only with adequate ventilation/personal protection.
For personal protection see section 8.
Avoid contact with skin, eyes and clothing.
Use only with adequate ventilation.
Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Ensure all equipment is electrically grounded before beginning transfer operations.
Use only non-sparking tools.
- Conditions for safe storage : Keep container tightly closed in a cool, well-ventilated place.
Protect from moisture.
Keep away from direct sunlight.
- Further information on storage conditions : Store in a cool, dry, well-ventilated area. Keep container sealed when not in use.
Keep in an area equipped with sprinklers.
Minimize dust generation and accumulation.
- Materials to avoid : not required

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Crystalline silica, quartz	14808-60-7	TWA (Respirable particulates)	0.025 mg/m ³	CA AB OEL

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 5

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

		TWA (Respirable fraction)	0.1 mg/m3	CA ON OEL
		TWAEV (respirable dust)	0.1 mg/m3	CA QC OEL
C.I. Pigment Black 28	68186-91-4	TWA	1 mg/m3 (Copper)	NIOSH REL
Calcium distearate	1592-23-0	TWA	10 mg/m3	CA AB OEL
		TWA	10 mg/m3	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
Limestone	1317-65-3	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL
Aluminium oxide	1344-28-1	TWA	10 mg/m3	CA AB OEL
		TWAEV (total dust)	10 mg/m3 (Aluminium)	CA QC OEL
		TWA (Respirable)	1 mg/m3 (Aluminium)	CA BC OEL
		TWA (Respirable particulate matter)	1 mg/m3 (Aluminium)	ACGIH
C.I. Pigment White 6	13463-67-7	TWA	10 mg/m3	CA AB OEL
		TWA (Total dust)	10 mg/m3	CA BC OEL
		TWA (respirable dust fraction)	3 mg/m3	CA BC OEL
		TWAEV (total dust)	10 mg/m3	CA QC OEL

Engineering measures

- : Use only in area provided with appropriate exhaust ventilation.
- Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.
- Use engineering controls such as local or general exhaust to maintain airborne concentrations below exposure limits.

Personal protective equipment

- Respiratory protection : If dusty conditions exist, use NIOSH approved respirator with high efficiency (p-100) filter media.

Hand protection

Remarks

- : Nitrile rubber gloves. Impervious butyl rubber gloves PVC Neoprene gloves

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 6

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Eye protection	: Safety glasses with side-shields
Skin and body protection	: Wear protective clothing, including long sleeves and gloves, to prevent skin contact.
Hygiene measures	: The usual Industrial Hygiene precautions must be taken during work, in particular: do not drink, eat or smoke during the handling of the product and clean hands and face during work intervals and after work.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: red
Odour	: characteristic
Odour Threshold	: Not applicable
pH	: Not applicable
Melting point	: Not applicable
Boiling point	: Not applicable
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: not determined
Self-ignition	: Not applicable
Upper explosion limit / upper flammability limit	: not tested.
Lower explosion limit / Lower flammability limit	: not tested.
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: not available
Density	: not tested.

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 7

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Solubility(ies)	
Water solubility	: not determined
Partition coefficient: n-octanol/water	: This property is not applicable for mixtures.
Decomposition temperature	: To the best of our current knowledge, no thermal decomposition of the product is expected if it is processed according to good manufacturing practices. See section 10.4. "Conditions to avoid"
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Explosive properties	: no data available no data available
Oxidizing properties	: not available
Surface tension	: Not relevant
Particle size	: Product specific

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Heating can release hazardous gases. Keep away from heat, sparks, open flames, and other sources of ignition. If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Incompatible materials	: none Strong acids and oxidizing agents Strong acids and strong bases
Hazardous decomposition products	: When handled and stored appropriately, no dangerous decomposition products are known The product does not contain any chemical groups which

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 8

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

suggest self-reactive properties, nor is the estimated SADT less than 75 °C, nor is the exothermic decomposition energy higher than 300 J/g.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Eye contact
Skin contact

Acute toxicity

Product:

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

Crystalline silica, quartz:

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : Remarks: no data available

Calcium distearate:

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg
Method: OECD Test Guideline 423
GLP: yes

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Acute oral toxicity : LD50 (Rat, female): > 5,000 mg/kg
Method: OECD Test Guideline 425
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 3.4 - 5.1 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
GLP: no
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Assessment: The substance or mixture has no acute dermal toxicity
Remarks: not required

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 9

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Skin corrosion/irritation

Product:

Result: No skin irritation

Components:

Crystalline silica, quartz:

Remarks: no data available

Calcium distearate:

Species: Rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: yes

Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Species: Rabbit

Exposure time: 4 h

Method: OECD Test Guideline 404

Result: No skin irritation

GLP: no

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Components:

Crystalline silica, quartz:

Remarks: no data available

Calcium distearate:

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: yes

Remarks: By analogy with a product of similar composition

C.I. Pigment White 6:

Species: rabbit eye

Result: No eye irritation

Method: OECD Test Guideline 405

GLP: No information available.

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 10

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Respiratory or skin sensitisation

Product:

Result: non-sensitizing

Components:

Crystalline silica, quartz:

Remarks: no data available

Calcium distearate:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Respiratory system

Exposure routes: Inhalation

Remarks: This information is not available.

C.I. Pigment White 6:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Dermal

Species: Mouse

Method: OECD Test Guideline 429

Result: Not a skin sensitizer.

GLP: No information available.

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Not a skin sensitizer.

GLP: yes

Test Type: Respiratory system

Exposure routes: inhalation (dust/mist/fume)

Species: Mouse

Method: Other

Result: Does not cause respiratory sensitisation.

GLP: No information available.

Germ cell mutagenicity

Components:

Calcium distearate:

Genotoxicity in vitro

: Test Type: Ames test

Test system: Salmonella typhimurium

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 11

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Test Type: In vitro gene mutation study in mammalian cells

Test system: mouse lymphoma cells

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Test Type: Cytogenetic assay

Test system: V79 cells (embryonic lung fibroblasts) of the Chinese hamster

Method: OECD Test Guideline 473

Result: negative

GLP: yes

Remarks: By analogy with a product of similar composition

Germ cell mutagenicity -
Assessment

: It is concluded that the product is not mutagenic based on evaluation of several mutagenicity tests.

C.I. Pigment White 6:

Genotoxicity in vitro

: Test Type: Ames test
Test system: Salmonella typhimurium
Concentration: 333 - 5000 µg/plate
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative
GLP: yes

Test Type: Ames test

Test system: Escherichia coli

Concentration: 333 - 5000 µg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

GLP: yes

Genotoxicity in vivo

: Test Type: Micronucleus test
Species: Mouse (male and female)
Strain: ICR
Cell type: Erythrocytes
Application Route: oral (gavage)
Exposure time: single treatment
Dose: 500 - 1000 - 2000 mg/kg
Method: OECD Test Guideline 474
Result: negative
GLP: yes

Germ cell mutagenicity -
Assessment

: In vitro tests did not show mutagenic effects, In vivo tests did not show mutagenic effects

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 12

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Carcinogenicity

Components:

Calcium distearate:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

C.I. Pigment White 6:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

Reproductive toxicity

Components:

Calcium distearate:

Effects on fertility : Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: > 1,000 mg/kg body weight
General Toxicity F1: NOAEL: > 1,000 mg/kg body weight
Method: OECD Test Guideline 421
GLP: yes

Effects on foetal development : Species: Rat
Application Route: Oral
Teratogenicity: NOAEL: > 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: By analogy with a product of similar composition

Reproductive toxicity - Assessment : No reproductive toxicity to be expected.
No teratogenic effects to be expected.

C.I. Pigment White 6:

Effects on fertility : Remarks: no data available

Effects on foetal development : Test Type: Pre-natal
Species: Rat, female
Strain: wistar
Application Route: oral (gavage)
Dose: 100, 300, 1000 mg/kg bw
Duration of Single Treatment: 14 d
Frequency of Treatment: 1 daily
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Developmental Toxicity: NOAEL: 1,000 mg/kg body weight
Embryo-foetal toxicity: NOEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes
Remarks: No significant adverse effects were reported

Reproductive toxicity - Assessment : No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 13

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Did not show teratogenic effects in animal experiments.

STOT - single exposure

Components:

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure

Components:

Calcium distearate:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

C.I. Pigment White 6:

Assessment: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Calcium distearate:

Species: Rat

NOAEL: > 2,000 mg/kg

Application Route: Oral

Method: OECD Test Guideline 407

GLP: yes

C.I. Pigment White 6:

Species: Rat, male

NOEL: > 24000 mg/kg bw/day

Application Route: oral (gavage)

Exposure time: 29 d

Number of exposures: daily

Dose: 24000 mg/kg

Group: yes

Method: OECD Test Guideline 407

GLP: No information available.

Species: Rat, male and female

NOAEL: 0.01 mg/l

Application Route: Inhalation

Exposure time: 2 a

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 14

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Number of exposures: 6 hours/day, 5 days/week
Dose: 0,0106 - 0,0507 - 0,250 mg/l
Group: yes
Method: Repeated Dose Toxicity (chronic Toxicity)
GLP: no

Aspiration toxicity

Components:

Calcium distearate:

No aspiration toxicity classification

C.I. Pigment White 6:

No aspiration toxicity classification

Experience with human exposure

Product:

General Information : The possible symptoms known are those derived from the labelling (see section 2).

Further information

Components:

C.I. Pigment White 6:

Remarks: Lung damage possible.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: no data available

Components:

Crystalline silica, quartz:

Toxicity to fish : Remarks: no data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: no data available

Toxicity to algae/aquatic plants : Remarks: no data available

Toxicity to fish (Chronic toxicity) : Remarks: no data available

Toxicity to daphnia and other : Remarks: no data available

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 15

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

aquatic invertebrates
(Chronic toxicity)

Calcium distearate:

- Toxicity to fish : LC50 (*Oryzias latipes*): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203
GLP: yes
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes
- Toxicity to fish (Chronic toxicity) : Remarks: not required
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): > 0.22 mg/l
Exposure time: 21 d
Test Type: semi-static test
Method: OECD Test Guideline 211
GLP: yes
Remarks: By analogy with a product of similar composition
- Toxicity to microorganisms : EC50 (activated sludge): > 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: By analogy with a product of similar composition
- Toxicity to soil dwelling organisms : Remarks: Not applicable
- Plant toxicity : Remarks: Not applicable
- Sediment toxicity : Remarks: no data available
- Toxicity to terrestrial organisms : Remarks: Not applicable

C.I. Pigment White 6:

- Toxicity to fish : LC50 (*Pimephales promelas* (fathead minnow)): > 1,000 mg/l

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 16

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Test Type: static test
Analytical monitoring: no
Method: OECD Test Guideline 203
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Cyprinodon variegatus (sheepshead minnow)): > 10,000 mg/l
Exposure time: 96 h
Test Type: semi-static test
Analytical monitoring: no data available
Method: OECD Test Guideline 203
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Test Type: static test
Analytical monitoring: no data available
Method: OECD Test Guideline 202
GLP: no data available
Remarks: The details of the toxic effect relate to the nominal concentration.

LC50 (Acartia tonsa): > 10,000 mg/l
Exposure time: 48 h
Analytical monitoring: no data available
Method: ISO 14669 and PARCOM method
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 61 mg/l
End point: Growth rate
Exposure time: 72 h
Test Type: static test
Analytical monitoring: no
Method: EPA
GLP: No information available.
Remarks: The details of the toxic effect relate to the nominal concentration.

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 17

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l
End point: Growth rate
Exposure time: 72 h
Analytical monitoring: no data available
Method: ISO 10253
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to fish (Chronic toxicity) : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.31 mg/l
Exposure time: 28 d
Test Type: static test
Analytical monitoring: yes
Method: Other
GLP: No information available.
Remarks: By analogy with a product of similar composition

Toxicity to microorganisms : EC50 (activated sludge of a predominantly domestic sewage): > 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

NOEC (activated sludge of a predominantly domestic sewage): \geq 1,000 mg/l
End point: Bacteria toxicity (respiration inhibition)
Exposure time: 3 h
Test Type: aquatic
Method: OECD Test Guideline 209
GLP: yes
Remarks: The details of the toxic effect relate to the nominal concentration.

Toxicity to soil dwelling organisms : Test Type: artificial soil
NOEC (Folsomia candida): 0,1 \rightarrow \geq 10 %
Exposure time: 28 d
End point: mortality
Method: ISO 11267
GLP: no
Remarks: By analogy with a product of similar composition
This product does not have any known adverse effect on the soil organisms tested.

Plant toxicity : NOEC: \geq 10 %
Exposure time: 20 h
End point: Growth
Species: Lactuca sativa (lettuce)
Analytical monitoring: yes
Method: Other
GLP: no

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 18

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Remarks: By analogy with a product of similar composition
No effect on the growth was observed.

Sediment toxicity : NOEC (Hyalella azteca (Scud)): ≥ 100000 %
Analytical monitoring: no
Sediment: artificial soil
Exposure duration: 28 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: no
Remarks: By analogy with a product of similar composition

NOEC: ≥ 14989 mg/kg dry weight (d.w.)
Analytical monitoring: no data available
Sediment: Natural sediment
Exposure duration: 10 d
Nominal / Measured: nominal
Basis for effect: mortality
Method: Other
GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

Persistence and degradability

Components:

Calcium distearate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 93 %
Method: OECD Test Guideline 301C

Result: Readily biodegradable.
Biodegradation: 99 %
Method: OECD Test Guideline 301B

C.I. Pigment White 6:

Biodegradability : Remarks: Not applicable for inorganic compound.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: not tested.

Components:

Crystalline silica, quartz:

Bioaccumulation : Remarks: no data available

Calcium distearate:

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 19

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

Bioaccumulation : Remarks: Due to the low logPow bioaccumulation is not expected

C.I. Pigment White 6:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 20 - 200
Exposure time: 14 d
Concentration: 0.1 - 1 mg/l
Method: Other
GLP: No information available.
Remarks: Does not accumulate in organisms.

Partition coefficient: n-octanol/water : Remarks: inorganic

Mobility in soil

Product:

Distribution among environmental compartments : Remarks: not tested.

Components:

C.I. Pigment White 6:

Mobility : Remarks: Adsorption to solid soil phase is possible.

Distribution among environmental compartments : Adsorption/Soil
Medium: water - soil
log Koc: 4.61
Method: Other

Other adverse effects

Product:

Results of PBT and vPvB assessment : Remarks: No information is available as no chemical safety report (CSR) is required.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

Components:

Calcium distearate:

Results of PBT and vPvB assessment : The substance is not identified as a PBT or as a vPvB substance.

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

C.I. Pigment White 6:

Environmental fate and : not available

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 20

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

pathways

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT).

Additional ecological information : Do not allow to enter ground water, waterways or waste water.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of this product in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Regulations concerning reuse or disposal of used packaging materials must be observed.

SECTION 14. TRANSPORT INFORMATION

TDG not restricted

IATA not restricted

IMDG not restricted

SECTION 15. REGULATORY INFORMATION

NPRI Components : Chromium (III) compound
Copper Compound

The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

Canadian lists

No substances are subject to a Significant New Activity Notification.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)

CA BC OEL : Canada. British Columbia OEL

CA ON OEL : Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.

CA QC OEL : Québec. Regulation respecting occupational health and

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 21

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

NIOSH REL : safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA : USA. NIOSH Recommended Exposure Limits
CA AB OEL / TWA : 8-hour, time-weighted average
CA BC OEL / TWA : 8-hour Occupational exposure limit
CA ON OEL / TWA : 8-hour time weighted average
CA QC OEL / TWA : Time-Weighted Average Limit (TWA)
CA QC OEL / TWA : Time-weighted average exposure value
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek

AICS - Australian Inventory of Chemical Substances; AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Revision Date : 09/21/2020
Date format : mm/dd/yyyy

The information contain herein is accurate to the best knowledge of Avient Corporation and its subsidiaries and affiliates. However, neither Avient nor any of its subsidiaries or affiliates assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of the Avient product is the sole responsibility of the user. Any material may present unknown hazards and should be used with caution. Due to possible

SAFETY DATA SHEET



DC KBD-100375 001.000% RED DC

Page 22

Substance key: 000000662659

Revision Date: 09/21/2020

Version : 1 - 3 / CDN

Date of printing :08/26/2022

changes in Avient products and applicable national and international regulations and laws, the status of the products could change. Although certain hazards are described herein, Avient and its subsidiaries and affiliates cannot guarantee that these are the only hazards that exist. This information is only valid for the current intended use, and is not valid for such Avient product used in conjunction with any other materials or in any process.

CA / EN